J 6

```
NNN         NNN  MMM         MMM  LLL
NNN         NNN  MMM         MMM  LLL
NNN         NNN  MMM         MMM  LLL
NNN         NNN  MMMMMM   MMMMMM  LLL
NNN         NNN  MMMMMM   MMMMMM  LLL
NNN         NNN  MMMMMM   MMMMMM  LLL
NNNNNN      NNN  MMM   MMM   MMM  LLL
NNNNNN      NNN  MMM   MMM   MMM  LLL
NNNNNN      NNN  MMM   MMM   MMM  LLL
NNN   NNN   NNN  MMM         MMM  LLL
NNN   NNN   NNN  MMM         MMM  LLL
NNN   NNN   NNN  MMM         MMM  LLL
NNN      NNNNNN  MMM         MMM  LLL
NNN      NNNNNN  MMM         MMM  LLL
NNN      NNNNNN  MMM         MMM  LLL
NNN         NNN  MMM         MMM  LLL
NNN         NNN  MMM         MMM  LLL
NNN         NNN  MMM         MMM  LLL
NNN         NNN  MMM         MMM  LLLLLLLLLLLLLLL
NNN         NNN  MMM         MMM  LLLLLLLLLLLLLLL
NNN         NNN  MMM         MMM  LLLLLLLLLLLLLLL
```

```
_$

Ps
--
NP

NP



$G


$O













NP

PA

_L
```

```
**FILE**ID**NMLDAT


          NN      NN   MM     MM  LL          DDDDDDDD      AAAAAA    TTTTTTTTTT
          NN      NN   MM     MM  LL          DDDDDDDD      AAAAAA    TTTTTTTTTT
          NN      NN   MMMM MMMM  LL          DD      DD  AA      AA      TT
          NN      NN   MMMM MMMM  LL          DD      DD  AA      AA      TT
          NNNN    NN   MM MM  MM  LL          DD      DD  AA      AA      TT
          NNNN    NN   MM MM  MM  LL          DD      DD  AA      AA      TT
          NN  NN  NN   MM     MM  LL          DD      DD  AA      AA      TT
          NN  NN  NN   MM     MM  LL          DD      DD  AA      AA      TT
          NN    NNNN   MM     MM  LL          DD      DD  AAAAAAAAAA      TT
          NN    NNNN   MM     MM  LL          DD      DD  AAAAAAAAAA      TT
          NN      NN   MM     MM  LL          DD      DD  AA      AA      TT          ....
          NN      NN   MM     MM  LL          DD      DD  AA      AA      TT          ....
          NN      NN   MM     MM  LLLLLLLLLL  DDDDDDDD    AA      AA      TT          ....
          NN      NN   MM     MM  LLLLLLLLLL  DDDDDDDD    AA      AA      TT          ....

          LL            IIIIII      SSSSSSSS
          LL            IIIIII      SSSSSSSS
          LL              II      SS
          LL              II      SS
          LL              II      SS
          LL              II      SS
          LL              II        SSSSSS
          LL              II        SSSSSS
          LL              II              SS
          LL              II              SS
          LL              II              SS
          LL              II              SS
          LLLLLLLLLL    IIIIII    SSSSSSSS
          LLLLLLLLLL    IIIIII    SSSSSSSS
```

```
0 MODULE NML$DAT (IDENT = 'V04-000') =
1 BEGIN
1 !
1 !****************************************************************************
1 !*                                                                          *
1 !*  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY                                 *
1 !*  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.                  *
1 !*  ALL RIGHTS RESERVED.                                                    *
1 !*                                                                          *
1 !*  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED   *
1 !*  ONLY IN  ACCORDANCE WITH  THE  TERMS  OF  SUCH  LICENSE  AND WITH THE   *
1 !*  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR  ANY  OTHER   *
1 !*  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY   *
1 !*  OTHER PERSON.  NO TITLE TO AND OWNERSHIP OF  THE  SOFTWARE IS  HEREBY   *
1 !*  TRANSFERRED.                                                            *
1 !*                                                                          *
1 !*  THE INFORMATION IN THIS SOFTWARE IS  SUBJECT TO CHANGE WITHOUT NOTICE   *
1 !*  AND  SHOULD  NOT  BE  CONSTRUED AS  A COMMITMENT BY DIGITAL EQUIPMENT   *
1 !*  CORPORATION.                                                            *
1 !*                                                                          *
1 !*  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE  OR  RELIABILITY OF ITS   *
1 !*  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.                 *
1 !*                                                                          *
1 !*                                                                          *
1 !****************************************************************************
1 !
1
1 !++
1 ! FACILITY:  DECnet-VAX Network Management Listener
1 !
1 !
1 ! ABSTRACT:
1 !
1 !       This module contains all global data referenced by
1 !       NML modules.
1 !
1 ! ENVIRONMENT:  VAX/VMS Operating System
1 !
1 ! AUTHOR:  Distributed Systems Software Engineering
1 !
1 ! CREATION DATE:  3-Oct-1979
1 !
1 ! MODIFIED BY:
1 !
1 !       V03-023 MKP0035         Kathy Perko             2-Mar-1984
1 !               Fix SET EXEC NAME command, which was broken when the
1 !               permanent database changes were made.
1 !
1 !       V03-022 MKP0034         Kathy Perko             27-Feb-1984
1 !               Put SERVICE NODE VERSION back in for SHOW commands now
1 !               that the parameter is in NETACP.
1 !
1 !       V03-021 MKP0033         Kathy Perko             7-Jan-1984
1 !               Add X-25 Access entity.
1 !
1 !       V03-020 MKP0032         Kathy Perko             7-Jan-1984
1 !               Comment out SERVICE NODE VERSION for SHOW commands until
```

```
;    58         0058  1 !                  the parameter is added to NETACP.
;    59         0059  1 !
;    60         0060  1 !          V03-019 MKP0031          Kathy Perko                  3-Aug-1983
;    61         0061  1 !                  Convert node permanent database to use multiple ISAM
;    62         0062  1 !                  keys instead of one.  This change is for performance.
;    63         0063  1 !                  Add SERVICE NODE VERSION parameter.
;    64         0064  1 !
;    65         0065  1 !          V03-018 MKP0030          Kathy Perko                  6-June-1983
;    66         0066  1 !                  Add events 4.8-9 to KNOWN events.  Add ALIAS parameter
;    67         0067  1 !                  to node database.
;    68         0068  1 !
;    69         0069  1 !          V03-017 MKP0029          Kathy Perko                  6-May-1983
;    70         0070  1 !                  Add service substate to SHO CIRC SUMMARY.  Also, fix SHOW
;    71         0071  1 !                  CIRCUIT to only return service adjacency info (SDI database)
;    72         0072  1 !                  for NI circuits.
;    73         0073  1 !
;    74         0074  1 !          V03-016 MKP0028          Kathy Perko                  30-April-1983
;    75         0075  1 !                  Add circuit ID to Configurator Module SET ALL parameter list.
;    76         0076  1 !                  Also, add service substate and physical address to SHOW CIRCUIT
;    77         0077  1 !                  display.
;    78         0078  1 !
;    79         0079  1 !          V03-015 MKP0027          Kathy Perko                  19-April-1983
;    80         0080  1 !                  Delete service function buffers and NFBs (they've been moved
;    81         0081  1 !                  to MOM).  Add events 4.18 and 19.
;    82         0082  1 !
;    83         0083  1 !          V03-014 MKP0026          Kathy Perko                  2-March-1983
;    84         0084  1 !                  Get rid of duplicate symbol, NMA$C_OPN_CNF, and check in
;    85         0085  1 !                  whole new source, since the update packet is getting huge.
;    86         0086  1 !
;    87         0087  1 !          V03-013 MKP0025          Kathy Perko                  22-Feb-1983
;    88         0088  1 !                  Delete SHOW Node PROXY parameter.  Leave LIST and PURGE,
;    89         0089  1 !                  so customers can clean up their databases.  Add LINE BUFFER
;    90         0090  1 !                  SIZE parameter.
;    91         0091  1 !
;    92         0092  1 !          V03-012 MKP0024          Kathy Perko                  17-Jan-1983
;    93         0093  1 !                  Add support for NI configurator module.
;    94         0094  1 !
;    95         0095  1 !          V03-011 MKP0023          Kathy Perko                  19-Dec-1982
;    96         0096  1 !                  Add Ethernet protocol type parameter (EPT) to line database,
;    97         0097  1 !                  and delete listen timer and block size from circuit database
;    98         0098  1 !                  (they have been moved to the adjacency database).
;    99         0099  1 !
;   100         0100  1 !          V03-010 MKP0022          Kathy Perko                  28-Nov-1982
;   101         0101  1 !                  Add NNN (Next node to destination address) to speed up
;   102         0102  1 !                  SHOW NODE STATUS and SUMMARY commands.
;   103         0103  1 !                  Add support for down line load over the Ethernet.
;   104         0104  1 !
;   105         0105  1 !          V03-009 MKP0021          Kathy Perko                  9-Nov-1982
;   106         0106  1 !                  Add MODULE as a source for logging events and then add
;   107         0107  1 !                  events 128.2-4 to KNOWN events.
;   108         0108  1 !                  Add word for mailbox channel for logging all NICE messages
;   109         0109  1 !                  if NML$WATCHER is defined.
;   110         0110  1 !
;   111         0111  1 !          V03-008 MKP0020          Kathy Perko                  4-Nov-1982
;   112         0112  1 !                  Add area entity.
;   113         0113  1 !
;   114         0114  1 !          V03-007 MKP0019          Kathy Perko                  12-Oct-1982
;  115        0115  1 !              Change circuit adjacency parameters returned.
;  116        0116  1 !
;  117        0117  1 !      V03-006 MKP0018          Kathy Perko              27-Sept-1982
;  118        0118  1 !              Add all events in DNA to KNOWN EVENTS.
;  119        0119  1 !              Make the circuit parameter, Designated Router, a characteristics
;  120        0120  1 !              parameter instead of status (this is in violation of the
;  121        0121  1 !              architecture).
;  122        0122  1 !
;  123        0123  1 !      V03-005 MKP0017          Kathy Perko              20-Sept-1982
;  124        0124  1 !              Make changes to utilize full multiple show capabilities
;  125        0125  1 !              of new NETACP QIO interface for SHOW NODES.
;  126        0126  1 !
;  127        0127  1 !      V03-004 MKP0016          Kathy Perko              1-Sept-1982
;  128        0128  1 !              Fix SET X29-SERVER [KNOWN DESTINATION] ALL so that X29
;  129        0129  1 !              field IDs are put into the NFB instead of X25 field IDs.
;  130        0130  1 !
;  131        0131  1 !      V03-003 MKP0015          Kathy Perko              21-June-1982
;  132        0132  1 !              Add NI parameters for lines, nodes, and circuits.
;  133        0133  1 !              Return DTE IDs with SHOW DTE responses.  Also, enhance
;  134        0134  1 !              the Entity Information Table (NML$AB_ENTITYDATA) to include
;  135        0135  1 !              the SHOW ACTIVE and KNOWN search key ID, length, value, and
;  136        0136  1 !              operator.
;  137        0137  1 !              Add X29-Server entity.
;  138        0138  1 !              Add loop PSI line data fields.
;  139        0139  1 !
;  140        0140  1 !      V03-002 MKP0014          Kathy Perko              26-May-1982
;  141        0141  1 !              Add X-25 Modules and double search keys.
;  142        0142  1 !
;  143        0143  1 !      V03-001 MKP0013          Kathy Perko              16-Feb-1982
;  144        0144  1 !              Add autoservice event to list of KNOWN EVENTS.
;  145        0145  1 !
;  146        0146  1 !      V02-013 MKP0012          Kathy Perko              15-Feb-1982
;  147        0147  1 !              Reinstate pipeline quota parameters for executor node.
;  148        0148  1 !
;  149        0149  1 !      V02-012 MKP0011          Kathy Perko              4-Feb-1982
;  150        0150  1 !              Fix macro that builds the KNOWN EVENTS tables so that
;  151        0151  1 !              it distinguishes between events with a source type of "none"
;  152        0152  1 !              and events with a source type of "any"
;  153        0153  1 !
;  154        0154  1 !      V02-011 MKP0010          Kathy Perko              19-Jan-1982
;  155        0155  1 !              Add circuit parameter, Transport protocol (NMA$C_PCCI_XPT).
;  156        0156  1 !
;  157        0157  1 !      V02-010 MKP0009          Kathy Perko              7-Jan-1982
;  158        0158  1 !              One more time now -- move the RTT parameter from
;  159        0159  1 !              circuits back to lines. Sigh.
;  160        0160  1 !
;  161        0161  1 !      V02-009 MKP0008          Kathy Perko              3-Jan-1982
;  162        0162  1 !              Add LAD parameter to link semantic tables so NML can
;  163        0163  1 !              handle SHOW LINKS commands from V2 nodes.
;  164        0164  1 !
;  165        0165  1 !      V02-008 MKP0007          Kathy Perko              31-Dec-1981
;  166        0166  1 !              Fix order of node parameters so they are returned to NPC
;  167        0167  1 !              in ascending order.  Also, set up Entity Table so that
;  168        0168  1 !              the search key for the executor node is always wildcard
;  169        0169  1 !              (since there is only the one entry in NETACPs executor
;  170        0170  1 !              data base.)
;  171        0171  1 !
```

```
1 !       V02-007 MKP0006          Kathy Perko              2-Dec-1981
1 !               Move Line parameter, receive buffers to return in the
1 !               correct order for SHOWs and LISTs. Also, add the
1 !               ACCESS parameter to executor node shows and lists.
1 !               Add proxy login parameters for objects and nodes.
1 !
1 !       V02-006 MKP0005          Kathy Perko              1-Dec-1981
1 !               Move retransmit timer parameter from circuits to lines.
1 !               Also, add State and Remote Process ID parameters to links.
1 !
1 !       V02-005 MKP0004          Kathy Perko              17-Nov-1981
1 !               Add circuits to logging event table.
1 !
1 !       V02-005 MKP0003          Kathy Perko              13-Nov-1981
1 !               Add line clock parameter.
1 !
1 !       V02-004 MKP0002          Kathy Perko              4-Nov-1981
1 !               Fix parameter mapping tables size.
1 !
1 !       V02-003 TMH0003          Tim Halvorsen            12-Oct-1981
1 !               Define new cell to contain NCP version number.  Make
1 !               changes to add V2 compatibility.
1 !
1 !       V02-002 MKP0001          Kathy Perko              6-Sept-1981
1 !               Add new VMS specific parameters: CIRCUIT VERIFICATION,
1 !               NODE ACCESS, EXECUTOR DEFAULT ACCESS and PIPELINE QUOTA.
1 !               Also, fix executor node counter reporting, and add a
1 !               patch area.
1 !
1 !       V02-001 LMK0001          Len Kawell               18-Jul-1981
1 !               Add CIRCUITS and modify LINES.
1 !--
```

```
;  205           0204  1 %SBTTL 'Global data declarations'
;  206           0205  1
;  207           0206  1 !
;  208           0207  1 ! INCLUDE FILES:
;  209           0208  1 !
;  210           0209  1
;  211           0210  1 LIBRARY 'LIB$:NMLLIB.L32';
;  212           0211  1 LIBRARY 'SHRLIB$:NMALIBRY.L32';
;  213           0212  1 LIBRARY 'SHRLIB$:NET.L32';
;  214           0213  1 LIBRARY 'SHRLIB$:EVCDEF.L32';
;  215           0214  1 LIBRARY 'SYS$LIBRARY:STARLET.L32';
;  216           0215  1
;  217           0216  1 !
;  218           0217  1 ! Patch area.
;  219           0218  1 !
;  220           0219  1
;  221           0220  1 PSECT GLOBAL = PATCH_AREA;
;  222           0221  1
;  223           0222  1 GLOBAL
;  224           0223  1         NML$PATCH_AREA : BBLOCK [300];
;  225           0224  1
;  226           0225  1 PSECT GLOBAL = $GLOBAL$;
;  227           0226  1
;  228           0227  1 !
;  229           0228  1 ! OWN STORAGE:
;  230           0229  1 !
;  231           0230  1 GLOBAL
;  232           0231  1     NML$GQ_PROPRVMSK : BBLOCK [8],                ! Process privilege mask
;  233           0232  1     NML$GW_ACP_CHAN;                              ! ACP control channel
;  234           0233  1
;  235           0234  1 !
;  236           0235  1 ! Debugging log mask.  The bit mask is set up at NML initialization
;  237           0236  1 ! by translating the logical name NML$LOG.  The resulting ASCII hex number
;  238           0237  1 ! is converted to binary to provide the appropriate mask bit settings.
;  239           0238  1 !
;  240           0239  1 ! The values for NML$LOG are defined as follows:
;  241           0240  1 !
;  242           0241  1 !              1    NICE message network I/O.
;  243           0242  1 !              2    Permanent data base file I/O.
;  244           0243  1 !              4    NPARSE state transitions.
;  245           0244  1 !              8    Test (node loopback) message network I/O.
;  246           0245  1 !             10    Volatile data base I/O (NETACP QIOs).
;  247           0246  1 !             20    MOP direct line I/O.
;  248           0247  1 !             40    Trace service operation.
;  249           0248  1 !             80    Raw event data.
;  250           0249  1 !
;  251           0250  1 !                   100 through 8000 are not used.
;  252           0251  1 !
;  253           0252  1 !          10000    Dump node permanent data base file at initialization.
;  254           0253  1 !          20000    Dump line permanent data base file at initialization.
;  255           0254  1 !          40000    Dump logging permanent data base file at initialization.
;  256           0255  1 !          80000    Dump object permanent data base file at initialization.
;  257           0256  1 !
;  258           0257  1 !                   100000 through 80000000 are not used.
;  259           0258  1 !
;  260           0259  1 GLOBAL
;  261           0260  1     NML$GL_LOGMASK   : BLOCK [1] INITIAL (0),   ! Internal logging mask
;   262          0261   1       NML$GW_WATCHER_CHAN:          WORD;                  ! Watcher mailbox logging
;   263          0262   1                                                            !       channel.
;   264          0263   1   GLOBAL BIND                                              ! Descriptor for watcher's
;   265          0264   1                                                            !       mailbox.
;   266          0265   1       NML$GQ_WATCHER_DSC = $ASCID ('NML$WATCHER');
;   267          0266   1   !
;   268          0267   1   ! Network Management version number storage
;   269          0268   1   !
;   270          0269   1   GLOBAL BIND
;   271          0270   1       NML$AB_NML_NMV = UPLIT BYTE (NML$K_VERSION,
;   272          0271   1                                    NML$K_DEC_ECO,
;   273          0272   1                                    NML$K_USER_ECO);
;   274          0273   1   !
;   275          0274   1   ! Network device name.
;   276          0275   1   !
;   277          0276   1   GLOBAL BIND
;   278          0277   1       NML$GQ_NETNAMDSC = $ASCID ('_NET:');
;   279          0278   1   !
;   280          0279   1   ! Command link channel data
;   281          0280   1   !
;   282          0281   1   GLOBAL
;   283          0282   1       NML$GB_CMD_VER    : BYTE,                            ! Command node phase type
;   284          0283   1                                                            ! (2 = Phase II, 3 = Phase III)
;   285          0284   1       NML$GB_NCP_VERSION: VECTOR [3,BYTE],                 ! NICE version # of NCP
;   286          0285   1       NML$GL_RCVDATLEN;                                    ! Length of received data
;   287          0286   1   !
;   288          0287   1   ! Network I/O buffers
;   289          0288   1   !
;   290          0289   1   GLOBAL
;   291          0290   1       NML$AB_RCVBUFFER : VECTOR [NML$K_RCVBFLEN, BYTE],    ! Receive buffer
;   292          0291   1       NML$AB_SNDBUFFER : VECTOR [NML$K_SNDBFLEN, BYTE];    ! Send buffer
;   293          0292   1   GLOBAL BIND
;   294          0293   1       NML$GQ_RCVBFDSC =
;   295          0294   1           UPLIT (NML$K_RCVBFLEN, NML$AB_RCVBUFFER), ! Receive buffer descriptor
;   296          0295   1       NML$GQ_SNDBFDSC =
;   297          0296   1           UPLIT (NML$K_SNDBFLEN, NML$AB_SNDBUFFER); ! Send buffer descriptor
;   298          0297   1   !
;   299          0298   1   ! NICE command parsing data
;   300          0299   1   !
;   301          0300   1   GLOBAL
;   302          0301   1       NML$GB_FUNCTION   :          BYTE,                   ! NICE function code
;   303          0302   1       NML$GB_INFO       :          BYTE,                   ! NICE information code
;   304          0303   1       NML$GB_OPTIONS    :          BYTE,                   ! NICE option flags
;   305          0304   1       NML$GB_ENTITY_CODE,                                  ! NICE entity code
;   306          0305   1       NML$AB_ENTITY_ID :           BBLOCK [31],            ! NICE entity id
;   307          0306   1       NML$GB_ENTITY_FORMAT:        BYTE,                   ! NICE entity format code
;   308          0307   1       NML$GL_QUALIFIER_PST,                                ! NICE qualifier PST entry address
;   309          0308   1       NML$AB_QUALIFIER_ID:         BBLOCK [16],            ! NICE qualifier ID
;   310          0309   1       NML$GB_QUALIFIER_FORMAT:     BYTE,                   ! NICE qualifier format
;   311          0310   1       NML$GL_PRMCODE,                                      ! Parameter code for parsing
;   312          0311   1       NML$GL_PRS_FLGS   :          BLOCK [1],              ! Message parsing flags
;   313          0312   1       NML$GQ_ENTSTRDSC :           DESCRIPTOR,             ! Entity-specific string descriptor
;   314          0313   1       NML$AB_NPA_BLK    :          $NPA_BLKDEF             ! NPARSE argument block
;   315          0314   1                                            INITIAL (NPA$K_COUNT0),
;   316          0315   1       NML$GL_NML_ENTITY;                                   ! Internal NML entity code.
;   317          0316   1   !
;   318          0317   1   ! The following data is used for parameter applicability control.
```

```
1 ! It is set during parsing for singular entity operations or during
1 ! the processing of plural entity operations.
1 !
1
1 !
1 ! The following data is used for logging data base operations.  It is
1 ! set up during parsing (primarily).
1 !
1 GLOBAL
1     NML$GB_EVTSRCTYP : BYTE,              ! Event source type
1     NML$GQ_EVTSRCDSC : DESCRIPTOR,        ! Event source descriptor
1     NML$GW_EVTCLASS  : WORD,              ! Event class
1     NML$GB_EVTMSKTYP : BYTE,              ! Mask type
1     NML$GQ_EVTMSKDSC : DESCRIPTOR,        ! Mask descriptor
1     NML$GW_EVTSNKADR : WORD;              ! Sink node address
1 !
1 ! Record buffer for permanent data base access.
1 !
1 GLOBAL
1     NML$AB_RECBUF : BBLOCK [NML$K_RECBFLEN];
1 GLOBAL BIND
1     NML$GQ_RECBFDSC = UPLIT (NML$K_RECBFLEN, NML$AB_RECBUF);
1 !
1 ! QIO buffer for volatile data base access.
1 !
1 GLOBAL
1     NML$AB_QIOBUFFER : BBLOCK [NML$K_QIOBFLEN];
1 GLOBAL BIND
1     NML$GQ_QIOBFDSC = UPLIT (NML$K_QIOBFLEN, NML$AB_QIOBUFFER);
1 !
1 ! Executor information buffer and descriptors.
1 ! NML$GQ_EXEBFDSC describes the buffer to contain the executor data.
1 ! NML$GQ_EXEDATDSC describes the executor data once it is in the buffer.
1 ! NML$GL_EXEDATPTR is the current pointer into the executor data buffer.
1 ! These structures are used to handle the second set of executor parameters
1 ! that are not common to other nodes.
1 !
1 GLOBAL
1     NML$AB_EXEBUFFER : VECTOR [NML$K_QIOBFLEN, BYTE],
1     NML$GL_EXEDATPTR,
1     NML$GQ_EXEDATDSC : DESCRIPTOR INITIAL (0, NML$AB_EXEBUFFER);
1 GLOBAL BIND
1     NML$GQ_EXEBFDSC = UPLIT (NML$K_QIOBFLEN, NML$AB_EXEBUFFER);
1 !
1 ! Parameter descriptor buffer.  Each entry consists of two words containing
1 ! the semantic table index, a count, and a longword pointer to the parameter
1 ! in the receive buffer.
1 !
1 GLOBAL
1     NML$GW_PRMDESCNT : WORD,              ! Current parameter descriptor count
1     NML$AW_PRM_DES : BLOCKVECTOR [PDB$K_NUMBER, 4, WORD];
1 !
1 ! The following structure is used for building a message segment block (MSB).
1 ! NML$BLD_REPLY is called with this block as input to construct a NICE reply
1 ! message.
1 !
1 GLOBAL
```

```
;  376          0375  1      NML$AB_MSGBLOCK : BBLOCK [MSB$K_LENGTH];
;   378          0376   1 %SBTTL 'Macros to build event table'
;   379          0377   1
;   380          0378   1 MACRO
;   381        M 0379   1     EVT_LIST (TAB) =
;   382        M 0380   1
;   383        M 0381   1         COMPILETIME
;   384        M 0382   1             $G1 = 0, $G2 = 0,
;   385        M 0383   1             $C1 = 0, $C2 = 0,
;   386        M 0384   1             $L1 = 0, $L2 = 0,
;   387        M 0385   1             $M1 = 0, $M2 = 0,
;   388        M 0386   1             $N1 = 0, $N2 = 0;
;   389        M 0387   1
;   390        M 0388   1         PSECT GLOBAL = NML$EVENTS;
;   391        M 0389   1
;   392        M 0390   1         GLOBAL
;   393        M 0391   1             %NAME (TAB) : BBLOCKVECTOR [(%LENGTH - 1) / 2, 22]
;   394        M 0392   1                           INITIAL ($EVL (%REMAINING));
;   395        M 0393   1
;   396        M 0394   1         GLOBAL LITERAL
;   397        M 0395   1             NML$GK_EVENTS = (%LENGTH - 1) / 2;
;   398        M 0396   1
;   399        M 0397   1         PSECT GLOBAL = $GLOBAL$;
;   400        M 0398   1
;   401        M 0399   1         UNDECLARE
;   402        M 0400   1             $G1, $G2,
;   403        M 0401   1             $C1, $C2,
;   404        M 0402   1             $L1, $L2,
;   405        M 0403   1             $M1, $M2,
;   406        M 0404   1             $N1, $N2;
;   407          0405   1     %,
;   408          0406   1
;   409        M 0407   1     $EVL [CLS, EVE] =
;   410        M 0408   1         %ASSIGN ($N1, 0)
;   411        M 0409   1         %ASSIGN ($N2, 0)
;   412        M 0410   1         %ASSIGN ($C1, 0)
;   413        M 0411   1         %ASSIGN ($C2, 0)
;   414        M 0412   1         %ASSIGN ($L1, 0)
;   415        M 0413   1         %ASSIGN ($L2, 0)
;   416        M 0414   1         %ASSIGN ($M1, 0)
;   417        M 0415   1         %ASSIGN ($M2, 0)
;   418        M 0416   1         %ASSIGN ($G1, 0)
;   419        M 0417   1         %ASSIGN ($G2, 0)
;   420        M 0418   1
;   421        M 0419   1         %IF %NULL($EVC (CLS, %REMOVE (EVE)))
;   422        M 0420   1         %THEN
;   423        M 0421   1         WORD  (%NAME ('EVC$C_CLS_', CLS)),
;   424        M 0422   1         UPLIT ($G1, $G2),
;   425        M 0423   1         UPLIT ($N1, $N2),
;   426        M 0424   1         UPLIT ($C1, $C2),
;   427        M 0425   1         UPLIT ($L1, $L2),
;   428        M 0426   1         UPLIT ($M1, $M2)
;   429        M 0427   1         %FI
;   430          0428   1     %,
;   431          0429   1
;   432        M 0430   1     $EVC (CLS) [EVT, SRC] =
;   433        M 0431   1
;   434        M 0432   1         $EVE ((%NAME ('EVC$C_', CLS, '_', EVT) -
;  435      M 0433  1                   (%NAME ('EVC$C_CLS_', CLS) ^ 6)),
;  436      M 0434  1               %REMOVE (SRC))
;  437      M 0435  1
;  438        0436  1       %,
;  439        0437  1
;  440      M 0438  1       $EVE (BNUM) [SRC] =
;  441      M 0439  1
;  442      M 0440  1           %IF BNUM LSSU 32
;  443      M 0441  1           %THEN %ASSIGN ($G1, $G1 OR (1 ^ BNUM))
;  444      M 0442  1           %ELSE %ASSIGN ($G2, $G2 OR (1 ^ (BNUM - 32)))
;  445      M 0443  1           %FI
;  446      M 0444  1
;  447      M 0445  1           !
;  448      M 0446  1           ! If the event has a source type of "none" then don't add it to
;  449      M 0447  1           ! the source specific known event masks.
;  450      M 0448  1           !
;  451      M 0449  1           %IF NOT %IDENTICAL (SRC, 'NONE')
;  452      M 0450  1           %THEN
;  453      M 0451  1               %IF %IDENTICAL (SRC, 'NODE') OR
;  454      M 0452  1                   %IDENTICAL (SRC, 'ANY')
;  455      M 0453  1               %THEN
;  456      M 0454  1                   %IF BNUM LSSU 32
;  457      M 0455  1                   %THEN %ASSIGN ($N1, $N1 OR (1 ^ BNUM))
;  458      M 0456  1                   %ELSE %ASSIGN ($N2, $N2 OR (1 ^ (BNUM - 32)))
;  459      M 0457  1                   %FI
;  460      M 0458  1               %FI
;  461      M 0459  1
;  462      M 0460  1               %IF %IDENTICAL (SRC, 'LINE') OR
;  463      M 0461  1                   %IDENTICAL (SRC, 'ANY')
;  464      M 0462  1               %THEN
;  465      M 0463  1                   %IF BNUM LSSU 32
;  466      M 0464  1                   %THEN %ASSIGN ($L1, $L1 OR (1 ^ BNUM))
;  467      M 0465  1                   %ELSE %ASSIGN ($L2, $L2 OR (1 ^ (BNUM - 32)))
;  468      M 0466  1                   %FI
;  469      M 0467  1               %FI
;  470      M 0468  1
;  471      M 0469  1               %IF %IDENTICAL (SRC, 'CIRCUIT') OR
;  472      M 0470  1                   %IDENTICAL (SRC, 'ANY')
;  473      M 0471  1               %THEN
;  474      M 0472  1                   %IF BNUM LSSU 32
;  475      M 0473  1                   %THEN %ASSIGN ($C1, $C1 OR (1 ^ BNUM))
;  476      M 0474  1                   %ELSE %ASSIGN ($C2, $C2 OR (1 ^ (BNUM - 32)))
;  477      M 0475  1                   %FI
;  478      M 0476  1               %FI
;  479      M 0477  1
;  480      M 0478  1               %IF %IDENTICAL (SRC, 'MODULE') OR
;  481      M 0479  1                   %IDENTICAL (SRC, 'ANY')
;  482      M 0480  1               %THEN
;  483      M 0481  1                   %IF BNUM LSSU 32
;  484      M 0482  1                   %THEN %ASSIGN ($M1, $M1 OR (1 ^ BNUM))
;  485      M 0483  1                   %ELSE %ASSIGN ($M2, $M2 OR (1 ^ (BNUM - 32)))
;  486      M 0484  1                   %FI
;  487      M 0485  1               %FI
;  488      M 0486  1
;  489      M 0487  1           %FI
;  490        0488  1       %;
;  491        0489  1
;  493          0490   1 %SBTTL 'Event table'
;  494          0491   1 !
;  495          0492   1 ! Event table.
;  496          0493   1 !
;  497          0494   1 !                     +-------------+
;  498          0495   1 ! ETB$W_CLASS         |    class    |
;  499          0496   1 !                     +-------------+-------------+
;  500          0497   1 ! ETB$A_GLOBAL        |  known global event mask  |
;  501          0498   1 !                     +---------------------------+
;  502          0499   1 ! ETB$A_NODE          |   known node event mask   |
;  503          0500   1 !                     +---------------------------+
;  504          0501   1 ! ETB$A_LINE          |   known line event mask   |
;  505          0502   1 !                     +---------------------------+
;  506          0503   1 !
;  507          0504   1 PSECT
;  508          0505   1     OWN = NML$EVENTS (NOWRITE, ALIGN (0));
;  509          0506   1 OWN
;  510          0507   1     Z$ : VECTOR [0];
;  511          0508   1 UNDECLARE
;  512          0509   1     Z$;
;  513          0510   1 PSECT
;  514          0511   1     OWN = $OWN$;
;  515          0512   1 !
;  516          0513   1 ! Initialize the event table.
;  517          0514   1 !
;  518        P 0515   1 EVT_LIST (NML$AB_EVENTS,
;  519        P 0516   1 !
;  520        P 0517   1 ! Network management layer
;  521        P 0518   1 !
;  522        P 0519   1     NMA,(
;  523        P 0520   1         LOS,    ('NONE'),           ! Event records lost
;  524        P 0521   1         ANC,    ('NODE'),           ! Automatic node counters
;  525        P 0522   1         ALC,    ('LINE'),           ! Automatic line counters
;  526        P 0523   1         ALS,    ('LINE'),           ! Automatic line service
;  527        P 0524   1         LCZ,    ('LINE'),           ! Line counters zeroed
;  528        P 0525   1         NCZ,    ('NODE'),           ! Node counters zeroed
;  529        P 0526   1         PSL,    ('CIRCUIT'),        ! Passive loopback
;  530        P 0527   1         ABS,    ('CIRCUIT'),        ! Aborted service request
;  531        P 0528   1         CTR,    ('ANY'),            ! Automatic counters
;  532        P 0529   1         ZER,    ('ANY')             ! Counters zeroed.
;  533        P 0530   1         ),
;  534        P 0531   1 !
;  535        P 0532   1 ! Session control layer
;  536        P 0533   1 !
;  537        P 0534   1     SCL,(
;  538        P 0535   1         LNS,    ('NONE'),           ! Local node state change
;  539        P 0536   1         ACR,    ('NONE')            ! Access control reject
;  540        P 0537   1         ),
;  541        P 0538   1 !
;  542        P 0539   1 ! Network services layer
;  543        P 0540   1 !
;  544        P 0541   1     NSL,(
;  545        P 0542   1         IMS,    ('NONE'),           ! Invalid message
;  546        P 0543   1         IFC,    ('NONE'),           ! Invalid flow control
;  547        P 0544   1         DBR,    ('NODE')            ! Data base reused
;  548        P 0545   1         ),
;  549        P 0546   1 !
;  550      P 0547   1 ! Transport layer
;  551      P 0548   1 !
;  552      P 0549   1     TPL,(
;  553      P 0550   1         APL,     ('NONE'),         ! Aged packet loss
;  554      P 0551   1         UPL,     ('CIRCUIT'),      ! Node unreachable packet loss
;  555      P 0552   1         RPL,     ('CIRCUIT'),      ! Node out-of-range packet loss
;  556      P 0553   1         OPL,     ('CIRCUIT'),      ! Oversized packet loss
;  557      P 0554   1         PFM,     ('CIRCUIT'),      ! Packet format error
;  558      P 0555   1         PRU,     ('CIRCUIT'),      ! Partial routing update loss
;  559      P 0556   1         VFR,     ('CIRCUIT'),      ! Verification reject
;  560      P 0557   1         LDF,     ('CIRCUIT'),      ! Circuit down, circuit fault
;  561      P 0558   1         CDS,     ('CIRCUIT'),      ! Circuit down
;  562      P 0559   1         CDO,     ('CIRCUIT'),      ! Circuit down, operator initiated
;  563      P 0560   1         LDS,     ('CIRCUIT'),      ! Circuit down, software fault
;  564      P 0561   1         LDO,     ('CIRCUIT'),      ! Circuit down, operator fault
;  565      P 0562   1         LUP,     ('CIRCUIT'),      ! Circuit up
;  566      P 0563   1         ILF,     ('CIRCUIT'),      ! Initialization failure, circuit fault
;  567      P 0564   1         ISF,     ('CIRCUIT'),      ! Initialization failure, software fault
;  568      P 0565   1         IOF,     ('CIRCUIT'),      ! Initialization failure, operator fault
;  569      P 0566   1         RCH,     ('NODE'),         ! Node reachability change
;  570      P 0567   1         AUP,     ('NODE'),         ! Adjacent node up
;  571      P 0568   1         ARJ,     ('NODE'),         ! Adjacency rejected
;  572      P 0569   1 !****  Change this to AREA later.
;  573      P 0570   1         ACH,     ('NODE'),         ! Area reachablilty change
;  574      P 0571   1         LDS,     ('CIRCUIT'),      ! Adjacency down
;  575      P 0572   1         LDO,     ('CIRCUIT')       ! Adjacency down, operator initiated
;  576      P 0573   1         ),
;  577      P 0574   1 !
;  578      P 0575   1 ! Data link layer
;  579      P 0576   1 !
;  580      P 0577   1       DLL,(
;  581      P 0578   1         LSC,     ('CIRCUIT'),      ! Locally initiated state change
;  582      P 0579   1         RSC,     ('CIRCUIT'),      ! Remotely initiated state change
;  583      P 0580   1         PRS,     ('CIRCUIT'),      ! Protocol restart received in maintenance mode
;  584      P 0581   1         SND,     ('CIRCUIT'),      ! Send error threshold
;  585      P 0582   1         RET,     ('CIRCUIT'),      ! Receive error threshold
;  586      P 0583   1         SLC,     ('CIRCUIT'),      ! Select error threshold
;  587      P 0584   1         BHF,     ('CIRCUIT'),      ! Block header format error
;  588      P 0585   1         SAD,     ('CIRCUIT'),      ! Selection address error
;  589      P 0586   1         STT,     ('CIRCUIT'),      ! Streaming tributary
;  590      P 0587   1         LBS,     ('CIRCUIT'),      ! Local buffer too small
;  591      P 0588   1         RST,     ('MODULE'),       ! Restart (X.25 protocol)
;  592      P 0589   1         STC,     ('MODULE'),       ! State change (X.25 protocol)
;  593      P 0590   1         RME,     ('MODULE'),       ! Retransmit maximum exceeded (X.25)
;  594      P 0591   1         IFL,     ('LINE'),         ! Initialization failure
;  595      P 0592   1         SFL,     ('LINE'),         ! Send failed
;  596      P 0593   1         RFL,     ('LINE'),         ! Receive failed
;  597      P 0594   1         CDC,     ('LINE'),         ! Collision detect check failed
;  598      P 0595   1         DTU,     ('MODULE'),       ! DTE up (X.25 protocol)
;  599      P 0596   1         DTD,     ('MODULE')        ! DTE down (X.25 protocol)
;  600      P 0597   1         ),
;  601      P 0598   1 !
;  602      P 0599   1 ! Physical link layer
;  603      P 0600   1 !
;  604      P 0601   1     PLL,(
;  605      P 0602   1         DSR,     ('LINE'),         ! Data set ready transition
;  606      P 0603   1         RIN,     ('LINE'),         ! Ring indicator transition
;  607      P 0604   1          CAR,     ('LINE'),          ! Unexpected carrier transition
;  608      P 0605   1          MEM,     ('LINE'),          ! Memory access error
;  609      P 0606   1          COM,     ('LINE'),          ! Communications interface error
;  610      P 0607   1          PFM,     ('LINE')           ! Performance error
;  611      P 0608   1          ),
;  612      P 0609   1  !
;  613      P 0610   1  ! VMS specific
;  614      P 0611   1  !
;  615      P 0612   1      VMS,(
;  616      P 0613   1          DBC,     ('NONE'),          ! Logging data base change
;  617      P 0614   1          DPC,     ('NONE'),          ! DAP CRC error
;  618      P 0615   1          DP2,     ('NONE'),          ! Duplicate Phase II initialization
;  619      P 0616   1          PCR,     ('NONE'),          ! Process creation
;  620      P 0617   1          PTR,     ('NONE')           ! Process termination
;  621      P 0618   1          )
;  622      P 0619   1
;  623        0620   1      );
;  624        0621   1  !
;  625        0622   1  ! Undeclare all the macros used to build the event table.
;  626        0623   1  !
;  627        0624   1  UNDECLARE
;  628        0625   1      %QUOTE EVT_LIST,
;  629        0626   1      %QUOTE $EVL,
;  630        0627   1      %QUOTE $EVC,
;  631        0628   1      %QUOTE $EVE;
;  632        0629   1
;  634         0630  1 %SBTTL 'Parameter semantic table'
;  635         0631  1 !
;  636         0632  1 ! This table contains information about all entity parameters.
;  637         0633  1 !
;  638         0634  1 !
;  639         0635  1 ! PST$W_DATAID         +------+-----+--------------+
;  640         0636  1 ! PST$B_FORMAT         ! dty  ! frm !      id      !
;  641         0637  1 ! PST$B_DATATYPE       +------+-----+--------------+
;  642         0638  1 ! PST$L_MINVALUE       !           minval          !
;  643         0639  1 !                      +---------------------------+
;  644         0640  1 ! PST$L_MAXVALUE       !           maxval          !
;  645         0641  1 ! PST$W_IDENT          +-------------+------+------+
;  646         0642  1 ! PST$L_NFBID          !           nfb id          !
;  647         0643  1 !                      +---------------------------+
;  648         0644  1 !
;  649         0645  1 !
;  650         0646  1 ! PST$W_DATAID         The network management parameter code.
;  651         0647  1 !
;  652         0648  1 ! PST$B_FORMAT         The parameter format.  This field can have one
;  653         0649  1 !                      of the following values:
;  654         0650  1 !
;  655         0651  1 !                              NML$K_BYTE
;  656         0652  1 !                              NML$K_WORD
;  657         0653  1 !                              NML$K_LONG
;  658         0654  1 !                              NML$K_STRING
;  659         0655  1 !
;  660         0656  1 ! PST$B_DATATYPE       The network management automatic parsing code
;  661         0657  1 !                      for the parameter on output.  For some parameters
;  662         0658  1 !                      (such as coded multiple fields) this value is
;  663         0659  1 !                      combined with more information before it is moved
;  664         0660  1 !                      into the output message.
;  665         0661  1 !
;  666         0662  1 ! PST$L_MINVALUE       This is the minimum parameter value.  For strings
;  667         0663  1 !                      (NML$K_STRING) this is the minimum length.
;  668         0664  1 !
;  669         0665  1 ! PST$L_MAXVALUE       This is the maximum parameter value.  For strings
;  670         0666  1 !                      (NML$K_STRING) this is the maximum length.  If the
;  671         0667  1 !                      value is zero, the maximum value is determined by
;  672         0668  1 !                      the storage unit.
;  673         0669  1 !
;  674         0670  1 ! PST$L_NFBID          The ACP control QIO field ID for this parameter.
;  675         0671  1 !
;  676         0672  1 ! PST$K_ENTRYLEN       The number of bytes in a single PST entry.
;  677         0673  1 !
;  678         0674  1 !
;  679         0675  1 ! Macro to build parameter semantic table entries.
;  680         0676  1 !
;  681         0677  1 MACRO
;  682       M 0678  1     PST_ENTRY (PREF) [ID, FRM, DTY, MIN, MAX, DB, NFBID] =
;  683       M 0679  1
;  684       M 0680  1         SWITCHES UNAMES;
;  685       M 0681  1         PSECT OWN = NML$SEMANTICS;
;  686       M 0682  1
;  687       M 0683  1         OWN
;  688       M 0684  1             ENTRY :     VECTOR [PST$K_ENTRYLEN, BYTE]
;  689       M 0685  1                         ALIGN (0)
;  690       M 0686  1                         INITIAL (
;  691     M 0687   1                                 WORD (%NAME ('NMA$C_', PREF, '_', ID)),
;  692     M 0688   1                                 BYTE (%NAME ('NML$K_', FRM)),
;  693     M 0689   1                                 BYTE (DTY),
;  694     M 0690   1                                 LONG (MIN),
;  695     M 0691   1                                 LONG (MAX),
;  696     M 0692   1                                 LONG (
;  697     M 0693   1                                     %IF %NULL (DB, NFBID)
;  698     M 0694   1                                     %THEN
;  699     M 0695   1                                             0
;  700     M 0696   1                                     %ELSE
;  701     M 0697   1                                             $FIELD_ID (DB, NFBID)
;  702     M 0698   1                                     %FI
;  703     M 0699   1                                     ));
;  704     M 0700   1
;  705     M 0701   1             GLOBAL LITERAL
;  706     M 0702   1                 %NAME ('PST$K_', PREF, '_', ID) = PRM_SEM_CNT;
;  707     M 0703   1
;  708     M 0704   1             %ASSIGN (PRM_SEM_CNT, PRM_SEM_CNT+1);
;  709     M 0705   1
;  710     M 0706   1             PSECT OWN = $OWN$;
;  711     M 0707   1             SWITCHES NOUNAMES;
;  712     M 0708   1             UNDECLARE ENTRY;
;  713       0709   1         %;
;  714       0710   1
;  715       0711   1     MACRO
;  716     M 0712   1         $COU (W) =
;  717     M 0713   1             ((NMA$M_CNT_COU OR (W ^ 13)) ^ -12)
;  718       0714   1         %;
;  719       0715   1     !
;  720       0716   1     ! Parameter semantic table.
;  721       0717   1     !
;  722       0718   1     COMPILETIME
;  723       0719   1         PRM_SEM_CNT = 0;                    ! Initialize table entry count
;  724       0720   1     PSECT
;  725       0721   1         GLOBAL = NML$SEMANTICS (NOWRITE, ALIGN (0));
;  726       0722   1     GLOBAL
;  727       0723   1         NML$AB_PRMSEM : BBLOCKVECTOR [0, PST$K_ENTRYLEN];
;  728       0724   1     PSECT
;  729       0725   1         GLOBAL = $GLOBAL$;
;  730       0726   1     !
;  731       0727   1     ! Circuit parameter semantic table entries
;  732       0728   1     !
;  733       0729   1     LITERAL
;  734       0730   1         NMA$C_PCCI_AJ$ = NMA$C_PCCI_ADJ;    ! Adjacent node name
;  735       0731   1
;  736     P 0732   1     PST_ENTRY (PCCI
;  737     P 0733   1
;  738     P 0734   1         ,STA, BYTE,   NMA$M_PTY_COD+1,     0,     0,     CRI, STA
;  739     P 0735   1         ,SUB, BYTE,   NMA$M_PTY_COD+1,     0,     0,     CRI, SUB !RO
;  740     P 0736   1         ,SER, BYTE,   NMA$M_PTY_COD+1,     0,     0,     CRI, SER
;  741     P 0737   1         ,LCT, WORD,   2,                   1,     0,     CRI, LCT
;  742     P 0738   1         ,SPY, STRING, NMA$C_PTY_HI,        0,     0,     SDI, PHA !RO
;  743     P 0739   1         ,SSB, BYTE,   NMA$M_PTY_COD+1,     0,     0,     SDI, SUB !RO
;  744     P 0740   1     !?  ,CNO, STRING, NMA$C_PTY_CM2,       0,     0,     CRI, CNO !RO
;  745     P 0741   1     !?  ,COB, STRING, NMA$M_PTY_CMU,       0,     0,     CRI, COB !RO
;  746     P 0742   1         ,LOO, STRING, NMA$M_PTY_ASC,       0,     0,     CRI, PNN !RO
;  747     P 0743   1         ,ADJ, STRING, NMA$C_PTY_CM2,       0,     0,     AJI, ADD !RO
;  748      P 0744  1       ,AJ$, STRING, NMA$C_PTY_CM2,          0,     0,    AJI, NNA !RO
;  749      P 0745  1       ,DRT, STRING, NMA$C_PTY_CM2,          0,     0,    CRI, DRT !RO
;  750      P 0746  1       ,BLO, WORD,   2,                      0,     0,    AJI, BLO !RO
;  751      P 0747  1       ,COS, BYTE,   1,                      1,     25,   CRI, COS
;  752      P 0748  1       ,MRT, BYTE,   1,                      0,     0,    CRI, MRT
;  753      P 0749  1       ,RPR, BYTE,   1,                      0,     0,    CRI, RPR
;  754      P 0750  1       ,HET, WORD,   2,                      0,     0,    CRI, HET
;  755      P 0751  1       ,LIT, WORD,   2,                      0,     0,    CRI, LIT !RO
;  756      P 0752  1       ,BLK, BYTE,   NMA$M_PTY_COD+1,        0,     0,    CRI, BLK
;  757      P 0753  1       ,MRC, BYTE,   1,                      0,     0,    CRI, MRC
;  758      P 0754  1       ,RCT, WORD,   2,                      0,     0,    CRI, RCT
;  759      P 0755  1       ,NUM, STRING, NMA$M_PTY_ASC,          0,     0,    CRI, NUM
;  760      P 0756  1 !?    ,USR, STRING, NMA$M_PTY_CMU,          0,     0,    CRI, USR !RO
;  761      P 0757  1       ,POL, BYTE,   NMA$M_PTY_COD+1,        0,     0,    CRI, POL
;  762      P 0758  1       ,PLS, BYTE,   NMA$M_PTY_COD+1,        0,     0,    CRI, PLS !RO
;  763      P 0759  1       ,OWN, STRING, NMA$M_PTY_CMU,          0,     0,    CRI, DLM
;  764      P 0760  1       ,USE, BYTE,   NMA$M_PTY_COD+1,        0,     0,    CRI, USE
;  765      P 0761  1       ,TYP, BYTE,   NMA$M_PTY_COD+1,        0,     0,    CRI, TYP
;  766      P 0762  1       ,DTE, STRING, NMA$M_PTY_ASC,          0,     0,    CRI, DTE
;  767      P 0763  1       ,CHN, WORD,   2,                      0,     0,    CRI, CHN
;  768      P 0764  1       ,MBL, WORD,   2,                      0,     0,    CRI, MBL
;  769      P 0765  1       ,MWI, BYTE,   1,                      0,     0,    CRI, MWI
;  770      P 0766  1       ,TRI, BYTE,   1,                      0,     0,    CRI, TRI
;  771      P 0767  1       ,BBT, WORD,   2,                      0,     0,    CRI, BBT
;  772      P 0768  1       ,TRT, WORD,   2,                      0,     0,    CRI, TRT
;  773      P 0769  1       ,MRB, BYTE,   1,                      0,     0,    CRI, MRB
;  774      P 0770  1       ,MTR, BYTE,   1,                      0,     0,    CRI, MTR
;  775      P 0771  1       ,ACB, BYTE,   1,                      0,     0,    CRI, ACB
;  776      P 0772  1       ,ACI, BYTE,   1,                      0,     0,    CRI, ACI
;  777      P 0773  1       ,IAB, BYTE,   1,                      0,     0,    CRI, IAB
;  778      P 0774  1       ,IAI, BYTE,   1,                      0,     0,    CRI, IAI
;  779      P 0775  1       ,IAT, BYTE,   1,                      0,     0,    CRI, IAT
;  780      P 0776  1       ,DYB, BYTE,   1,                      0,     0,    CRI, DYB
;  781      P 0777  1       ,DYI, BYTE,   1,                      0,     0,    CRI, DYI
;  782      P 0778  1       ,DYT, BYTE,   1,                      0,     0,    CRI, DYT
;  783      P 0779  1       ,DTH, BYTE,   1,                      0,     0,    CRI, DTH
;  784      P 0780  1       ,VER, BYTE,   NMA$M_PTY_COD+1,        0,     0,    CRI, VER ! VMS specific.
;  785      P 0781  1       ,XPT, BYTE,   NMA$M_PTY_COD+1,        0,     0,    CRI, XPT ! VMS specific.
;  786      P 0782  1
;  787      P 0783  1       ,CC$, STRING, 0,                      0,     0,    CRI, CNT !internal
;  788      P 0784  1
;  789        0785  1           );
;  790        0786  1 !
;  791        0787  1 ! Line parameter semantic table entries
;  792        0788  1 !
;  793        0789  1 EXTERNAL LITERAL
;  794        0790  1     NMA$C_PCLI_BF$;                  ! V2 receive buffers parameter.
;  795        0791  1
;  796        0792  1 !
;  797        0793  1 ! For loop line commands, NCP passes the PCNO parameter codes for Loop
;  798        0794  1 ! count, Loop data, and Loop length.  Set up pseudo NMA values to map
;  799        0795  1 ! them to the ACPs PLI (line) database.
;  800        0796  1 !
;  801        0797  1 LITERAL
;  802        0798  1     NMA$C_PCLI_L$C = NMA$C_PCNO_LPC,     ! loop count
;  803        0799  1     NMA$C_PCLI_L$L = NMA$C_PCNO_LPL,     ! loop length
;  804        0800  1     NMA$C_PCLI_L$D = NMA$C_PCNO_LPD;     ! loop data type
;   805          0801   1
;   806        P 0802   1 PST_ENTRY (PCLI
;   807        P 0803   1
;   808        P 0804   1       ,STA, BYTE,    NMA$M_PTY_COD+1,        0,      0,      PLI, STA
;   809        P 0805   1       ,SUB, BYTE,    NMA$M_PTY_COD+1,        0,      0,      PLI, SUB !RO
;   810        P 0806   1       ,SER, BYTE,    NMA$M_PTY_COD+1,        0,      0,      PLI, SER
;   811        P 0807   1       ,LCT, WORD,    2,                      1,      0,      PLI, LCT
;   812        P 0808   1       ,BFN, WORD,    2,                      0,      0,      PLI, BFN
;   813        P 0809   1       ,CON, BYTE,    NMA$M_PTY_COD+1,        0,      0,      PLI, CON
;   814        P 0810   1       ,DUP, BYTE,    NMA$M_PTY_COD+1,        0,      0,      PLI, DUP
;   815        P 0811   1       ,PRO, BYTE,    NMA$M_PTY_COD+1,        0,      0,      PLI, PRO
;   816        P 0812   1       ,CLO, BYTE,    NMA$M_PTY_COD+1,        0,      0,      PLI, CLO
;   817        P 0813   1       ,STI, WORD,    2,                      1,      0,      PLI, STI
;   818        P 0814   1       ,RTT, WORD,    2,                      0,      0,      PLI, RTT
;   819        P 0815   1       ,HTI, WORD,    2,                      0,      0,      PLI, HTI
;   820        P 0816   1       ,MBL, WORD,    2,                      0,      0,      PLI, MBL
;   821        P 0817   1       ,MRT, BYTE,    1,                      0,      0,      PLI, MRT
;   822        P 0818   1       ,MWI, BYTE,    1,                      0,      0,      PLI, MWI
;   823        P 0819   1       ,SLT, WORD,    2,                      0,      0,      PLI, SLT
;   824        P 0820   1       ,DDT, WORD,    2,                      0,      0,      PLI, DDT
;   825        P 0821   1       ,DLT, WORD,    2,                      0,      0,      PLI, DLT
;   826        P 0822   1       ,SRT, WORD,    2,                      0,      0,      PLI, SRT
;   827        P 0823   1       ,HWA, STRING, NMA$C_PTY_HI,            0,      0,      PLI, HWA
;   828        P 0824   1       ,MCD, STRING, 0,                       0,      0,      PLI, MCD ! WO
;   829        P 0825   1       ,XMD, BYTE,    NMA$M_PTY_COD+1,        0,      0,      PLI, MOD ! VMS specific
;   830        P 0826   1       ,EPT, WORD,    NMA$C_PTY_H2,           0,      0,      PLI, EPT ! VMS specific
;   831        P 0827   1       ,BSZ, WORD,    2,                      0,      0,      PLI, BFS ! VMS specific
;   832        P 0828   1       ,BF$, WORD,    2,                      0,      0,      PLI, BFN ! V2 VMS
;   833        P 0829   1
;   834        P 0830   1       ,LC$, STRING, 0,                       0,      0,      PLI, CNT !internal
;   835        P 0831   1       ,L$C, WORD,    2,                      0,      0,      PLI, LPC !internal
;   836        P 0832   1       ,L$L, WORD,    2,                      0,      0,      PLI, LPL !internal
;   837        P 0833   1       ,L$D, BYTE,    1,                      0,      0,      PLI, LPD !internal
;   838        P 0834   1
;   839          0835   1           );
;   840          0836   1 !
;   841          0837   1 ! Logging parameter semantic table entries
;   842          0838   1 !
;   843        P 0839   1 PST_ENTRY (PCLO
;   844        P 0840   1
;   845        P 0841   1       ,STA, BYTE,    NMA$M_PTY_COD+1,        0,      0,      ESI, STA
;   846        P 0842   1       ,LNA, STRING, NMA$M_PTY_ASC,           1,      255,    ESI, LNA
;   847        P 0843   1       ,SIN, STRING, NMA$M_PTY_CMU,           0,      0,      EFI, SIN
;   848        P 0844   1       ,EVE, STRING, NMA$M_PTY_CMU,           0,      0,      EFI, EVE
;   849        P 0845   1
;   850          0846   1           );
;   851          0847   1 !
;   852          0848   1 ! Node parameter semantic table entries
;   853          0849   1 !
;   854          0850   1 LITERAL
;   855          0851   1     NMA$C_PCNO_AD$ = NMA$C_PCNO_ADD,      ! Process executor address differently
;   856          0852   1                                           !         than a remote node's.
;   857          0853   1     NMA$C_PCNO_NN$ = NMA$C_PCNO_NNA;      ! Process executor name differently
;   858          0854   1                                           !         than a remote node's.
;   859          0855   1
;   860        P 0856   1 PST_ENTRY (PCNO
;   861        P 0857   1
;   862        P 0858  1       ,STA, BYTE,    NMA$M_PTY_COD+1,      0,     0,    LNI, STA
;   863        P 0859  1       ,PHA, STRING,  NMA$C_PTY_HI,         0,     0,    LNI, PHA   !RO
;   864        P 0860  1       ,IDE, STRING,  NMA$M_PTY_ASC,        1,     32,   LNI, IDE
;   865        P 0861  1       ,MVE, STRING,  NMA$M_PTY_CMU,        0,     0,       ,       !RO
;   866        P 0862  1       ,SLI, STRING,  NMA$M_PTY_ASC,        1,     16,   NDI, SLI
;   867        P 0863  1       ,SPA, STRING,  %X'20',               1,     8,    NDI, SPA
;   868        P 0864  1       ,SDV, BYTE,    NMA$M_PTY_COD+1,      0,     0,    NDI, SDV
;   869        P 0865  1       ,CPU, BYTE,    NMA$M_PTY_COD+1,      0,     0,    NDI, CPU
;   870        P 0866  1       ,HWA, STRING,  NMA$C_PTY_HI,         0,     0,    NDI, HWA
;   871        P 0867  1       ,SNV, BYTE,    NMA$M_PTY_COD+1,      0,     0,    NDI, SNV
;   872        P 0868  1       ,LOA, STRING,  NMA$M_PTY_ASC,        1,     255,  NDI, LOA
;   873        P 0869  1       ,SLO, STRING,  NMA$M_PTY_ASC,        1,     255,  NDI, SLO
;   874        P 0870  1       ,TLO, STRING,  NMA$M_PTY_ASC,        1,     255,  NDI, TLO
;   875        P 0871  1       ,DFL, STRING,  NMA$M_PTY_ASC,        0,     0,    NDI, DFL
;   876        P 0872  1       ,STY, BYTE,    NMA$M_PTY_COD+1,      0,     0,    NDI, STY
;   877        P 0873  1       ,SID, STRING,  NMA$M_PTY_ASC,        1,     16,   NDI, SID
;   878        P 0874  1       ,DUM, STRING,  NMA$M_PTY_ASC,        1,     255,  NDI, DUM
;   879        P 0875  1       ,SDU, STRING,  NMA$M_PTY_ASC,        1,     255,  NDI, SDU
;   880        P 0876  1       ,DAD, LONG,    4,                    0,     0,    NDI, DAD
;   881        P 0877  1       ,DCT, LONG,    4,                    0,     0,    NDI, DCT
;   882        P 0878  1       ,OHO, STRING,  NMA$C_PTY_CM2,        0,     0,    NDI, OHO !RO
;   883        P 0879  1       ,IHO, STRING,  NMA$C_PTY_CM2,        0,     0,    NDI, IHO !WO*
;   884        P 0880  1       ,LPC, WORD,    2,                    0,     0,       ,
;   885        P 0881  1       ,LPL, WORD,    2,                    0,     0,       ,
;   886        P 0882  1       ,LPD, BYTE,    1,                    0,     0,       ,
;   887        P 0883  1       ,LPA, STRING,  NMA$C_PTY_HI,         0,     0,       ,
;   888        P 0884  1       ,LPH, BYTE,    1,                    0,     0,       ,
;   889        P 0885  1       ,CTI, WORD,    2,                    1,     0,    NDI, CTI
;   890        P 0886  1       ,NNA, STRING,  0,                    1,     6,    NDI, NNA !WO
;   891        P 0887  1       ,NN$, STRING,  0,                    1,     6,    NDI, NNA
;   892        P 0888  1       ,NLI, STRING,  NMA$M_PTY_ASC,        1,     16,   NDI, NLI
;   893        P 0889  1       ,ADD, WORD,    0,                    0,     0,    NDI, ADD !WO
;   894        P 0890  1       ,AD$, WORD,    0,                    0,     0,    LNI, ADD !WO internal
;   895        P 0891  1       ,A$$, WORD,    0,                    0,     0,    NDI, ADD !WO internal
;   896        P 0892  1       ,ITI, WORD,    2,                    1,     0,    LNI, ITI
;   897        P 0893  1       ,OTI, WORD,    2,                    1,     0,    LNI, OTI
;   898        P 0894  1       ,ACL, WORD,    2,                    0,     0,    NDI, ACL !RO
;   899        P 0895  1       ,DEL, BYTE,    1,                    0,     0,    NDI, DEL !RO
;   900        P 0896  1       ,NVE, STRING,  NMA$M_PTY_CMU,        0,     0,    LNI, NVE !RO
;   901        P 0897  1       ,MLK, WORD,    2,                    1,     0,    LNI, MLK
;   902        P 0898  1       ,DFA, BYTE,    1,                    1,     0,    LNI, DFA
;   903        P 0899  1       ,DWE, BYTE,    1,                    1,     0,    LNI, DWE
;   904        P 0900  1       ,IAT, WORD,    2,                    1,     0,    LNI, IAT
;   905        P 0901  1       ,RFA, WORD,    2,                    1,     0,    LNI, RFA
;   906        P 0902  1       ,DTY, BYTE,    NMA$M_PTY_COD+1,      0,     0,    NDI, DTY !RO
;   907        P 0903  1       ,DCO, WORD,    2,                    0,     0,    NDI, DCO !RO
;   908        P 0904  1       ,DHO, BYTE,    1,                    0,     0,    NDI, DHO !RO
;   909        P 0905  1       ,DLI, STRING,  NMA$M_PTY_ASC,        0,     16,   NDI, DLI !RO
;   910        P 0906  1       ,NND, WORD,    NMA$C_PTY_CM2,        0,     0,    NDI, NND
;   911        P 0907  1       ,RVE, STRING,  NMA$M_PTY_CMU,        0,     0,    LNI, RVE !RO
;   912        P 0908  1       ,ETY, BYTE,    NMA$M_PTY_COD+1,      0,     0,    LNI, ETY
;   913        P 0909  1       ,RTI, WORD,    2,                    1,     0,    LNI, RTI
;   914        P 0910  1       ,SAD, LONG,    NMA$M_PTY_CMU,        0,     0,    LNI, SAD
;   915        P 0911  1       ,BRT, WORD,    2,                    0,     0,    LNI, BRT
;   916        P 0912  1       ,MAD, WORD,    2,                    1,     0,    LNI, MAD
;   917        P 0913  1       ,MLN, WORD,    2,                    1,     0,    LNI, MLN
;   918        P 0914  1       ,MCO, WORD,    2,                    1,     1022, LNI, MCO
;   919      P 0915  1       ,MHO, BYTE,   1,                    1,      30,     LNI, MHO
;   920      P 0916  1       ,MVI, BYTE,   1,                    1,      0,      LNI, MVI
;   921      P 0917  1       ,MAR, BYTE,   1,                    0,      0,      LNI, MAR
;   922      P 0918  1       ,MBE, WORD,   2,                    0,      0,      LNI, MBE
;   923      P 0919  1       ,MBR, WORD,   2,                    0,      0,      LNI, MBR
;   924      P 0920  1       ,AMC, WORD,   2,                    0,      0,      LNI, AMC
;   925      P 0921  1       ,AMH, BYTE,   1,                    0,      0,      LNI, AMH
;   926      P 0922  1       ,MBU, WORD,   2,                    0,      0,      LNI, MBU
;   927      P 0923  1       ,BUS, WORD,   2,                    1,      0,      LNI, BUS
;   928      P 0924  1       ,SBS, WORD,   2,                    0,      0,      LNI, SBS
;   929      P 0925  1       ,PUS, STRING, NMA$M_PTY_ASC,        1,      39,     NDI, PUS !VMS
;   930      P 0926  1       ,PAC, STRING, NMA$M_PTY_ASC,        1,      39,     NDI, PAC !VMS
;   931      P 0927  1       ,PPW, STRING, NMA$M_PTY_ASC,        1,      39,     NDI, PPW !VMS
;   932      P 0928  1       ,NUS, STRING, NMA$M_PTY_ASC,        1,      39,     NDI, NUS !VMS
;   933      P 0929  1       ,NAC, STRING, NMA$M_PTY_ASC,        1,      39,     NDI, NAC !VMS
;   934      P 0930  1       ,NPW, STRING, NMA$M_PTY_ASC,        1,      39,     NDI, NPW !VMS
;   935      P 0931  1       ,RPA, STRING, NMA$M_PTY_ASC,        1,      8,      NDI, RPA !VMS
;   936      P 0932  1       ,TPA, STRING, NMA$M_PTY_ASC,        1,      8,      NDI, TPA !VMS
;   937      P 0933  1       ,ACC, BYTE,   NMA$M_PTY_COD+1,      0,      0,      NDI, ACC !VMS
;   938      P 0934  1       ,DAC, BYTE,   NMA$M_PTY_COD+1,      0,      0,      LNI, DAC !VMS
;   939      P 0935  1       ,PIQ, WORD,   2,                    0,      0,      LNI, PIQ !VMS
;   940      P 0936  1       ,ALI, WORD,   NMA$C_PTY_CM2,        0,      0,      LNI, ALI !VMS
;   941      P 0937  1       ,PRX, BYTE,   NMA$M_PTY_COD+1,      0,      0,      NDI, PRX !VMS
;   942      P 0938  1       ,DPX, BYTE,   NMA$M_PTY_COD+1,      0,      0,      LNI, DPX !VMS
;   943      P 0939  1
;   944      P 0940  1       ,NC$, STRING, 0,                    0,      0,      NDI, CNT !internal
;   945      P 0941  1
;   946        0942  1             );
;   947        0943  1
;   948        0944  1 !
;   949        0945  1 ! Area semantic table entries (all parameters are read only)
;   950        0946  1 !
;   951      P 0947  1 PST_ENTRY (PCAR
;   952      P 0948  1
;   953      P 0949  1       ,STA, BYTE,   NMA$M_PTY_COD+1,      0,      0,      ARI, REA   !RO
;   954      P 0950  1       ,COS, WORD,   2,                    0,      0,      ARI, DCO   !RO
;   955      P 0951  1       ,HOP, BYTE,   1,                    0,      0,      ARI, DHO   !RO
;   956      P 0952  1       ,CIR, STRING, NMA$M_PTY_ASC,        0,      0,      ARI, DLI   !RO
;   957      P 0953  1       ,NND, WORD,   NMA$C_PTY_CM2,        0,      0,      ARI, NND   !RO
;   958        0954  1           );
;   959        0955  1
;   960        0956  1 !
;   961        0957  1 ! X-25 Access Module semantic table entries
;   962        0958  1 !
;   963      P 0959  1 PST_ENTRY(PCXA
;   964      P 0960  1       ,NET, STRING, NMA$M_PTY_ASC,        0,      16,     XAI, NET
;   965      P 0961  1       ,NOD, STRING, NMA$C_PTY_CM2,        0,      16,     XAI, NDA
;   966      P 0962  1       ,USR, STRING, NMA$M_PTY_ASC,        0,      16,     XAI, USR
;   967      P 0963  1       ,PSW, STRING, NMA$M_PTY_COD+1,      0,      16,     XAI, PSW
;   968      P 0964  1       ,ACC, STRING, NMA$M_PTY_ASC,        0,      16,     XAI, ACC
;   969        0965  1       );
;   970        0966  1
;   971        0967  1
;   972      P 0968  1 PST_ENTRY(PCXP
;   973      P 0969  1       ,STA, BYTE,   NMA$M_PTY_COD+1,      0,      0,      XDI, STA
;   974      P 0970  1       ,CTM, WORD,   2,                    0,      0,      XDI, CTM
;   975      P 0971  1       ,ACH, WORD,   2,                    0,      0,      XDI, ACH ! RO
;   976         P 0972  1       ,ASW, WORD,    2,                     0,      0,     XDI, ASW ! RO
;   977         P 0973  1       ,DTE, STRING, NMA$M_PTY_ASC,          0,      16,    XDI, DTE
;   978         P 0974  1       ,GRP, STRING, NMA$M_PTY_ASC,          0,      16,    XGI, GRP
;   979         P 0975  1       ,NET, STRING, NMA$M_PTY_ASC,          0,      0,     XNI, NET
;   980         P 0976  1       ,LIN, STRING, NMA$M_PTY_ASC,          0,      0,     XDI, LIN
;   981         P 0977  1       ,CHN, LONG,   NMA$M_PTY_CMU+2,        0,      0,     XDI, CHN
;   982         P 0978  1       ,MCH, WORD,   2,                      0,      0,     XDI, MCH ! RO
;   983         P 0979  1       ,DBL, WORD,   2,                      0,      0,     XNI, DBL
;   984         P 0980  1       ,DWI, BYTE,   1,                      0,      0,     XNI, DWI
;   985         P 0981  1       ,MBL, WORD,   2,                      0,      0,     XNI, MBL
;   986         P 0982  1       ,MWI, BYTE,   1,                      0,      0,     XNI, MWI
;   987         P 0983  1       ,MCL, BYTE,   1,                      0,      0,     XNI, MCL
;   988         P 0984  1       ,MRS, BYTE,   1,                      0,      0,     XNI, MRS
;   989         P 0985  1       ,MST, BYTE,   1,                      0,      0,     XNI, MST
;   990         P 0986  1       ,CAT, BYTE,   1,                      0,      0,     XNI, CAT
;   991         P 0987  1       ,CLT, BYTE,   1,                      0,      0,     XNI, CLT
;   992         P 0988  1       ,RST, BYTE,   1,                      0,      0,     XNI, RST
;   993         P 0989  1       ,STT, BYTE,   1,                      0,      0,     XNI, STT
;   994         P 0990  1       ,GDT, STRING, NMA$M_PTY_ASC,          0,      16,    XGI, GDT
;   995         P 0991  1       ,GNM, WORD,   2,                      0,      0,     XGI, GNM
;   996         P 0992  1       ,GTY, BYTE,   NMA$M_PTY_COD+1,        0,      0,     XGI, GTY
;   997         P 0993  1       ,MNS, BYTE,   NMA$M_PTY_COD+1,        0,      0,     XNI, MNS ! VMS specific
;   998         P 0994  1       ,MCI, WORD,   2,                      0,      0,     XDI, MCI ! VMS specific
;   999         P 0995  1       ,SBS, BYTE,   NMA$M_PTY_COD+1,        0,      0,     XDI, SUB ! VMS specific RO
;  1000         P 0996  1       ,PC$, STRING, 0,                      0,      0,     XDI, CNT !internal
;  1001           0997  1           );
;  1002           0998  1
;  1003           0999  1 !
;  1004           1000  1 ! X-25 Server Module semantic table entries
;  1005           1001  1 !
;  1006         P 1002  1 PST_ENTRY(PCXS
;  1007         P 1003  1       ,CTM, WORD,    2,                     0,      0,     XS5, CTM
;  1008         P 1004  1       ,ACI, WORD,    2,                     0,      0,     XS5, ACI ! RO
;  1009         P 1005  1       ,DST, STRING, NMA$M_PTY_ASC,          0,      0,     XD5, DST
;  1010         P 1006  1       ,MCI, WORD,    2,                     0,      0,     XS5, MCI
;  1011         P 1007  1       ,NOD, STRING, NMA$C_PTY_CM2,          0,      16,    XD5, NOD
;  1012         P 1008  1       ,USR, STRING, NMA$M_PTY_ASC,          1,      39,    XD5, USR
;  1013         P 1009  1       ,SPW, STRING, NMA$M_PTY_CMU,          1,      39,    XD5, PSW
;  1014         P 1010  1       ,RPW, BYTE,    1,                     0,      0,     ,         ! RO
;  1015         P 1011  1       ,ACC, STRING, NMA$M_PTY_ASC,          1,      39,    XD5, ACC
;  1016         P 1012  1       ,OBJ, STRING, NMA$M_PTY_ASC,          0,      0,     XD5, OBJ
;  1017         P 1013  1       ,PRI, BYTE,    1,                     0,      0,     XD5, PRI
;  1018         P 1014  1       ,CMK, STRING, NMA$C_PTY_HI,           0,      0,     XD5, CMK
;  1019         P 1015  1       ,CVL, STRING, NMA$C_PTY_HI,           0,      0,     XD5, CVL
;  1020         P 1016  1       ,GRP, STRING, NMA$M_PTY_ASC,          0,      0,     XD5, GRP
;  1021         P 1017  1       ,NUM, STRING, NMA$M_PTY_ASC,          0,      0,     XD5, NUM
;  1022         P 1018  1       ,SAD, LONG,    NMA$M_PTY_CMU,         0,      0,     XD5, SAD
;  1023         P 1019  1       ,STA, BYTE,    NMA$M_PTY_COD+1,       0,      0,     XS5, STA ! VMS specific
;  1024         P 1020  1       ,FIL, STRING, NMA$M_PTY_ASC,          0,      0.     XD5, FIL ! VMS specific
;  1025         P 1021  1       ,SC$, STRING, 0,                      0,      0,     XS5, CNT ! RO
;  1026           1022  1       );
;  1027           1023  1
;  1028           1024  1
;  1029           1025  1 !
;  1030           1026  1 ! X-25 Trace Module semantic table entries
;  1031           1027  1 !
;  1032         P 1028  1 PST_ENTRY(PCXT
; 1033          P 1029   1        ,STA, BYTE,    NMA$M_PTY_COD+1,       0,      0,     XTI, STA
; 1034          P 1030   1        ,BSZ, WORD,    2,                     0,      0,     XTI, BFZ
; 1035          P 1031   1        ,MBK, WORD,    2,                     0,      0,     XTI, MBK
; 1036          P 1032   1        ,FNM, STRING, NMA$M_PTY_ASC,          0,      0,     XTI, FNM
; 1037          P 1033   1        ,MBF, WORD,    2,                     0,      0,     XTI, MBF
; 1038          P 1034   1        ,CPL, WORD,    2,                     0,      0,     XTI, CPL
; 1039          P 1035   1        ,MVR, WORD,    2,                     0,      0,     XTI, MVR
; 1040          P 1036   1        ,TPT, STRING, NMA$M_PTY_ASC,          0,      0,     XTT, TPT
; 1041          P 1037   1        ,CPS, WORD,    2,                     0,      0,     XTT, CPS
; 1042          P 1038   1        ,TST, BYTE,    NMA$M_PTY_COD+1,       0,      0,     XTT, TST
; 1043            1039   1            );
; 1044            1040   1
; 1045            1041   1 !
; 1046            1042   1 ! X29-Server Module parameters.
; 1047            1043   1 !
; 1048            1044   1
; 1049            1045   1 !
; 1050            1046   1 ! The NICE X-29 Server database is identical to the X25-Server database.  It
; 1051            1047   1 ! uses the same NICE parameter IDs.  But the ACP database distinguishes between
; 1052            1048   1 ! the two.  Therefore, a set of pseudo NICE codes are defined here for X-29,
; 1053            1049   1 ! which are identical to the X-25 codes, but, in the following table, are
; 1054            1050   1 ! mapped to different ACP field IDs for change functions.
; 1055            1051   1 !
; 1056            1052   1 LITERAL
; 1057            1053   1     NMA$C_PCXS9_CTM = NMA$C_PCXS_CTM,
; 1058            1054   1     NMA$C_PCXS9_ACI = NMA$C_PCXS_ACI,
; 1059            1055   1     NMA$C_PCXS9_DST = NMA$C_PCXS_DST,
; 1060            1056   1     NMA$C_PCXS9_MCI = NMA$C_PCXS_MCI,
; 1061            1057   1     NMA$C_PCXS9_NOD = NMA$C_PCXS_NOD,
; 1062            1058   1     NMA$C_PCXS9_USR = NMA$C_PCXS_USR,
; 1063            1059   1     NMA$C_PCXS9_SPW = NMA$C_PCXS_SPW,
; 1064            1060   1     NMA$C_PCXS9_RPW = NMA$C_PCXS_RPW,
; 1065            1061   1     NMA$C_PCXS9_ACC = NMA$C_PCXS_ACC,
; 1066            1062   1     NMA$C_PCXS9_OBJ = NMA$C_PCXS_OBJ,
; 1067            1063   1     NMA$C_PCXS9_PRI = NMA$C_PCXS_PRI,
; 1068            1064   1     NMA$C_PCXS9_CMK = NMA$C_PCXS_CMK,
; 1069            1065   1     NMA$C_PCXS9_CVL = NMA$C_PCXS_CVL,
; 1070            1066   1     NMA$C_PCXS9_GRP = NMA$C_PCXS_GRP,
; 1071            1067   1     NMA$C_PCXS9_NUM = NMA$C_PCXS_NUM,
; 1072            1068   1     NMA$C_PCXS9_SAD = NMA$C_PCXS_SAD,
; 1073            1069   1     NMA$C_PCXS9_STA = NMA$C_PCXS_STA,
; 1074            1070   1     NMA$C_PCXS9_FIL = NMA$C_PCXS_FIL,
; 1075            1071   1     NMA$C_PCXS9_SC$ = NMA$C_PCXS_SC$;
; 1076            1072   1
; 1077          P 1073   1 PST_ENTRY(PCXS9
; 1078          P 1074   1        ,CTM, WORD,    2,                     0,      0,     XS9, CTM
; 1079          P 1075   1        ,ACI, WORD,    2,                     0,      0,     XS9, ACI ! RO
; 1080          P 1076   1        ,DST, STRING, NMA$M_PTY_ASC,          0,      0,     XD9, DST
; 1081          P 1077   1        ,MCI, WORD,    2,                     0,      0,     XS9, MCI
; 1082          P 1078   1        ,NOD, STRING, NMA$M_PTY_CMU+2,        0,      16,    XD9, NOD
; 1083          P 1079   1        ,USR, STRING, NMA$M_PTY_ASC,          1,      39,    XD9, USR
; 1084          P 1080   1        ,SPW, STRING, NMA$M_PTY_CMU,          1,      39,    XD9, PSW
; 1085          P 1081   1        ,RPW, BYTE,    NMA$M_PTY_COD+1,       0,      0,     ,         ! RO
; 1086          P 1082   1        ,ACC, STRING, NMA$M_PTY_ASC,          1,      39,    XD9, ACC
; 1087          P 1083   1        ,OBJ, STRING, NMA$M_PTY_CMU+2,        0,      0,     XD9, OBJ
; 1088          P 1084   1        ,PRI, BYTE,    1,                     0,      0,     XD9, PRI
; 1089          P 1085   1        ,CMK, STRING, NMA$M_PTY_ASC,          0,      0,     XD9, CMK
; 1090      P 1086  1       ,CVL, STRING, NMA$M_PTY_ASC,        0,      0,      XD9, CVL
; 1091      P 1087  1       ,GRP, STRING, NMA$M_PTY_ASC,        0,      0,      XD9, GRP
; 1092      P 1088  1       ,NUM, STRING, NMA$M_PTY_ASC,        0,      0,      XD9, NUM
; 1093      P 1089  1       ,SAD, LONG,   NMA$M_PTY_CMU+2,      0,      0,      XD9, SAD
; 1094      P 1090  1       ,STA, BYTE,   NMA$M_PTY_COD+1,      0,      0,      XS9, STA ! VMS specific
; 1095      P 1091  1       ,FIL, STRING, NMA$M_PTY_ASC,        0,      0,      XD9, FIL ! VMS specific
; 1096      P 1092  1       ,SC$, STRING, 0,                    0,      0,      XS9, CNT ! RO
; 1097        1093  1       );
; 1098        1094  1
; 1099        1095  1 !
; 1100        1096  1 ! Configurator Module semantic table entries.  NETACP fields are omitted
; 1101        1097  1 ! because the database is maintined by the NI Configurator Module and NETACP
; 1102        1098  1 ! doesn't get involved at all.
; 1103        1099  1 !
; 1104      P 1100  1 PST_ENTRY(PCCN
; 1105      P 1101  1       ,CIR, STRING, NMA$M_PTY_ASC,        0,      0,      ;
; 1106      P 1102  1       ,SUR, BYTE,   NMA$M_PTY_COD+1,      0,      0,      ;
; 1107        1103  1       );
; 1108        1104  1
; 1109        1105  1 !
; 1110        1106  1 ! Object parameter semantic table entries (Objects are an entity for VMS only).
; 1111        1107  1 !
; 1112      P 1108  1 PST_ENTRY (PCOB
; 1113      P 1109  1
; 1114      P 1110  1       ,NUM, BYTE,   1,                    0,      0,      OBI, NUM
; 1115      P 1111  1       ,FID, STRING, NMA$M_PTY_ASC,        1,      64,     OBI, FID
; 1116      P 1112  1       ,PID, LONG,   %X'20'+4,             0,      0,      OBI, PID !RO
; 1117      P 1113  1       ,PRV, STRING, NMA$M_PTY_COD,        0,      0,      OBI, LPR
; 1118      P 1114  1       ,USR, STRING, NMA$M_PTY_ASC,        1,      39,     OBI, USR
; 1119      P 1115  1       ,ACC, STRING, NMA$M_PTY_ASC,        1,      39,     OBI, ACC
; 1120      P 1116  1       ,PSW, STRING, NMA$M_PTY_ASC,        1,      39,     OBI, PSW
; 1121      P 1117  1       ,PRX, BYTE,   NMA$M_PTY_COD+1,      0,      0,      OBI, PRX
; 1122      P 1118  1
; 1123        1119  1           );
; 1124        1120  1 !
; 1125        1121  1 ! Link parameter semantic table entries.
; 1126        1122  1 !
; 1127        1123  1 GLOBAL LITERAL
; 1128        1124  1     NMA$C_PCLK_PN$ = NMA$C_PCLK_NID;     ! Partner node address (NETACP
; 1129        1125  1                                          !          database only)
; 1130        1126  1
; 1131      P 1127  1 PST_ENTRY (PCLK
; 1132      P 1128  1
; 1133      P 1129  1       ,STA, BYTE,   NMA$M_PTY_COD+1,      0,      0,      ,
; 1134      P 1130  1       ,PID, LONG,   %X'20'+4,             0,      0,      ,
; 1135      P 1131  1       ,NID, STRING, NMA$C_PTY_CM2,        0,      0,      LLI, PNN
; 1136      P 1132  1       ,LAD, STRING, NMA$M_PTY_CMU,        0,      0,      ,   ! V2 only
; 1137      P 1133  1       ,DLY, BYTE,   1,                    0,      0,      ,
; 1138      P 1134  1       ,RLN, WORD,   2,                    0,      0,      ,
; 1139      P 1135  1       ,RID, STRING, NMA$M_PTY_ASC,        0,      0,      ,
; 1140      P 1136  1       ,USR, STRING, NMA$M_PTY_ASC,        0,      0,      ,
; 1141      P 1137  1       ,PRC, STRING, NMA$M_PTY_ASC,        0,      0,      ,
; 1142      P 1138  1       ,PN$, WORD,   2,                    0,      0,      LLI, PNA
; 1143      P 1139  1
; 1144        1140  1           );
; 1145        1141  1 LITERAL
; 1146        1142  1     PST$K_NUMBER = PRM_SEM_CNT;
; 1147          1143  1
; 1148          1144  1 UNDECLARE
; 1149          1145  1       PRM_SEM_CNT,
; 1150          1146  1       %QUOTE PST_ENTRY,
; 1151          1147  1       %QUOTE $C00;
```

```
  1 %SBTTL 'Change parameter tables'
  1 !
  1 ! Macro to build parameter table entries.
  1 !
  1 !
  1 !                       +--------------+
  1 ! CPT$W_PSTINDEX        !    index     !
  1 !                       +--------------+-------------+
  1 ! CPT$A_DEFINE_RTN      ! DEFINE routine address     !
  1 !                       +----------------------------+
  1 ! CPT$A_PURGE_RTN       ! PURGE routine address      !
  1 !                       +----------------------------+
  1 !
  1 !
  1 ! CPT$W_PSTINDEX        Index into parameter semantic table (PST)
  1 !                       blockvector.
  1 !
  1 ! CPT$A_DEFINE_RTN      Address of routine to be called to perform
  1 !                       parameter value checking and to add the parameter
  1 !                       to the permanent data base record if it is valid.
  1 !
  1 ! CPT$A_PURGE_RTN       Address of routine to be called to perform
  1 !                       parameter applicability checking and to remove
  1 !                       the parameter from the permanent data base record.
  1 !
  1 ! CPT$K_ENTRYLEN        Length in bytes of a single CPT entry.
  1 !
  1
  1 MACRO
M 1     CPT_ENTRY (PREF) [ID, DEFRTN, PURRTN] =
M 1
M 1         SWITCHES UNAMES;
M 1         PSECT OWN = NML$CPTDATA;
M 1
M 1         OWN
M 1             ENTRY :         VECTOR [CPT$K_ENTRYLEN, BYTE]
M 1                             ALIGN (0)
M 1                             INITIAL (
M 1                                 WORD (%NAME ('PST$K_', PREF, '_', ID)),
M 1                                 LONG (DEFRTN),
M 1                                 LONG (PURRTN)
M 1                                     );
M 1
M 1         GLOBAL LITERAL
M 1             %NAME ('CPT$GK_', PREF, '_', ID) = CPT_ENTRY_COUNT;
M 1
M 1         %ASSIGN (CPT_ENTRY_COUNT, CPT_ENTRY_COUNT+1);
M 1
M 1         PSECT OWN = $OWN$;
M 1         SWITCHES NOUNAMES;
M 1         UNDECLARE ENTRY;
  1 %;
  1 !
  1 ! Initialize change parameter tables.
  1 !
  1 COMPILETIME
```

```
; 1210          1205  1       CPT_ENTRY_COUNT = 0;
; 1211          1206  1 PSECT
; 1212          1207  1       GLOBAL = NML$CPTDATA (NOWRITE, ALIGN (0));
; 1213          1208  1 GLOBAL
; 1214          1209  1       NML$AB_CPTABLE : BBLOCKVECTOR [0, CPT$K_ENTRYLEN];
; 1215          1210  1 PSECT
; 1216          1211  1       GLOBAL = $GLOBAL$;
; 1217          1212  1 !
; 1218          1213  1 ! Declare external define/purge routines.
; 1219          1214  1 !
; 1220          1215  1 EXTERNAL ROUTINE
; 1221          1216  1       NML$DEFLINLTY,
; 1222          1217  1       NML$DEFLINTRI,
; 1223          1218  1       NML$DEF_NODE_ADDR,
; 1224          1219  1       NML$DEF_EXEC_ID,
; 1225          1220  1       NML$DEFNODNLI,
; 1226          1221  1       NML$DEFOBJNUM,
; 1227          1222  1       NML$DEFPARAM,
; 1228          1223  1       NML$PURNODNNA,
; 1229          1224  1       NML$PURPARAM;
; 1230          1225  1 !
; 1231          1226  1 ! Circuit table entries.
; 1232          1227  1 !
; 1233        P 1228  1 CPT_ENTRY (PCCI
; 1234        P 1229  1
; 1235        P 1230  1       ,STA, NML$DEFPARAM,  NML$PURPARAM    ! State
; 1236        P 1231  1       ,SER, NML$DEFPARAM,  NML$PURPARAM    ! Service
; 1237        P 1232  1       ,LCT, NML$DEFPARAM,  NML$PURPARAM    ! Counter timer
; 1238        P 1233  1       ,SPY, 0,             0               ! Service physical address
; 1239        P 1234  1       ,SSB, 0,             0               ! Service substate
; 1240        P 1235  1       ,ADJ, 0,             0               ! Adjacent node number
; 1241        P 1236  1       ,AJ$, 0,             0               ! Adjacent node name
; 1242        P 1237  1       ,DRT, NML$DEFPARAM,  NML$PURPARAM    ! Designated router
; 1243        P 1238  1       ,BLO, NML$DEFPARAM,  NML$PURPARAM    ! Block size
; 1244        P 1239  1       ,COS, NML$DEFPARAM,  NML$PURPARAM    ! Cost
; 1245        P 1240  1       ,MRT, NML$DEFPARAM,  NML$PURPARAM    ! Maximum routers on NI
; 1246        P 1241  1       ,RPR, NML$DEFPARAM,  NML$PURPARAM    ! Router priority on NI
; 1247        P 1242  1       ,HET, NML$DEFPARAM,  NML$PURPARAM    ! Hello timer
; 1248        P 1243  1       ,LIT, NML$DEFPARAM,  NML$PURPARAM    ! Listen timer
; 1249        P 1244  1       ,BLK, NML$DEFPARAM,  NML$PURPARAM    ! Blocking
; 1250        P 1245  1       ,MRC, NML$DEFPARAM,  NML$PURPARAM    ! Maximum recalls
; 1251        P 1246  1       ,RCT, NML$DEFPARAM,  NML$PURPARAM    ! Recall timer
; 1252        P 1247  1       ,NUM, NML$DEFPARAM,  NML$PURPARAM    ! Number
; 1253        P 1248  1       ,POL, NML$DEFPARAM,  NML$PURPARAM    ! Polling state
; 1254        P 1249  1       ,OWN, NML$DEFPARAM,  NML$PURPARAM    ! Owner entity id
; 1255        P 1250  1       ,USE, NML$DEFPARAM,  NML$PURPARAM    ! Usage
; 1256        P 1251  1       ,TYP, NML$DEFLINLTY, NML$PURPARAM    ! Type
; 1257        P 1252  1       ,DTE, NML$DEFPARAM,  NML$PURPARAM    ! DTE
; 1258        P 1253  1       ,CHN, NML$DEFPARAM,  NML$PURPARAM    ! Channel
; 1259        P 1254  1       ,MBL, NML$DEFPARAM,  NML$PURPARAM    ! Maximum block
; 1260        P 1255  1       ,MWI, NML$DEFPARAM,  NML$PURPARAM    ! Maximum window
; 1261        P 1256  1       ,TRI, NML$DEFPARAM,  NML$PURPARAM    ! Tributary
; 1262        P 1257  1       ,BBT, NML$DEFPARAM,  NML$PURPARAM    ! Babble timer
; 1263        P 1258  1       ,TRT, NML$DEFPARAM,  NML$PURPARAM    ! Transmit timer
; 1264        P 1259  1       ,MRB, NML$DEFPARAM,  NML$PURPARAM    ! Maximum receive buffers
; 1265        P 1260  1       ,MTR, NML$DEFPARAM,  NML$PURPARAM    ! Maximum transmits
; 1266        P 1261  1       ,ACB, NML$DEFPARAM,  NML$PURPARAM    ! Active base
; 1267      P 1262  1        ,ACI, NML$DEFPARAM,   NML$PURPARAM    ! Active increment
; 1268      P 1263  1        ,IAB, NML$DEFPARAM,   NML$PURPARAM    ! Inactive base
; 1269      P 1264  1        ,IAI, NML$DEFPARAM,   NML$PURPARAM    ! Inactive increment
; 1270      P 1265  1        ,IAT, NML$DEFPARAM,   NML$PURPARAM    ! Inactive threshold
; 1271      P 1266  1        ,DYB, NML$DEFPARAM,   NML$PURPARAM    ! Dying base
; 1272      P 1267  1        ,DYI, NML$DEFPARAM,   NML$PURPARAM    ! Dying increment
; 1273      P 1268  1        ,DYT, NML$DEFPARAM,   NML$PURPARAM    ! Dying threshold
; 1274      P 1269  1        ,DTH, NML$DEFPARAM,   NML$PURPARAM    ! Dead threshold
; 1275      P 1270  1        ,VER, NML$DEFPARAM,   NML$PURPARAM    ! Verification - VMS specific
; 1276      P 1271  1        ,XPT, NML$DEFPARAM,   NML$PURPARAM    ! Transport protocol - VMS specific
; 1277      P 1272  1
; 1278        1273  1            );
; 1279        1274  1  !
; 1280        1275  1  ! Line table entries.
; 1281        1276  1  !
; 1282      P 1277  1  CPT_ENTRY (PCLI
; 1283      P 1278  1
; 1284      P 1279  1        ,STA, NML$DEFPARAM,   NML$PURPARAM    ! State
; 1285      P 1280  1        ,SER, NML$DEFPARAM,   NML$PURPARAM    ! Service
; 1286      P 1281  1        ,LCT, NML$DEFPARAM,   NML$PURPARAM    ! Counter timer
; 1287      P 1282  1        ,BFN, NML$DEFPARAM,   NML$PURPARAM    ! Number of buffers
; 1288      P 1283  1        ,CON, NML$DEFPARAM,   NML$PURPARAM    ! Controller mode
; 1289      P 1284  1        ,DUP, NML$DEFPARAM,   NML$PURPARAM    ! Duplex
; 1290      P 1285  1        ,PRO, NML$DEFLINLTY,  NML$PURPARAM    ! Protocol type
; 1291      P 1286  1        ,CLO, NML$DEFPARAM,   NML$PURPARAM    ! Clock
; 1292      P 1287  1        ,STI, NML$DEFPARAM,   NML$PURPARAM    ! Service timer
; 1293      P 1288  1        ,RTT, NML$DEFPARAM,   NML$PURPARAM    ! Retransmit timer
; 1294      P 1289  1        ,HTI, NML$DEFPARAM,   NML$PURPARAM    ! Holdback timer
; 1295      P 1290  1        ,MBL, NML$DEFPARAM,   NML$PURPARAM    ! Maximum block
; 1296      P 1291  1        ,MRT, NML$DEFPARAM,   NML$PURPARAM    ! Maximum retransmissions
; 1297      P 1292  1        ,MWI, NML$DEFPARAM,   NML$PURPARAM    ! Maximum window
; 1298      P 1293  1        ,SLT, NML$DEFPARAM,   NML$PURPARAM    ! Scheduling timer
; 1299      P 1294  1        ,DDT, NML$DEFPARAM,   NML$PURPARAM    ! Dead timer
; 1300      P 1295  1        ,DLT, NML$DEFPARAM,   NML$PURPARAM    ! Delay timer
; 1301      P 1296  1        ,SRT, NML$DEFPARAM,   NML$PURPARAM    ! Stream timer
; 1302      P 1297  1        ,HWA, NML$DEFPARAM,   NML$PURPARAM    ! Hardware address on NI
; 1303      P 1298  1        ,MCD, 0,              0               ! Microcode dump filespec (WO)
; 1304      P 1299  1        ,XMD, NML$DEFPARAM,   NML$PURPARAM    ! PCL address mode
; 1305      P 1300  1        ,EPT, NML$DEFPARAM,   NML$PURPARAM    ! Ethernet Protocol type for datalink
; 1306      P 1301  1        ,BSZ, NML$DEFPARAM,   NML$PURPARAM    ! Ethernet Buffer Size
; 1307      P 1302  1        ,BF$, 0,              0               ! V2 Number of buffers
; 1308      P 1303  1        ,L$C, 0,              0               ! Loop PSI line count
; 1309      P 1304  1        ,L$L, 0,              0               ! Loop PSI line length
; 1310      P 1305  1        ,L$D, 0,              0               ! Loop PSI line data type
; 1311      P 1306  1
; 1312        1307  1            );
; 1313        1308  1  !
; 1314        1309  1  ! Logging table entries.
; 1315        1310  1  !
; 1316      P 1311  1  CPT_ENTRY (PCLO
; 1317      P 1312  1
; 1318      P 1313  1        ,STA, NML$DEFPARAM,   NML$PURPARAM    ! State
; 1319      P 1314  1        ,LNA, NML$DEFPARAM,   NML$PURPARAM    ! Name
; 1320      P 1315  1        ,SIN, 0, 0                            ! Sink node
; 1321      P 1316  1        ,EVE, 0, 0                            ! Events
; 1322      P 1317  1
; 1323        1318  1            );
; 1324          1319  1 !
; 1325          1320  1 ! Node table entries.
; 1326          1321  1 !
; 1327        P 1322  1 CPT_ENTRY (PCNO
; 1328        P 1323  1
; 1329        P 1324  1       ,STA, NML$DEFPARAM,   NML$PURPARAM     ! State
; 1330        P 1325  1       ,PHA, NML$DEFPARAM,   NML$PURPARAM     ! Physical address on NI
; 1331        P 1326  1       ,IDE, NML$DEFPARAM,   NML$PURPARAM     ! Identification
; 1332        P 1327  1       ,SLI, NML$DEFPARAM,   NML$PURPARAM     ! Service circuit
; 1333        P 1328  1       ,SPA, NML$DEFPARAM,   NML$PURPARAM     ! Service password
; 1334        P 1329  1       ,SDV, NML$DEFPARAM,   NML$PURPARAM     ! Service device
; 1335        P 1330  1       ,CPU, NML$DEFPARAM,   NML$PURPARAM     ! CPU type
; 1336        P 1331  1       ,HWA, NML$DEFPARAM,   NML$PURPARAM     ! Hardware address on NI
; 1337        P 1332  1       ,SNV, NML$DEFPARAM,   NML$PURPARAM     ! Service Node Version
; 1338        P 1333  1       ,LOA, NML$DEFPARAM,   NML$PURPARAM     ! Load file
; 1339        P 1334  1       ,SLO, NML$DEFPARAM,   NML$PURPARAM     ! Secondary loader
; 1340        P 1335  1       ,TLO, NML$DEFPARAM,   NML$PURPARAM     ! Tertiary loader
; 1341        P 1336  1       ,DFL, NML$DEFPARAM,   NML$PURPARAM     ! Diagnostic file
; 1342        P 1337  1       ,STY, NML$DEFPARAM,   NML$PURPARAM     ! Software type
; 1343        P 1338  1       ,SID, NML$DEFPARAM,   NML$PURPARAM     ! Software identification
; 1344        P 1339  1       ,DUM, NML$DEFPARAM,   NML$PURPARAM     ! Dump file
; 1345        P 1340  1       ,SDU, NML$DEFPARAM,   NML$PURPARAM     ! Secondary dumper
; 1346        P 1341  1       ,DAD, NML$DEFPARAM,   NML$PURPARAM     ! Dump address
; 1347        P 1342  1       ,DCT, NML$DEFPARAM,   NML$PURPARAM     ! Dump count
; 1348        P 1343  1       ,IHO, NML$DEFPARAM,   NML$PURPARAM     ! Host
; 1349        P 1344  1       ,LPC, 0,              0                ! Loop count
; 1350        P 1345  1       ,LPL, 0,              0                ! Loop length
; 1351        P 1346  1       ,LPD, 0,              0                ! Loop data
; 1352        P 1347  1       ,LPA, 0,              0                ! Loop assistant physical address
; 1353        P 1348  1       ,LPH, 0,              0                ! Loop help type
; 1354        P 1349  1       ,CTI, NML$DEFPARAM,   NML$PURPARAM     ! Counter timer
; 1355        P 1350  1       ,NNA, NML$DEFPARAM,   NML$PURNODNNA    ! Remote node name
; 1356        P 1351  1       ,NN$, NML$DEF_EXEC_ID,NML$PURNODNNA    ! Executor node name
; 1357        P 1352  1       ,NLI, NML$DEFNODNLI,  0                ! Line
; 1358        P 1353  1       ,ADD, NML$DEF_NODE_ADDR,0              ! Remote node address
; 1359        P 1354  1       ,AD$, NML$DEF_EXEC_ID,NML$PURPARAM     ! Executor node address
; 1360        P 1355  1       ,A$$, NML$DEFPARAM,   0                ! Loop node address
; 1361        P 1356  1       ,ITI, NML$DEFPARAM,   NML$PURPARAM     ! Incoming timer
; 1362        P 1357  1       ,OTI, NML$DEFPARAM,   NML$PURPARAM     ! Outgoing timer
; 1363        P 1358  1       ,MLK, NML$DEFPARAM,   NML$PURPARAM     ! Maximum links
; 1364        P 1359  1       ,DFA, NML$DEFPARAM,   NML$PURPARAM     ! Delay factor
; 1365        P 1360  1       ,DWE, NML$DEFPARAM,   NML$PURPARAM     ! Delay weight
; 1366        P 1361  1       ,IAT, NML$DEFPARAM,   NML$PURPARAM     ! Inactivity timer
; 1367        P 1362  1       ,RFA, NML$DEFPARAM,   NML$PURPARAM     ! Retransmit factor
; 1368        P 1363  1       ,DLI, 0,              0                ! Destination circuit
; 1369        P 1364  1       ,NND, NML$DEFPARAM,   NML$PURPARAM     ! Next node to destination address
; 1370        P 1365  1       ,ETY, NML$DEFPARAM,   NML$PURPARAM     ! Executor type
; 1371        P 1366  1       ,RTI, NML$DEFPARAM,   NML$PURPARAM     ! Routing timer
; 1372        P 1367  1       ,SAD, NML$DEFPARAM,   NML$PURPARAM     ! Subaddress
; 1373        P 1368  1       ,BRT, NML$DEFPARAM,   NML$PURPARAM     ! Broadcast routing timer
; 1374        P 1369  1       ,MAD, NML$DEFPARAM,   NML$PURPARAM     ! Maximum address
; 1375        P 1370  1       ,MLN, NML$DEFPARAM,   NML$PURPARAM     ! Maximum lines
; 1376        P 1371  1       ,MCO, NML$DEFPARAM,   NML$PURPARAM     ! Maximum cost
; 1377        P 1372  1       ,MHO, NML$DEFPARAM,   NML$PURPARAM     ! Maximum hops
; 1378        P 1373  1       ,MVI, NML$DEFPARAM,   NML$PURPARAM     ! Maximum visits
; 1379        P 1374  1       ,MAR, NML$DEFPARAM,   NML$PURPARAM     ! Maximum areas
; 1380        P 1375  1       ,MBE, NML$DEFPARAM,   NML$PURPARAM     ! Maximum broadcast endnodes
; 1381      P 1376   1          ,MBR, NML$DEFPARAM,   NML$PURPARAM      ! Maximum broadcast routers
; 1382      P 1377   1          ,AMC, NML$DEFPARAM,   NML$PURPARAM      ! Area maximum cost
; 1383      P 1378   1          ,AMH, NML$DEFPARAM,   NML$PURPARAM      ! Area maximum hops
; 1384      P 1379   1          ,MBU, NML$DEFPARAM,   NML$PURPARAM      ! Maximum buffers
; 1385      P 1380   1          ,BUS, NML$DEFPARAM,   NML$PURPARAM      ! Buffer size
; 1386      P 1381   1          ,SBS, NML$DEFPARAM,   NML$PURPARAM      ! Segment buffer size
; 1387      P 1382   1          ,PUS, NML$DEFPARAM,   NML$PURPARAM      ! Privileged user id
; 1388      P 1383   1          ,PAC, NML$DEFPARAM,   NML$PURPARAM      ! Privileged account
; 1389      P 1384   1          ,PPW, NML$DEFPARAM,   NML$PURPARAM      ! Privileged password
; 1390      P 1385   1          ,NUS, NML$DEFPARAM,   NML$PURPARAM      ! Nonprivileged user id
; 1391      P 1386   1          ,NAC, NML$DEFPARAM,   NML$PURPARAM      ! Nonprivileged account
; 1392      P 1387   1          ,NPW, NML$DEFPARAM,   NML$PURPARAM      ! Nonprivileged password
; 1393      P 1388   1          ,RPA, NML$DEFPARAM,   NML$PURPARAM      ! Receive password
; 1394      P 1389   1          ,TPA, NML$DEFPARAM,   NML$PURPARAM      ! Transmit password
; 1395      P 1390   1          ,ACC, NML$DEFPARAM,   NML$PURPARAM      ! Access
; 1396      P 1391   1          ,DAC, NML$DEFPARAM,   NML$PURPARAM      ! Default access
; 1397      P 1392   1          ,PIQ, NML$DEFPARAM,   NML$PURPARAM      ! Pipeline quota
; 1398      P 1393   1          ,ALI, NML$DEFPARAM,   NML$PURPARAM      ! Node alias
; 1399      P 1394   1          ,PRX, 0,              NML$PURPARAM      ! Proxy access
; 1400      P 1395   1          ,DPX, NML$DEFPARAM,   NML$PURPARAM      ! Default proxy access
; 1401      P 1396   1
; 1402        1397   1              );
; 1403        1398   1
; 1404        1399   1  !
; 1405        1400   1  ! Area Change Paramter table entries (all parameters are read only)
; 1406        1401   1  !
; 1407      P 1402   1  CPT_ENTRY (PCAR
; 1408      P 1403   1
; 1409      P 1404   1          ,STA, 0,              0                 ! State
; 1410      P 1405   1          ,COS, 0,              0                 ! Cost
; 1411      P 1406   1          ,HOP, 0,              0                 ! Hops
; 1412      P 1407   1          ,CIR, 0,              0                 ! Circuit
; 1413      P 1408   1          ,NND, 0,              0                 ! Next node to destination
; 1414        1409   1              );
; 1415        1410   1
; 1416        1411   1
; 1417        1412   1
; 1418        1413   1  !
; 1419        1414   1  ! X-25 Access Module Change Parameter table entries
; 1420        1415   1  !
; 1421      P 1416   1  CPT_ENTRY(PCXA
; 1422      P 1417   1
; 1423      P 1418   1          ,NET, NML$DEFPARAM, NML$PURPARAM        ! Network
; 1424      P 1419   1          ,NOD, NML$DEFPARAM, NML$PURPARAM        ! Node
; 1425      P 1420   1          ,USR, NML$DEFPARAM, NML$PURPARAM        ! User
; 1426      P 1421   1          ,PSW, NML$DEFPARAM, NML$PURPARAM        ! Password
; 1427      P 1422   1          ,ACC, NML$DEFPARAM, NML$PURPARAM        ! Account
; 1428        1423   1          );
; 1429        1424   1
; 1430        1425   1  !
; 1431        1426   1  ! X-25 Protocol Module Change Parameter table entries.
; 1432        1427   1  !
; 1433      P 1428   1  CPT_ENTRY (PCXP
; 1434      P 1429   1
; 1435      P 1430   1          ,STA, NML$DEFPARAM,   NML$PURPARAM      ! State
; 1436      P 1431   1          ,CTM, NML$DEFPARAM,   NML$PURPARAM      ! Counter timer
; 1437      P 1432   1          ,ACH, NML$DEFPARAM,   NML$PURPARAM      ! Active channels
; 1438      P 1433  1       ,ASW, NML$DEFPARAM,  NML$PURPARAM     ! Active switched
; 1439      P 1434  1       ,DTE, NML$DEFPARAM,  NML$PURPARAM     ! DTE
; 1440      P 1435  1       ,GRP, NML$DEFPARAM,  NML$PURPARAM     ! Group
; 1441      P 1436  1       ,NET, NML$DEFPARAM,  NML$PURPARAM     ! Network
; 1442      P 1437  1       ,LIN, NML$DEFPARAM,  NML$PURPARAM     ! Line
; 1443      P 1438  1       ,CHN, NML$DEFPARAM,  NML$PURPARAM     ! Channels
; 1444      P 1439  1       ,MCH, NML$DEFPARAM,  NML$PURPARAM     ! Maximum channels
; 1445      P 1440  1       ,DBL, NML$DEFPARAM,  NML$PURPARAM     ! Default block
; 1446      P 1441  1       ,DWI, NML$DEFPARAM,  NML$PURPARAM     ! Default window
; 1447      P 1442  1       ,MBL, NML$DEFPARAM,  NML$PURPARAM     ! Maximum block
; 1448      P 1443  1       ,MWI, NML$DEFPARAM,  NML$PURPARAM     ! Maximum window
; 1449      P 1444  1       ,MCL, NML$DEFPARAM,  NML$PURPARAM     ! Maximum clears
; 1450      P 1445  1       ,MRS, NML$DEFPARAM,  NML$PURPARAM     ! Maximum resets
; 1451      P 1446  1       ,MST, NML$DEFPARAM,  NML$PURPARAM     ! Maximum restarts
; 1452      P 1447  1       ,CAT, NML$DEFPARAM,  NML$PURPARAM     ! Call timer
; 1453      P 1448  1       ,CLT, NML$DEFPARAM,  NML$PURPARAM     ! Clear timer
; 1454      P 1449  1       ,RST, NML$DEFPARAM,  NML$PURPARAM     ! Reset timer
; 1455      P 1450  1       ,STT, NML$DEFPARAM,  NML$PURPARAM     ! Restart timer
; 1456      P 1451  1       ,GDT, NML$DEFPARAM,  NML$PURPARAM     ! Group DTE
; 1457      P 1452  1       ,GNM, NML$DEFPARAM,  NML$PURPARAM     ! Group number
; 1458      P 1453  1       ,GTY, NML$DEFPARAM,  NML$PURPARAM     ! Group type
; 1459      P 1454  1       ,MNS, NML$DEFPARAM,  NML$PURPARAM     ! Multinetwork support
; 1460      P 1455  1       ,MCI, NML$DEFPARAM,  NML$PURPARAM     ! Maximum circuits
; 1461      P 1456  1       ,SBS, NML$DEFPARAM,  NML$PURPARAM     ! DTE Substate
; 1462        1457  1           );
; 1463        1458  1
; 1464        1459  1   !
; 1465        1460  1   ! X-25 Server Module Change Parameter table entries.
; 1466        1461  1   !
; 1467      P 1462  1   CPT_ENTRY (PCXS
; 1468      P 1463  1       ,CTM, NML$DEFPARAM,  NML$PURPARAM     ! Counter timer
; 1469      P 1464  1       ,ACI, 0,             0                ! Active circuits
; 1470      P 1465  1       ,DST, NML$DEFPARAM,  NML$PURPARAM     ! Destination
; 1471      P 1466  1       ,MCI, NML$DEFPARAM,  NML$PURPARAM     ! Maximum circuits
; 1472      P 1467  1       ,NOD, NML$DEFPARAM,  NML$PURPARAM     ! Node
; 1473      P 1468  1       ,USR, NML$DEFPARAM,  NML$PURPARAM     ! Username
; 1474      P 1469  1       ,SPW, NML$DEFPARAM,  NML$PURPARAM     ! Password to set
; 1475      P 1470  1       ,RPW, 0,             0                ! Password to read
; 1476      P 1471  1       ,ACC, NML$DEFPARAM,  NML$PURPARAM     ! Account
; 1477      P 1472  1       ,OBJ, NML$DEFPARAM,  NML$PURPARAM     ! Object
; 1478      P 1473  1       ,PRI, NML$DEFPARAM,  NML$PURPARAM     ! Priority
; 1479      P 1474  1       ,CMK, NML$DEFPARAM,  NML$PURPARAM     ! Call mask
; 1480      P 1475  1       ,CVL, NML$DEFPARAM,  NML$PURPARAM     ! Call value
; 1481      P 1476  1       ,GRP, NML$DEFPARAM,  NML$PURPARAM     ! Group
; 1482      P 1477  1       ,NUM, NML$DEFPARAM,  NML$PURPARAM     ! Number
; 1483      P 1478  1       ,SAD, NML$DEFPARAM,  NML$PURPARAM     ! Subaddresses
; 1484      P 1479  1       ,STA, NML$DEFPARAM,  NML$PURPARAM     ! State
; 1485      P 1480  1       ,FIL, NML$DEFPARAM,  NML$PURPARAM     ! File for object startup
; 1486        1481  1       );
; 1487        1482  1
; 1488        1483  1   !
; 1489        1484  1   ! X-25 Trace Module Change Parameter table entries
; 1490        1485  1   !
; 1491      P 1486  1   CPT_ENTRY(PCXT
; 1492      P 1487  1       ,STA, NML$DEFPARAM,  NML$PURPARAM     ! Trace State
; 1493      P 1488  1       ,BSZ, NML$DEFPARAM,  NML$PURPARAM     ! Buffer size
; 1494      P 1489  1       ,MBK, NML$DEFPARAM,  NML$PURPARAM     ! Maximum blocks/size
; 1495      P 1490  1        ,FNM, NML$DEFPARAM,   NML$PURPARAM     ! Filename
; 1496      P 1491  1        ,MBF, NML$DEFPARAM,   NML$PURPARAM     ! Maximum number of buffers
; 1497      P 1492  1        ,CPL, NML$DEFPARAM,   NML$PURPARAM     ! Global data capture limit
; 1498      P 1493  1        ,MVR, NML$DEFPARAM,   NML$PURPARAM     ! Maximum trace file version
; 1499      P 1494  1        ,TPT, NML$DEFPARAM,   NML$PURPARAM     ! Trace point name
; 1500      P 1495  1        ,CPS, NML$DEFPARAM,   NML$PURPARAM     ! Per-trace capture size
; 1501      P 1496  1        ,TST, NML$DEFPARAM,   NML$PURPARAM     ! Tracepoint state
; 1502        1497  1        );
; 1503        1498  1  !
; 1504        1499  1  ! X-29 Server Module Change Parameter table entries.
; 1505        1500  1  !
; 1506      P 1501  1  CPT_ENTRY (PCXS9
; 1507      P 1502  1        ,CTM, NML$DEFPARAM,   NML$PURPARAM     ! Counter timer
; 1508      P 1503  1        ,ACI, 0,              0                ! Active circuits
; 1509      P 1504  1        ,DST, NML$DEFPARAM,   NML$PURPARAM     ! Destination
; 1510      P 1505  1        ,MCI, NML$DEFPARAM,   NML$PURPARAM     ! Maximum circuits
; 1511      P 1506  1        ,NOD, NML$DEFPARAM,   NML$PURPARAM     ! Node
; 1512      P 1507  1        ,USR, NML$DEFPARAM,   NML$PURPARAM     ! Username
; 1513      P 1508  1        ,SPW, NML$DEFPARAM,   NML$PURPARAM     ! Password to set
; 1514      P 1509  1        ,RPW, 0,              0                ! Password to read
; 1515      P 1510  1        ,ACC, NML$DEFPARAM,   NML$PURPARAM     ! Account
; 1516      P 1511  1        ,OBJ, NML$DEFPARAM,   NML$PURPARAM     ! Object
; 1517      P 1512  1        ,PRI, NML$DEFPARAM,   NML$PURPARAM     ! Priority
; 1518      P 1513  1        ,CMK, NML$DEFPARAM,   NML$PURPARAM     ! Call mask
; 1519      P 1514  1        ,CVL, NML$DEFPARAM,   NML$PURPARAM     ! Call value
; 1520      P 1515  1        ,GRP, NML$DEFPARAM,   NML$PURPARAM     ! Group
; 1521      P 1516  1        ,NUM, NML$DEFPARAM,   NML$PURPARAM     ! Number
; 1522      P 1517  1        ,SAD, NML$DEFPARAM,   NML$PURPARAM     ! Subaddresses
; 1523      P 1518  1        ,STA, NML$DEFPARAM,   NML$PURPARAM     ! State
; 1524      P 1519  1        ,FIL, NML$DEFPARAM,   NML$PURPARAM     ! File for object startup
; 1525        1520  1        );
; 1526        1521  1
; 1527        1522  1
; 1528        1523  1  !
; 1529        1524  1  ! Configurator module table entries.
; 1530        1525  1  !
; 1531      P 1526  1  CPT_ENTRY (PCCN
; 1532      P 1527  1
; 1533      P 1528  1        ,CIR, NML$DEFPARAM, NML$PURPARAM       ! Circuit ID
; 1534      P 1529  1        ,SUR, NML$DEFPARAM, NML$PURPARAM       ! Surveillance
; 1535        1530  1        );
; 1536        1531  1
; 1537        1532  1  !
; 1538        1533  1  ! Object table entries.
; 1539        1534  1  !
; 1540      P 1535  1  CPT_ENTRY (PCOB
; 1541      P 1536  1
; 1542      P 1537  1        ,NUM, NML$DEFOBJNUM, NML$PURPARAM      ! Number
; 1543      P 1538  1        ,FID, NML$DEFPARAM,   NML$PURPARAM     ! File
; 1544      P 1539  1        ,PRV, NML$DEFPARAM,   NML$PURPARAM     ! Privileges
; 1545      P 1540  1        ,USR, NML$DEFPARAM,   NML$PURPARAM     ! User id
; 1546      P 1541  1        ,ACC, NML$DEFPARAM,   NML$PURPARAM     ! Account
; 1547      P 1542  1        ,PSW, NML$DEFPARAM,   NML$PURPARAM     ! Password
; 1548      P 1543  1        ,PRX, NML$DEFPARAM,   NML$PURPARAM     ! Proxy access
; 1549      P 1544  1
; 1550        1545  1            );
; 1551        1546  1  !
; 1552          1547  1 ! Link table entries (Links are not in the permament data base).
; 1553          1548  1 !
; 1554        P 1549  1 CPT_ENTRY (PCLK
; 1555        P 1550  1
; 1556        P 1551  1     ,STA, 0,     0
; 1557        P 1552  1     ,PID, 0,     0
; 1558        P 1553  1     ,NID, 0,     0
; 1559        P 1554  1     ,DLY, 0,     0
; 1560        P 1555  1     ,RLN, 0,     0
; 1561        P 1556  1     ,RID, 0,     0
; 1562        P 1557  1     ,USR, 0,     0
; 1563        P 1558  1     ,PRC, 0,     0
; 1564        P 1559  1     ,PN$, 0,     0
; 1565        P 1560  1
; 1566          1561  1         );
; 1567          1562  1
; 1568          1563  1 GLOBAL LITERAL
; 1569          1564  1     CPT$GK_NUMBER = CPT_ENTRY_COUNT;
; 1570          1565  1
; 1571          1566  1 UNDECLARE
; 1572          1567  1     CPT_ENTRY_COUNT,
; 1573          1568  1     %QUOTE CPT_ENTRY;
; 1574          1569  1
; 1576          1570  1 %SBTTL 'LIST parameter tables'
; 1577          1571  1 !
; 1578          1572  1 ! Parameter list definition macro.
; 1579          1573  1 !
; 1580          1574  1 MACRO
; 1581        M 1575  1     PRM_LIST (TAB, TYP, PRM) []  =
; 1582        M 1576  1
; 1583        M 1577  1         SWITCHES UNAMES;
; 1584        M 1578  1         PSECT
; 1585        M 1579  1             PLIT = NML$PARAMLISTS;
; 1586        M 1580  1
; 1587        M 1581  1         BIND
; 1588        M 1582  1             %NAME ('NML$Q_P_', TAB, TYP, '_TABDES') =
; 1589        M 1583  1                 UPLIT ((%LENGTH - 2) / 2,
; 1590        M 1584  1                         UPLIT BYTE ($DEXTN (PRM, %REMAINING)));
; 1591        M 1585  1
; 1592        M 1586  1         PSECT PLIT = $PLIT$;
; 1593        M 1587  1         SWITCHES NOUNAMES;
; 1594          1588  1     %,
; 1595          1589  1
; 1596        M 1590  1     $DEXTN (TAB) [A, B] =
; 1597        M 1591  1         WORD (%NAME ('PST$K_', TAB, '_', A)),
; 1598        M 1592  1         LONG (B)
; 1599          1593  1     %;
; 1600          1594  1 !
; 1601          1595  1 ! Initialize psect.
; 1602          1596  1 !
; 1603          1597  1 PSECT
; 1604          1598  1     OWN = NML$PARAMLISTS (NOWRITE, ALIGN (0));
; 1605          1599  1 OWN
; 1606          1600  1     $Z : VECTOR [0];
; 1607          1601  1 PSECT
; 1608          1602  1     OWN = $OWN$;
; 1609          1603  1 UNDECLARE
; 1610          1604  1     $Z;
; 1611          1605  1 !
; 1612          1606  1 ! Declare routines used to get parameters.
; 1613          1607  1 !
; 1614          1608  1 EXTERNAL ROUTINE
; 1615          1609  1     NML$LISNODEID,
; 1616          1610  1     NML$LISLOONAM,
; 1617          1611  1     NML$LISPARAM,
; 1618          1612  1     NML$LISPASSWORD,
; 1619          1613  1     NML$LISNMLVER,
; 1620          1614  1     NML$LISPWSET,
; 1621          1615  1     NML$LISRANGE,
; 1622          1616  1     NML$LISOWNER;
; 1623          1617  1 !
; 1624          1618  1 !     Circuit summary and status
; 1625          1619  1 !
; 1626        P 1620  1 PRM_LIST (CIR, SUM, PCCI
; 1627        P 1621  1
; 1628        P 1622  1         ,STA, NML$LISPARAM          ! State
; 1629        P 1623  1         ,LOO, NML$LISLOONAM         ! Loopback name
; 1630        P 1624  1
; 1631          1625  1         );
; 1632          1626  1 !
; 1633          1627  1 !     Circuit characteristics
; 1634          1628  1 !
; 1635        P 1629  1 PRM_LIST (CIR, CHA, PCCI
; 1636        P 1630  1
; 1637        P 1631  1         ,SER, NML$LISPARAM        ! Service
; 1638        P 1632  1         ,LCT, NML$LISPARAM        ! Counter timer
; 1639        P 1633  1         ,DRT, NML$LISNODEID       ! Designated router
; 1640        P 1634  1         ,COS, NML$LISPARAM        ! Cost
; 1641        P 1635  1         ,MRT, NML$LISPARAM        ! Maximum routers on NI
; 1642        P 1636  1         ,RPR, NML$LISPARAM        ! Router priority on NI
; 1643        P 1637  1         ,HET, NML$LISPARAM        ! Hello timer
; 1644        P 1638  1         ,BLK, NML$LISPARAM        ! Blocking
; 1645        P 1639  1         ,MRC, NML$LISPARAM        ! Maximum recalls
; 1646        P 1640  1         ,RCT, NML$LISPARAM        ! Recall timer
; 1647        P 1641  1         ,NUM, NML$LISPARAM        ! Number
; 1648        P 1642  1         ,POL, NML$LISPARAM        ! Polling state
; 1649        P 1643  1         ,OWN, NML$LISOWNER        ! Owner entity id
; 1650        P 1644  1         ,USE, NML$LISPARAM        ! Usage
; 1651        P 1645  1         ,TYP, NML$LISPARAM        ! Type
; 1652        P 1646  1         ,DTE, NML$LISPARAM        ! DTE
; 1653        P 1647  1         ,CHN, NML$LISPARAM        ! Channel
; 1654        P 1648  1         ,MBL, NML$LISPARAM        ! Maximum block
; 1655        P 1649  1         ,MWI, NML$LISPARAM        ! Maximum window
; 1656        P 1650  1         ,TRI, NML$LISPARAM        ! Tributary
; 1657        P 1651  1         ,BBT, NML$LISPARAM        ! Babble timer
; 1658        P 1652  1         ,TRT, NML$LISPARAM        ! Transmit timer
; 1659        P 1653  1         ,MRB, NML$LISPARAM        ! Maximum receive buffers
; 1660        P 1654  1         ,MTR, NML$LISPARAM        ! Maximum transmits
; 1661        P 1655  1         ,ACB, NML$LISPARAM        ! Active base
; 1662        P 1656  1         ,ACI, NML$LISPARAM        ! Active increment
; 1663        P 1657  1         ,IAB, NML$LISPARAM        ! Inactive base
; 1664        P 1658  1         ,IAI, NML$LISPARAM        ! Inactive increment
; 1665        P 1659  1         ,IAT, NML$LISPARAM        ! Inactive threshold
; 1666        P 1660  1         ,DYB, NML$LISPARAM        ! Dying base
; 1667        P 1661  1         ,DYI, NML$LISPARAM        ! Dying increment
; 1668        P 1662  1         ,DYT, NML$LISPARAM        ! Dying threshold
; 1669        P 1663  1         ,DTH, NML$LISPARAM        ! Dead threshold
; 1670        P 1664  1         ,VER, NML$LISPARAM        ! Verification (VMS specific)
; 1671        P 1665  1         ,XPT, NML$LISPARAM        ! Transport protocol (VMS specific)
; 1672        P 1666  1
; 1673          1667  1         );
; 1674          1668  1 !
; 1675          1669  1 !     line status
; 1676          1670  1 !
; 1677        P 1671  1 PRM_LIST (LIN, STA, PCLI
; 1678        P 1672  1
; 1679        P 1673  1         ,STA, NML$LISPARAM        ! State
; 1680        P 1674  1
; 1681          1675  1         );
; 1682          1676  1 !
; 1683          1677  1 !     line summary
; 1684          1678  1 !
; 1685        P 1679  1 PRM_LIST (LIN, SUM, PCLI
; 1686        P 1680  1
; 1687        P 1681  1         ,STA, NML$LISPARAM        ! State
; 1688        P 1682  1
; 1689          1683  1         );
; 1690          1684    1 !
; 1691          1685    1 !     line characteristics
; 1692          1686    1 !
; 1693        P 1687    1 PRM_LIST (LIN, CHA, PCLI
; 1694        P 1688    1
; 1695        P 1689    1         ,SER, NMLSLISPARAM        ! Service
; 1696        P 1690    1         ,LCT, NML$LISPARAM        ! Counter timer
; 1697        P 1691    1         ,BFN, NML$LISPARAM        ! Number of buffers
; 1698        P 1692    1         ,CON, NML$LISPARAM        ! Controller
; 1699        P 1693    1         ,DUP, NML$LISPARAM        ! Duplex
; 1700        P 1694    1         ,PRO, NML$LISPARAM        ! Protocol type
; 1701        P 1695    1         ,CLO, NML$LISPARAM        ! Clock
; 1702        P 1696    1         ,STI, NML$LISPARAM        ! Service timer
; 1703        P 1697    1         ,RTT, NML$LISPARAM        ! Retransmit timer
; 1704        P 1698    1         ,HTI, NML$LISPARAM        ! Holdback timer
; 1705        P 1699    1         ,MBL, NML$LISPARAM        ! Maximum block
; 1706        P 1700    1         ,MRT, NML$LISPARAM        ! Maximum retransmits
; 1707        P 1701    1         ,MWI, NML$LISPARAM        ! Maximum window
; 1708        P 1702    1         ,SLT, NML$LISPARAM        ! Scheduling timer
; 1709        P 1703    1         ,DDT, NML$LISPARAM        ! Dead timer
; 1710        P 1704    1         ,DLT, NML$LISPARAM        ! Delay timer
; 1711        P 1705    1         ,SRT, NML$LISPARAM        ! Stream timer
; 1712        P 1706    1         ,HWA, NML$LISPARAM        ! Hardware address on NI
; 1713        P 1707    1         ,XMD, NML$LISPARAM        ! PCL address mode
; 1714        P 1708    1         ,EPT, NML$LISPARAM        ! Ethernet Protocol type
; 1715        P 1709    1         ,BSZ, NML$LISPARAM        ! Ethernet Buffer Size
; 1716        P 1710    1
; 1717          1711    1         );
; 1718          1712    1 !
; 1719          1713    1 ! Logging
; 1720          1714    1 !
; 1721          1715    1 ! Logging is not handled using this type of table.  Another mechanism
; 1722          1716    1 ! is provided elsewhere.
; 1723          1717    1 !
; 1724          1718    1
; 1725          1719    1 !
; 1726          1720    1 !     executor status
; 1727          1721    1 !
; 1728        P 1722    1 PRM_LIST (EXE, STA, PCNO
; 1729        P 1723    1
; 1730        P 1724    1         ,STA, NML$LISPARAM        ! State
; 1731        P 1725    1         ,PHA, NML$LISPARAM        ! Physical address on NI
; 1732        P 1726    1
; 1733          1727    1         );
; 1734          1728    1 !
; 1735          1729    1 !     executor summary
; 1736          1730    1 !
; 1737        P 1731    1 PRM_LIST (EXE, SUM, PCNO
; 1738        P 1732    1
; 1739        P 1733    1         ,STA, NML$LISPARAM        ! State
; 1740        P 1734    1
; 1741          1735    1         );
; 1742          1736    1 !
; 1743          1737    1 !     executor characteristics
; 1744          1738    1 !
; 1745        P 1739    1 PRM_LIST (EXE, CHA, PCNO
; 1746        P 1740    1
; 1747          P 1741  1           ,IDE, NML$LISPARAM          ! Identification
; 1748          P 1742  1           ,MVE, NML$LISNMLVER         ! Management version
; 1749          P 1743  1           ,CTI, NML$LISPARAM          ! Counter timer
; 1750          P 1744  1           ,ITI, NML$LISPARAM          ! Incoming timer
; 1751          P 1745  1           ,OTI, NML$LISPARAM          ! Outgoing timer
; 1752          P 1746  1           ,MLK, NML$LISPARAM          ! Maximum links
; 1753          P 1747  1           ,DFA, NML$LISPARAM          ! Delay factor
; 1754          P 1748  1           ,DWE, NML$LISPARAM          ! Delay weight
; 1755          P 1749  1           ,IAT, NML$LISPARAM          ! Inactivity timer
; 1756          P 1750  1           ,RFA, NML$LISPARAM          ! Retransmit factor
; 1757          P 1751  1           ,ETY, NML$LISPARAM          ! Executor node type
; 1758          P 1752  1           ,RTI, NML$LISPARAM          ! Routing timer
; 1759          P 1753  1           ,SAD, NML$LISRANGE          ! Subaddresses
; 1760          P 1754  1           ,BRT, NML$LISPARAM          ! Broadcast routing timer
; 1761          P 1755  1           ,MAD, NML$LISPARAM          ! Maximum address
; 1762          P 1756  1           ,MLN, NML$LISPARAM          ! Maximum lines
; 1763          P 1757  1           ,MCO, NML$LISPARAM          ! Maximum cost
; 1764          P 1758  1           ,MHO, NML$LISPARAM          ! Maximum hops
; 1765          P 1759  1           ,MVI, NML$LISPARAM          ! Maximum visits
; 1766          P 1760  1           ,MAR, NML$LISPARAM          ! Maximum areas
; 1767          P 1761  1           ,MBE, NML$LISPARAM          ! Maximum broadcast endnodes
; 1768          P 1762  1           ,MBR, NML$LISPARAM          ! Maximum broadcast routers
; 1769          P 1763  1           ,AMC, NML$LISPARAM          ! Area maximum cost
; 1770          P 1764  1           ,AMH, NML$LISPARAM          ! Area maximum hops
; 1771          P 1765  1           ,MBU, NML$LISPARAM          ! Maximum buffers
; 1772          P 1766  1           ,BUS, NML$LISPARAM          ! Buffer size
; 1773          P 1767  1           ,SBS, NML$LISPARAM          ! Segment buffer size
; 1774          P 1768  1           ,PUS, NML$LISPARAM          ! Privileged user id
; 1775          P 1769  1           ,PAC, NML$LISPARAM          ! Privileged account
; 1776          P 1770  1           ,PPW, NML$LISPASSWORD       ! Privileged password
; 1777          P 1771  1           ,NUS, NML$LISPARAM          ! Non-privileged user id
; 1778          P 1772  1           ,NAC, NML$LISPARAM          ! Non-privileged account
; 1779          P 1773  1           ,NPW, NML$LISPASSWORD       ! Non-privileged password
; 1780          P 1774  1           ,RPA, NML$LISPASSWORD       ! Receive password
; 1781          P 1775  1           ,TPA, NML$LISPASSWORD       ! Transmit password
; 1782          P 1776  1           ,ACC, NML$LISPARAM          ! Transmit password
; 1783          P 1777  1           ,DAC, NML$LISPARAM          ! Default access
; 1784          P 1778  1           ,PIQ, NML$LISPARAM          ! Pipeline quota
; 1785          P 1779  1           ,ALI, NML$LISPARAM          ! Node alias
; 1786          P 1780  1           ,PRX, NML$LISPARAM          ! Proxy access
; 1787          P 1781  1           ,DPX, NML$LISPARAM          ! Default proxy access
; 1788          P 1782  1
; 1789            1783  1           );
; 1790            1784  1   !
; 1791            1785  1   !       node status
; 1792            1786  1   !
; 1793          P 1787  1   PRM_LIST (NOD, STA, PCNO
; 1794          P 1788  1
; 1795          P 1789  1           ,NLI, NML$LISPARAM          ! Line
; 1796          P 1790  1           ,NND, NML$LISNODEID         ! Next node to destination
; 1797          P 1791  1
; 1798            1792  1           );
; 1799            1793  1   !
; 1800            1794  1   !       node summary
; 1801            1795  1   !
; 1802          P 1796  1   PRM_LIST (NOD, SUM, PCNO
; 1803          P 1797  1
; 1804      P 1798  1           ,NLI, NML$LISPARAM      ! Line
; 1805      P 1799  1           ,NND, NML$LISNODEID     ! Next node to destination
; 1806      P 1800  1
; 1807        1801  1           );
; 1808        1802  1 !
; 1809        1803  1 !     node characteristics
; 1810        1804  1 !
; 1811      P 1805  1 PRM_LIST (NOD, CHA, PCNO
; 1812      P 1806  1
; 1813      P 1807  1           ,SLI, NML$LISPARAM      ! Service circuit
; 1814      P 1808  1           ,SPA, NML$LISPARAM      ! Service password
; 1815      P 1809  1           ,SDV, NML$LISPARAM      ! Service device
; 1816      P 1810  1           ,CPU, NML$LISPARAM      ! CPU type
; 1817      P 1811  1           ,HWA, NML$LISPARAM      ! Hardware address on NI
; 1818      P 1812  1           ,SNV, NML$LISPARAM      ! Service node version
; 1819      P 1813  1           ,LOA, NML$LISPARAM      ! Load file
; 1820      P 1814  1           ,SLO, NML$LISPARAM      ! Secondary loader
; 1821      P 1815  1           ,TLO, NML$LISPARAM      ! Tertiary loader
; 1822      P 1816  1           ,DFL, NML$LISPARAM      ! Diagnostic file
; 1823      P 1817  1           ,STY, NML$LISPARAM      ! Software type
; 1824      P 1818  1           ,SID, NML$LISPARAM      ! Software id
; 1825      P 1819  1           ,DUM, NML$LISPARAM      ! Dump file
; 1826      P 1820  1           ,SDU, NML$LISPARAM      ! Secondary dumper
; 1827      P 1821  1           ,DAD, NML$LISPARAM      ! Dump address
; 1828      P 1822  1           ,DCT, NML$LISPARAM      ! Dump count
; 1829      P 1823  1           ,IHO, NML$LISNODEID     ! Host
; 1830      P 1824  1           ,CTI, NML$LISPARAM      ! Counter timer
; 1831      P 1825  1           ,NLI, NML$LISPARAM      ! Line
; 1832      P 1826  1           ,PUS, NML$LISPARAM      ! Privileged user id
; 1833      P 1827  1           ,PAC, NML$LISPARAM      ! Privileged account
; 1834      P 1828  1           ,PPW, NML$LISPASSWORD   ! Privileged password
; 1835      P 1829  1           ,NUS, NML$LISPARAM      ! Non-privileged user id
; 1836      P 1830  1           ,NAC, NML$LISPARAM      ! Non-privileged account
; 1837      P 1831  1           ,NPW, NML$LISPASSWORD   ! Non-privileged password
; 1838      P 1832  1           ,RPA, NML$LISPASSWORD   ! Receive password
; 1839      P 1833  1           ,TPA, NML$LISPASSWORD   ! Transmit password
; 1840      P 1834  1           ,ACC, NML$LISPARAM      ! Access
; 1841      P 1835  1           ,PRX, NML$LISPARAM      ! Proxy access
; 1842      P 1836  1
; 1843        1837  1           );
; 1844        1838  1 !
; 1845        1839  1 !     node status (by name)
; 1846        1840  1 !
; 1847        1841  1 BIND
; 1848        1842  1     NML$Q_P_NDNSTA_TABDES = NML$Q_P_NODSTA_TABDES;
; 1849        1843  1 !
; 1850        1844  1 !     node summary (by name)
; 1851        1845  1 !
; 1852        1846  1 BIND
; 1853        1847  1     NML$Q_P_NDNSUM_TABDES = NML$Q_P_NODSUM_TABDES;
; 1854        1848  1 !
; 1855        1849  1 !     node characteristics (by name)
; 1856        1850  1 !
; 1857        1851  1 BIND
; 1858        1852  1     NML$Q_P_NDNCHA_TABDES = NML$Q_P_NODCHA_TABDES;
; 1859        1853  1 !
; 1860        1854  1 !     loop node status
; 1861            1855  1 !
; 1862          P 1856  1 PRM_LIST (LOO, SUM, PCNO
; 1863          P 1857  1
; 1864          P 1858  1           ,NLI, NML$LISPARAM        ! Line
; 1865          P 1859  1
; 1866            1860  1           );
; 1867            1861  1
; 1868            1862  1 !
; 1869            1863  1 ! X-25 Access Module Network - characteristics
; 1870            1864  1 !
; 1871          P 1865  1 PRM_LIST (ACC, CHA, PCXA
; 1872          P 1866  1
; 1873          P 1867  1           ,NOD, NML$LISNODEID       ! Node number
; 1874          P 1868  1           ,USR, NML$LISPARAM        ! User
; 1875          P 1869  1           ,PSW, NML$LISPWSET        ! Password
; 1876          P 1870  1           ,ACC, NML$LISPARAM        ! Account
; 1877            1871  1           );
; 1878            1872  1 !
; 1879            1873  1 !     X25-Access Network characteristics
; 1880            1874  1 !
; 1881            1875  1 BIND
; 1882            1876  1     NML$Q_P_ACCSTA_TABDES = NML$Q_P_ACCCHA_TABDES,
; 1883            1877  1     NML$Q_P_ACCSUM_TABDES = NML$Q_P_ACCCHA_TABDES;
; 1884            1878  1
; 1885            1879  1 !
; 1886            1880  1 !     List X-25 Protocol network params - characteristics
; 1887            1881  1 !
; 1888          P 1882  1 PRM_LIST (NET, CHA, PCXP
; 1889          P 1883  1           ,DBL, NML$LISPARAM        ! Default data
; 1890          P 1884  1           ,DWI, NML$LISPARAM        ! Default window
; 1891          P 1885  1           ,MBL, NML$LISPARAM        ! Maximum data
; 1892          P 1886  1           ,MWI, NML$LISPARAM        ! Maximum window
; 1893          P 1887  1           ,MCL, NML$LISPARAM        ! Maximum clears
; 1894          P 1888  1           ,MRS, NML$LISPARAM        ! Maximum resets
; 1895          P 1889  1           ,MST, NML$LISPARAM        ! Maximum restarts
; 1896          P 1890  1           ,CAT, NML$LISPARAM        ! Call timer
; 1897          P 1891  1           ,CLT, NML$LISPARAM        ! Clear timer
; 1898          P 1892  1           ,RST, NML$LISPARAM        ! Reset timer
; 1899          P 1893  1           ,STT, NML$LISPARAM        ! Restart timer
; 1900          P 1894  1           ,MNS, NML$LISPARAM        ! Multinetwork support
; 1901            1895  1           );
; 1902            1896  1
; 1903            1897  1 !
; 1904            1898  1 !     X-25 Protocol DTE status
; 1905            1899  1 !
; 1906          P 1900  1 PRM_LIST (DTE, STA, PCXP
; 1907          P 1901  1           ,STA, NML$LISPARAM        ! State
; 1908            1902  1           );
; 1909            1903  1
; 1910            1904  1 !
; 1911            1905  1 !     X-25 Protocol DTE characteristics
; 1912            1906  1 !
; 1913          P 1907  1 PRM_LIST (DTE, CHA, PCXP
; 1914          P 1908  1           ,CTM, NML$LISPARAM        ! Counter timer
; 1915          P 1909  1           ,LIN, NML$LISPARAM        ! Line
; 1916          P 1910  1           ,CHN, NML$LISRANGE        ! Channels
; 1917            1911  1           );
```

```
!
!       X-25 Protocol Group characteristics
!
PRM_LIST (GRP, CHA, PCXP
        ,GDT, NML$LISPARAM         ! DTE number
        ,GNM, NML$LISPARAM         ! Group number
        ,GTY, NML$LISPARAM         ! Group type
        );
!
! X-25 and X-29 Server Module status and summary
!
PRM_LIST (SVR, SUM, PCXS
        ,STA, NML$LISPARAM         ! State
        );

!
! X-25 and X-29 Server Module characteristics
!
PRM_LIST (SVR, CHA, PCXS
        ,CTM, NML$LISPARAM         ! Counter timer
        ,MCI, NML$LISPARAM         ! Maximum circuits
        );
!
! X-25 Server Module Destination characteristics
!
PRM_LIST (DST, CHA, PCXS
        ,NOD, NML$LISNODEID        ! Node
        ,USR, NML$LISPARAM         ! Username
        ,SPW, NML$LISPWSET         ! Password set indication
        ,ACC, NML$LISPARAM         ! Account
        ,OBJ, NML$LISPARAM         ! Object
        ,PRI, NML$LISPARAM         ! Priority
        ,CMK, NML$LISPARAM         ! Call mask
        ,CVL, NML$LISPARAM         ! Call value
        ,GRP, NML$LISPARAM         ! Group
        ,NUM, NML$LISPARAM         ! Number
        ,SAD, NML$LISRANGE         ! Subaddresses
        ,FIL, NML$LISPARAM         ! Object startup file
        );

!
! X-25 Trace Module summary and status
!
PRM_LIST (TRA, SUM, PCXT
        ,STA, NML$LISPARAM         ! State
        ,FNM, NML$LISPARAM         ! File name
        );
!
! X-25 Trace Module characteristics
!
PRM_LIST (TRA, CHA, PCXT

        ,BSZ, NML$LISPARAM         ! Buffer size
        ,MBK, NML$LISPARAM         ! Maximum blocks/file
        ,FNM, NML$LISPARAM         ! File name
        ,MBF, NML$LISPARAM         ! Maximum number of buffers
```

```
; 1975         P 1969   1               ,CPL, NML$LISPARAM          ! Global data capture limit
; 1976         P 1970   1               ,MVR, NML$LISPARAM          ! Maximum trace file version
; 1977           1971   1               );
; 1978           1972   1 !
; 1979           1973   1 ! X-25 Tracepoint Module summary and status
; 1980           1974   1 !
; 1981         P 1975   1 PRM_LIST (TPT, SUM, PCXT
; 1982         P 1976   1               ,TST, NML$LISPARAM          ! Per-trace state
; 1983           1977   1               );
; 1984           1978   1 !
; 1985           1979   1 ! X-25 Tracepoint Module characteristics
; 1986           1980   1 !
; 1987         P 1981   1 PRM_LIST (TPT, CHA, PCXT
; 1988         P 1982   1               ,CPS, NML$LISPARAM          ! Per-trace capture size
; 1989         P 1983   1               ,TST, NML$LISPARAM          ! Per-trace state
; 1990           1984   1               );
; 1991           1985   1
; 1992           1986   1 !
; 1993           1987   1 !     configurator module status
; 1994           1988   1 !
; 1995         P 1989   1 PRM_LIST (CNF, STA, PCCN
; 1996         P 1990   1
; 1997         P 1991   1               ,SUR, NML$LISPARAM          ! Surveillance
; 1998           1992   1               );
; 1999           1993   1
; 2000           1994   1 !
; 2001           1995   1 !     object status
; 2002           1996   1 !
; 2003         P 1997   1 PRM_LIST (OBJ, STA, PCOB
; 2004         P 1998   1
; 2005         P 1999   1               ,NUM, NML$LISPARAM          ! Number
; 2006         P 2000   1               ,FID, NML$LISPARAM          ! File id
; 2007         P 2001   1               ,PRV, NML$LISPARAM          ! Privilege list
; 2008         P 2002   1               ,USR, NML$LISPARAM          ! User id
; 2009         P 2003   1               ,ACC, NML$LISPARAM          ! Account
; 2010         P 2004   1               ,PSW, NML$LISPASSWORD       ! Password
; 2011         P 2005   1
; 2012           2006   1               );
; 2013           2007   1 !
; 2014           2008   1 !     object summary
; 2015           2009   1 !
; 2016         P 2010   1 PRM_LIST (OBJ, SUM, PCOB
; 2017         P 2011   1
; 2018         P 2012   1               ,NUM, NML$LISPARAM          ! Number
; 2019         P 2013   1               ,FID, NML$LISPARAM          ! File id
; 2020         P 2014   1               ,PRV, NML$LISPARAM          ! Privilege list
; 2021         P 2015   1               ,USR, NML$LISPARAM          ! User id
; 2022         P 2016   1               ,ACC, NML$LISPARAM          ! Account
; 2023         P 2017   1               ,PSW, NML$LISPASSWORD       ! Password
; 2024         P 2018   1
; 2025           2019   1               );
; 2026           2020   1 !
; 2027           2021   1 !     object characteristics
; 2028           2022   1 !
; 2029         P 2023   1 PRM_LIST (OBJ, CHA, PCOB
; 2030         P 2024   1
; 2031         P 2025   1               ,NUM, NML$LISPARAM          ! Number
; 2032        P 2026  1             ,FID, NML$LISPARAM        ! File id
; 2033        P 2027  1             ,PRV, NML$LISPARAM        ! Privilege list
; 2034        P 2028  1             ,USR, NML$LISPARAM        ! User id
; 2035        P 2029  1             ,ACC, NML$LISPARAM        ! Account
; 2036        P 2030  1             ,PSW, NML$LISPASSWORD     ! Password
; 2037        P 2031  1             ,PRX, NML$LISPARAM        ! Proxy access
; 2038        P 2032  1
; 2039          2033  1             );
; 2040          2034  1
; 2041          2035  1 UNDECLARE
; 2042          2036  1     %QUOTE PRM_LIST,
; 2043          2037  1     %QUOTE $DEXTN;
; 2044          2038  1
; 2046          2039   1 %SBTTL 'SHOW parameter tables'
; 2047          2040   1 !
; 2048          2041   1 ! Parameter list definition macro.
; 2049          2042   1 !
; 2050          2043   1 MACRO
; 2051        M 2044   1     PRM_SHOW (TAB, TYP, PRM) []  =
; 2052        M 2045   1
; 2053        M 2046   1         SWITCHES UNAMES;
; 2054        M 2047   1         PSECT
; 2055        M 2048   1             PLIT = NML$PARAMLISTS;
; 2056        M 2049   1
; 2057        M 2050   1         GLOBAL BIND
; 2058        M 2051   1             %NAME ('NML$Q_',TAB, TYP, '_TABDES') =
; 2059        M 2052   1                 UPLIT ((%LENGTH - 2) / 2,
; 2060        M 2053   1                        UPLIT BYTE ($DEXTN (PRM, %REMAINING)));
; 2061        M 2054   1
; 2062        M 2055   1         PSECT PLIT = $PLIT$;
; 2063        M 2056   1         SWITCHES NOUNAMES;
; 2064          2057   1     %,
; 2065          2058   1
; 2066        M 2059   1     $DEXTN (TAB) [A, B] =
; 2067        M 2060   1         WORD (%NAME ('PST$K_', TAB, '_', A)),
; 2068        M 2061   1         LONG (B)
; 2069          2062   1     %;
; 2070          2063   1 !
; 2071          2064   1 ! Declare routines used to get parameters.
; 2072          2065   1 !
; 2073          2066   1 EXTERNAL ROUTINE
; 2074          2067   1     NML$SHOPARAM,
; 2075          2068   1     NML$SHOEXEPARAM,
; 2076          2069   1     NML$SHOCOUNTERS,
; 2077          2070   1     NML$SHONODEID,
; 2078          2071   1     NML$SHOOBJPRV,
; 2079          2072   1     NML$SHOSERVPASS,
; 2080          2073   1     NML$SHONMLVER,
; 2081          2074   1     NML$SHOREMSTA,
; 2082          2075   1     NML$SHOVERSION,
; 2083          2076   1     NML$SHOPWSET,
; 2084          2077   1     NML$SHORANGE,
; 2085          2078   1     NML$SHOCHANNELS,
; 2086          2079   1     NML$SHOOWNER,
; 2087          2080   1     NML$SKIPLONG,
; 2088          2081   1     NML$SKIPSTRING;
; 2089          2082   1 !
; 2090          2083   1 !*****************************************************************************
; 2091          2084   1 !
; 2092          2085   1 ! NOTE:  Any changes to a table (order or content) must be reflected in
; 2093          2086   1 !        the NFB corresponding to that table.
; 2094          2087   1 !
; 2095          2088   1 !*****************************************************************************
; 2096          2089   1 !
; 2097          2090   1 !     Circuit summary and status
; 2098          2091   1 !
; 2099        P 2092   1 PRM_SHOW (CIR, SUM, PCCI
; 2100        P 2093   1
; 2101        P 2094   1         ,STA, NML$SHOPARAM         ! State
; 2102        P 2095   1         ,SUB, NML$SHOPARAM         ! Substate
; 2103       P 2096  1          ,LOO, NML$SHOPARAM        ! Loopback name
; 2104       P 2097  1
; 2105         2098  1          );
; 2106         2099  1
; 2107         2100  1 !
; 2108         2101  1 !     Circuit characteristics
; 2109         2102  1 !
; 2110       P 2103  1 PRM_SHOW (CIR, CHA, PCCI
; 2111       P 2104  1
; 2112       P 2105  1          ,STA, NML$SHOPARAM        ! State
; 2113       P 2106  1          ,SUB, NML$SHOPARAM        ! Substate
; 2114       P 2107  1          ,SER, NML$SHOPARAM        ! Service
; 2115       P 2108  1          ,LCT, NML$SHOPARAM        ! Counter timer
; 2116       P 2109  1 !?       ,CNO, NML$SHONODEID       ! Connected node          !??
; 2117       P 2110  1 !?       ,COB, NML$SHOPARAM        ! Connected object        !??
; 2118       P 2111  1          ,LOO, NML$SHOPARAM        ! Loopback name
; 2119       P 2112  1          ,DRT, NML$SHONODEID       ! Designated router on NI
; 2120       P 2113  1          ,COS, NML$SHOPARAM        ! Cost
; 2121       P 2114  1          ,MRT, NML$SHOPARAM        ! Maximum routers on NI
; 2122       P 2115  1          ,RPR, NML$SHOPARAM        ! Router priority on NI
; 2123       P 2116  1          ,HET, NML$SHOPARAM        ! Hello timer
; 2124       P 2117  1          ,BLK, NML$SHOPARAM        ! Blocking
; 2125       P 2118  1          ,MRC, NML$SHOPARAM        ! Maximum recalls
; 2126       P 2119  1          ,RCT, NML$SHOPARAM        ! Recall timer
; 2127       P 2120  1          ,NUM, NML$SHOPARAM        ! Number
; 2128       P 2121  1 !?       ,USR, NML$SHOPARAM        ! User                    !??
; 2129       P 2122  1          ,POL, NML$SHOPARAM        ! Polling state
; 2130       P 2123  1          ,PLS, NML$SHOPARAM        ! Polling substate
; 2131       P 2124  1          ,OWN, NML$SHOOWNER        ! Owner entity id
; 2132       P 2125  1          ,USE, NML$SHOPARAM        ! Usage
; 2133       P 2126  1          ,TYP, NML$SHOPARAM        ! Type
; 2134       P 2127  1          ,DTE, NML$SHOPARAM        ! DTE
; 2135       P 2128  1          ,CHN, NML$SHOPARAM        ! Channel
; 2136       P 2129  1          ,MBL, NML$SHOPARAM        ! Maximum block
; 2137       P 2130  1          ,MWI, NML$SHOPARAM        ! Maximum window
; 2138       P 2131  1          ,TRI, NML$SHOPARAM        ! Tributary
; 2139       P 2132  1          ,BBT, NML$SHOPARAM        ! Babble timer
; 2140       P 2133  1          ,TRT, NML$SHOPARAM        ! Transmit timer
; 2141       P 2134  1          ,MRB, NML$SHOPARAM        ! Maximum receive buffers
; 2142       P 2135  1          ,MTR, NML$SHOPARAM        ! Maximum transmits
; 2143       P 2136  1          ,ACB, NML$SHOPARAM        ! Active base
; 2144       P 2137  1          ,ACI, NML$SHOPARAM        ! Active increment
; 2145       P 2138  1          ,IAB, NML$SHOPARAM        ! Inactive base
; 2146       P 2139  1          ,IAI, NML$SHOPARAM        ! Inactive increment
; 2147       P 2140  1          ,IAT, NML$SHOPARAM        ! Inactive threshold
; 2148       P 2141  1          ,DYB, NML$SHOPARAM        ! Dying base
; 2149       P 2142  1          ,DYI, NML$SHOPARAM        ! Dying increment
; 2150       P 2143  1          ,DYT, NML$SHOPARAM        ! Dying threshold
; 2151       P 2144  1          ,DTH, NML$SHOPARAM        ! Dead threshold
; 2152       P 2145  1          ,VER, NML$SHOPARAM        ! Verification (VMS specific)
; 2153       P 2146  1          ,XPT, NML$SHOPARAM        ! Transport protocol (VMS specific)
; 2154       P 2147  1
; 2155         2148  1          );
; 2156         2149  1
; 2157         2150  1 !
; 2158         2151  1 !     Circuit counters
; 2159         2152  1 !
; 2160        P 2153   1 PRM_SHOW (CIR, COU, PCCI
; 2161        P 2154   1
; 2162        P 2155   1         ,CC$, NML$SHOCOUNTERS
; 2163        P 2156   1
; 2164          2157   1         );
; 2165          2158   1 !
; 2166          2159   1 ! Circuit Adjacency summary
; 2167          2160   1 !
; 2168        P 2161   1 PRM_SHOW (CAJ, SUM, PCCI
; 2169        P 2162   1
; 2170        P 2163   1         ,ADJ, NML$SHONODEID       ! Adjacent node
; 2171          2164   1         );
; 2172          2165   1 !
; 2173          2166   1 ! Circuit Adjacency status
; 2174          2167   1 !
; 2175        P 2168   1 PRM_SHOW (CAJ, STA, PCCI
; 2176        P 2169   1
; 2177        P 2170   1         ,ADJ, NML$SHONODEID       ! Adjacent node
; 2178        P 2171   1         ,BLO, NML$SHOPARAM        ! Block size
; 2179          2172   1         );
; 2180          2173   1 !
; 2181          2174   1 ! Circuit Adjacency characteristics
; 2182          2175   1 !
; 2183        P 2176   1 PRM_SHOW (CAJ, CHA, PCCI
; 2184        P 2177   1
; 2185        P 2178   1         ,ADJ, NML$SHONODEID       ! Adjacent node
; 2186        P 2179   1         ,LIT, NML$SHOPARAM        ! Listen Timer
; 2187          2180   1         );
; 2188          2181   1 !
; 2189          2182   1 ! Circuit Service Adjacency status
; 2190          2183   1 !
; 2191        P 2184   1 PRM_SHOW (CSA, SUM, PCCI
; 2192        P 2185   1
; 2193        P 2186   1         ,SPY, NML$SHOPARAM        ! Service Physical Address
; 2194        P 2187   1         ,SSB, NML$SHOPARAM        ! Service Substate
; 2195          2188   1         );
; 2196          2189   1 !
; 2197          2190   1 !     zero circuit counters
; 2198          2191   1 !
; 2199          2192   1 BIND
; 2200          2193   1     NML$Q_CIRZER_TABDES = 0;
; 2201          2194   1
; 2202          2195   1 !
; 2203          2196   1 !     line status
; 2204          2197   1 !
; 2205        P 2198   1 PRM_SHOW (LIN, STA, PCLI
; 2206        P 2199   1
; 2207        P 2200   1         ,STA, NML$SHOPARAM        ! State
; 2208        P 2201   1         ,SUB, NML$SHOPARAM        ! Substate
; 2209        P 2202   1
; 2210          2203   1         );
; 2211          2204   1 !
; 2212          2205   1 !     line summary
; 2213          2206   1 !
; 2214        P 2207   1 PRM_SHOW (LIN, SUM, PCLI
; 2215        P 2208   1
; 2216        P 2209   1         ,STA, NML$SHOPARAM        ! State
; 2217      P 2210   1          ,SUB, NML$SHOPARAM       ! Substate
; 2218      P 2211   1
; 2219        2212   1          );
; 2220        2213   1  !
; 2221        2214   1  !     line characteristics
; 2222        2215   1  !
; 2223      P 2216   1  PRM_SHOW (LIN, CHA, PCLI
; 2224      P 2217   1
; 2225      P 2218   1          ,SER, NML$SHOPARAM       ! Service
; 2226      P 2219   1          ,LCT, NML$SHOPARAM       ! Counter timer
; 2227      P 2220   1          ,BFN, NML$SHOPARAM       ! Number of buffers
; 2228      P 2221   1          ,CON, NML$SHOPARAM       ! Controller
; 2229      P 2222   1          ,DUP, NML$SHOPARAM       ! Duplex
; 2230      P 2223   1          ,PRO, NML$SHOPARAM       ! Protocol type
; 2231      P 2224   1          ,CLO, NML$SHOPARAM       ! Clock
; 2232      P 2225   1          ,STI, NML$SHOPARAM       ! Service timer
; 2233      P 2226   1          ,RTT, NML$SHOPARAM       ! Retransmit timer
; 2234      P 2227   1          ,HTI, NML$SHOPARAM       ! Holdback timer
; 2235      P 2228   1          ,MBL, NML$SHOPARAM       ! Maximum block
; 2236      P 2229   1          ,MRT, NML$SHOPARAM       ! Maximum retransmits
; 2237      P 2230   1          ,MWI, NML$SHOPARAM       ! Maximum window
; 2238      P 2231   1          ,SLT, NML$SHOPARAM       ! Scheduling timer
; 2239      P 2232   1          ,DDT, NML$SHOPARAM       ! Dead timer
; 2240      P 2233   1          ,DLT, NML$SHOPARAM       ! Delay timer
; 2241      P 2234   1          ,SRT, NML$SHOPARAM       ! Stream timer
; 2242      P 2235   1          ,HWA, NML$SHOPARAM       ! Hardware address on NI
; 2243      P 2236   1          ,XMD, NML$SHOPARAM       ! PCL address mode
; 2244      P 2237   1          ,EPT, NML$SHOPARAM       ! Ethernet protocol type
; 2245      P 2238   1          ,BSZ, NML$SHOPARAM       ! Ethernet Buffer Size
; 2246      P 2239   1
; 2247        2240   1          );
; 2248        2241   1  !
; 2249        2242   1  !     line counters
; 2250        2243   1  !
; 2251      P 2244   1  PRM_SHOW (LIN, COU, PCLI
; 2252      P 2245   1
; 2253      P 2246   1          ,LC$, NML$SHOCOUNTERS
; 2254      P 2247   1
; 2255        2248   1          );
; 2256        2249   1  !
; 2257        2250   1  !     zero line counters
; 2258        2251   1  !
; 2259        2252   1  BIND
; 2260        2253   1      NML$Q_LINZER_TABDES = 0;
; 2261        2254   1
; 2262        2255   1  !
; 2263        2256   1  !     logging
; 2264        2257   1  !
; 2265        2258   1  ! Logging is handled by another mechanism but these symbols must be defined
; 2266        2259   1  ! to allow the information table to work correctly.
; 2267        2260   1  !
; 2268        2261   1  BIND
; 2269        2262   1      NML$Q_LOGSUM_TABDES = 0,
; 2270        2263   1      NML$Q_LOGSTA_TABDES = 0,
; 2271        2264   1      NML$Q_LOGCHA_TABDES = 0,
; 2272        2265   1      NML$Q_LOGEVE_TABDES = 0,
; 2273        2266   1      NML$Q_SNKSUM_TABDES = 0,
; 2274           2267  1         NML$Q_SNKSTA_TABDES = 0,
; 2275           2268  1         NML$Q_SNKCHA_TABDES = 0,
; 2276           2269  1         NML$Q_SNKEVE_TABDES = 0;
; 2277           2270  1  !
; 2278           2271  1  !      executor status
; 2279           2272  1  !
; 2280         P 2273  1  PRM_SHOW (EXE, STA, PCNO
; 2281         P 2274  1
; 2282         P 2275  1               ,STA, NML$SHOEXEPARAM     ! State
; 2283         P 2276  1               ,STA, NML$SKIPLONG        ! *skip*
; 2284         P 2277  1               ,PHA, NML$SHOEXEPARAM     ! Physical NI address
; 2285         P 2278  1               ,ACL, NML$SHOPARAM        ! Active links
; 2286         P 2279  1               ,DEL, NML$SHOPARAM        ! Delay
; 2287         P 2280  1
; 2288           2281  1               );
; 2289           2282  1  !
; 2290           2283  1  !      executor summary
; 2291           2284  1  !
; 2292         P 2285  1  PRM_SHOW (EXE, SUM, PCNO
; 2293         P 2286  1
; 2294         P 2287  1               ,STA, NML$SHOEXEPARAM     ! State
; 2295         P 2288  1               ,IDE, NML$SHOEXEPARAM     ! Identification
; 2296         P 2289  1               ,STA, NML$SKIPLONG        ! *skip*
; 2297         P 2290  1               ,NLI, NML$SKIPSTRING      ! *skip*
; 2298         P 2291  1               ,ACL, NML$SHOPARAM        ! Active links
; 2299         P 2292  1
; 2300           2293  1               );
; 2301           2294  1  !
; 2302           2295  1  !      executor characteristics
; 2303           2296  1  !
; 2304         P 2297  1  PRM_SHOW (EXE, CHA, PCNO
; 2305         P 2298  1
; 2306         P 2299  1               ,IDE, NML$SHOEXEPARAM     ! Identification
; 2307         P 2300  1               ,MVE, NML$SHONMLVER       ! Management version
; 2308         P 2301  1               ,SLI, NML$SKIPSTRING      ! *skip*
; 2309         P 2302  1               ,SPA, NML$SKIPSTRING      ! *skip*
; 2310         P 2303  1               ,SDV, NML$SKIPLONG        ! *skip*
; 2311         P 2304  1               ,CPU, NML$SKIPLONG        ! *skip*
; 2312         P 2305  1               ,HWA, NML$SKIPSTRING      ! *skip*
; 2313         P 2306  1               ,SNV, NML$SKIPLONG        ! *skip*
; 2314         P 2307  1               ,LOA, NML$SKIPSTRING      ! *skip*
; 2315         P 2308  1               ,SLO, NML$SKIPSTRING      ! *skip*
; 2316         P 2309  1               ,TLO, NML$SKIPSTRING      ! *skip*
; 2317         P 2310  1               ,DFL, NML$SKIPSTRING      ! *skip*
; 2318         P 2311  1               ,STY, NML$SKIPLONG        ! *skip*
; 2319         P 2312  1               ,SID, NML$SKIPSTRING      ! *skip*
; 2320         P 2313  1               ,DUM, NML$SKIPSTRING      ! *skip*
; 2321         P 2314  1               ,SDU, NML$SKIPSTRING      ! *skip*
; 2322         P 2315  1               ,DAD, NML$SKIPLONG        ! *skip*
; 2323         P 2316  1               ,DCT, NML$SKIPLONG        ! *skip*
; 2324         P 2317  1               ,OHO, NML$SKIPLONG        ! *skip*
; 2325         P 2318  1               ,CTI, NML$SHOPARAM        ! Counter timer
; 2326         P 2319  1               ,NLI, NML$SKIPSTRING      ! *skip*
; 2327         P 2320  1               ,ITI, NML$SHOEXEPARAM     ! Incoming timer
; 2328         P 2321  1               ,OTI, NML$SHOEXEPARAM     ! Outgoing timer
; 2329         P 2322  1               ,NVE, NML$SHOVERSION      ! NSP version
; 2330         P 2323  1               ,MLK, NML$SHOEXEPARAM     ! Maximum links
; 2331          P 2324   1              ,DFA, NML$SHOEXEPARAM      ! Delay factor
; 2332          P 2325   1              ,DWE, NML$SHOEXEPARAM      ! Delay weight
; 2333          P 2326   1              ,IAT, NML$SHOEXEPARAM      ! Inactivity timer
; 2334          P 2327   1              ,RFA, NML$SHOEXEPARAM      ! Retransmit factor
; 2335          P 2328   1              ,RVE, NML$SHOVERSION       ! Routing version
; 2336          P 2329   1              ,ETY, NML$SHOEXEPARAM      ! Executor node type
; 2337          P 2330   1              ,RTI, NML$SHOEXEPARAM      ! Routing timer
; 2338          P 2331   1              ,SAD, NML$SHOEXEPARAM      ! Subaddresses
; 2339          P 2332   1              ,BRT, NML$SHOEXEPARAM      ! Broadcast routine timer
; 2340          P 2333   1              ,MAD, NML$SHOEXEPARAM      ! Maximum address
; 2341          P 2334   1              ,MLN, NML$SHOEXEPARAM      ! Maximum lines
; 2342          P 2335   1              ,MCO, NML$SHOEXEPARAM      ! Maximum cost
; 2343          P 2336   1              ,MHO, NML$SHOEXEPARAM      ! Maximum hops
; 2344          P 2337   1              ,MVI, NML$SHOEXEPARAM      ! Maximum visits
; 2345          P 2338   1              ,MAR, NML$SHOEXEPARAM      ! Maximum areas
; 2346          P 2339   1              ,MBE, NML$SHOEXEPARAM      ! Maximum broadcast endnodes
; 2347          P 2340   1              ,MBR, NML$SHOEXEPARAM      ! Maximum broadcast routers
; 2348          P 2341   1              ,AMC, NML$SHOEXEPARAM      ! Area maximum cost
; 2349          P 2342   1              ,AMH, NML$SHOEXEPARAM      ! Area maximum hops
; 2350          P 2343   1              ,MBU, NML$SHOEXEPARAM      ! Maximum buffers
; 2351          P 2344   1              ,SBS, NML$SHOEXEPARAM      ! Segment buffer size
; 2352          P 2345   1              ,BUS, NML$SHOEXEPARAM      ! Buffer size
; 2353          P 2346   1              ,PUS, NML$SHOPARAM         ! Privileged user id
; 2354          P 2347   1              ,PAC, NML$SHOPARAM         ! Privileged account
; 2355          P 2348   1              ,PPW, NML$SHOPARAM         ! Privileged password
; 2356          P 2349   1              ,NUS, NML$SHOPARAM         ! Non-privileged user id
; 2357          P 2350   1              ,NAC, NML$SHOPARAM         ! Non-privileged account
; 2358          P 2351   1              ,NPW, NML$SHOPARAM         ! Non-privileged password
; 2359          P 2352   1              ,RPA, NML$SHOPARAM         ! Receive password
; 2360          P 2353   1              ,TPA, NML$SHOPARAM         ! Transmit password
; 2361          P 2354   1              ,ACC, NML$SHOPARAM         ! Access
; 2362          P 2355   1              ,DAC, NML$SHOEXEPARAM      ! Default access
; 2363          P 2356   1              ,PIQ, NML$SHOEXEPARAM      ! Pipeline quota
; 2364          P 2357   1              ,ALI, NML$SHOEXEPARAM      ! Node alias
; 2365          P 2358   1              ,DPX, NML$SHOEXEPARAM      ! Default proxy access
; 2366          P 2359   1
; 2367            2360   1              );
; 2368            2361   1 !
; 2369            2362   1 !    show executor counters - use node counters
; 2370            2363   1 !
; 2371            2364   1
; 2372            2365   1 !
; 2373            2366   1 !    zero executor counters
; 2374            2367   1 !
; 2375            2368   1 BIND
; 2376            2369   1     NML$Q_EXEZER_TABDES = 0;
; 2377            2370   1 !
; 2378            2371   1 !    node status
; 2379            2372   1 !
; 2380          P 2373   1 PRM_SHOW (NOD, STA, PCNO
; 2381          P 2374   1
; 2382          P 2375   1              ,STA, NML$SHOREMSTA        ! State
; 2383          P 2376   1              ,ACL, NML$SHOPARAM         ! Active links
; 2384          P 2377   1              ,DEL, NML$SHOPARAM         ! Delay
; 2385          P 2378   1              ,DTY, NML$SHOPARAM         ! Type
; 2386          P 2379   1              ,DCO, NML$SHOPARAM         ! Cost
; 2387          P 2380   1              ,DHO, NML$SHOPARAM         ! Hops
; 2388      P 2381   1           ,DLI, NML$SHOPARAM          ! Line (path)
; 2389      P 2382   1           ,NND, NML$SHONODEID         ! Next node to destination
; 2390      P 2383   1
; 2391        2384   1           );
; 2392        2385   1 !
; 2393        2386   1 !     node summary
; 2394        2387   1 !
; 2395      P 2388   1 PRM_SHOW (NOD, SUM, PCNO
; 2396      P 2389   1
; 2397      P 2390   1           ,STA, NML$SHOREMSTA         ! State
; 2398      P 2391   1           ,NLI, NML$SHOPARAM          ! Line
; 2399      P 2392   1           ,ACL, NML$SHOPARAM          ! Active links
; 2400      P 2393   1           ,DEL, NML$SHOPARAM          ! Delay
; 2401      P 2394   1           ,DLI, NML$SHOPARAM          ! Line
; 2402      P 2395   1           ,NND, NML$SHONODEID         ! Next node to destination
; 2403      P 2396   1
; 2404        2397   1           );
; 2405        2398   1 !
; 2406        2399   1 !     node characteristics
; 2407        2400   1 !
; 2408      P 2401   1 PRM_SHOW (NOD, CHA, PCNO
; 2409      P 2402   1
; 2410      P 2403   1           ,SLI, NML$SHOPARAM          ! Service circuit
; 2411      P 2404   1           ,SPA, NML$SHOSERVPASS       ! Service password
; 2412      P 2405   1           ,SDV, NML$SHOPARAM          ! Service device
; 2413      P 2406   1           ,CPU, NML$SHOPARAM          ! CPU type
; 2414      P 2407   1           ,HWA, NML$SHOPARAM          ! Hardware address on NI
; 2415      P 2408   1           ,SNV, NML$SHOPARAM          ! Service node version
; 2416      P 2409   1           ,LOA, NML$SHOPARAM          ! Load file
; 2417      P 2410   1           ,SLO, NML$SHOPARAM          ! Secondary loader
; 2418      P 2411   1           ,TLO, NML$SHOPARAM          ! Tertiary loader
; 2419      P 2412   1           ,DFL, NML$SHOPARAM          ! Diagnostic file
; 2420      P 2413   1           ,STY, NML$SHOPARAM          ! Software type
; 2421      P 2414   1           ,SID, NML$SHOPARAM          ! Software id
; 2422      P 2415   1           ,DUM, NML$SHOPARAM          ! Dump file
; 2423      P 2416   1           ,SDU, NML$SHOPARAM          ! Secondary dumper
; 2424      P 2417   1           ,DAD, NML$SHOPARAM          ! Dump address
; 2425      P 2418   1           ,DCT, NML$SHOPARAM          ! Dump count
; 2426      P 2419   1           ,OHO, NML$SHONODEID         ! Host
; 2427      P 2420   1           ,CTI, NML$SHOPARAM          ! Counter timer
; 2428      P 2421   1           ,NLI, NML$SHOPARAM          ! Line
; 2429      P 2422   1           ,PUS, NML$SHOPARAM          ! Privileged user id
; 2430      P 2423   1           ,PAC, NML$SHOPARAM          ! Privileged account
; 2431      P 2424   1           ,PPW, NML$SHOPARAM          ! Privileged password
; 2432      P 2425   1           ,NUS, NML$SHOPARAM          ! Non-privileged user id
; 2433      P 2426   1           ,NAC, NML$SHOPARAM          ! Non-privileged account
; 2434      P 2427   1           ,NPW, NML$SHOPARAM          ! Non-privileged password
; 2435      P 2428   1           ,RPA, NML$SHOPARAM          ! Receive password
; 2436      P 2429   1           ,TPA, NML$SHOPARAM          ! Transmit password
; 2437      P 2430   1           ,ACC, NML$SHOPARAM          ! Access
; 2438      P 2431   1
; 2439        2432   1           );
; 2440        2433   1 !
; 2441        2434   1 !     node counters
; 2442        2435   1 !
; 2443      P 2436   1 PRM_SHOW (NOD, COU, PCNO
; 2444      P 2437   1
; 2445      P 2438   1          ,NC$, NML$SHOCOUNTERS
; 2446      P 2439   1
; 2447        2440   1          );
; 2448        2441   1
; 2449        2442   1 BIND
; 2450        2443   1          NML$Q_EXECOU_TABDES = NML$Q_NODCOU_TABDES;
; 2451        2444   1 !
; 2452        2445   1 !     zero node counters
; 2453        2446   1 !
; 2454        2447   1 BIND
; 2455        2448   1     NML$Q_NODZER_TABDES = 0;
; 2456        2449   1 !
; 2457        2450   1 ! Node by name tables
; 2458        2451   1 !
; 2459        2452   1 BIND
; 2460        2453   1     NML$Q_NDNSUM_TABDES = NML$Q_NODSUM_TABDES,
; 2461        2454   1     NML$Q_NDNSTA_TABDES = NML$Q_NODSTA_TABDES,
; 2462        2455   1     NML$Q_NDNCHA_TABDES = NML$Q_NODCHA_TABDES,
; 2463        2456   1     NML$Q_NDNCOU_TABDES = NML$Q_NODCOU_TABDES,
; 2464        2457   1     NML$Q_NDNZER_TABDES = NML$Q_NODZER_TABDES;
; 2465        2458   1
; 2466        2459   1 !
; 2467        2460   1 !     loop node summary, status, and characteristics.
; 2468        2461   1 !
; 2469      P 2462   1 PRM_SHOW (LOO, SUM, PCNO
; 2470      P 2463   1
; 2471      P 2464   1          ,NLI, NML$SHOPARAM       ! Line
; 2472      P 2465   1
; 2473        2466   1          );
; 2474        2467   1
; 2475        2468   1 !
; 2476        2469   1 !     Area status
; 2477        2470   1 !
; 2478      P 2471   1 PRM_SHOW (ARE, SUM, PCAR
; 2479      P 2472   1
; 2480      P 2473   1          ,STA, NML$SHOREMSTA      ! State
; 2481      P 2474   1          ,CIR, NML$SHOPARAM       ! Circuit
; 2482      P 2475   1          ,NND, NML$SHONODEID      ! Next node to destination
; 2483      P 2476   1
; 2484        2477   1          );
; 2485        2478   1
; 2486        2479   1 !
; 2487        2480   1 !     Area summary and characteristics
; 2488        2481   1 !
; 2489      P 2482   1 PRM_SHOW (ARE, STA, PCAR
; 2490      P 2483   1
; 2491      P 2484   1          ,STA, NML$SHOREMSTA      ! State
; 2492      P 2485   1          ,COS, NML$SHOPARAM       ! Cost
; 2493      P 2486   1          ,HOP, NML$SHOPARAM       ! Hops
; 2494      P 2487   1          ,CIR, NML$SHOPARAM       ! Circuit
; 2495      P 2488   1          ,NND, NML$SHONODEID      ! Next node to destination
; 2496      P 2489   1
; 2497        2490   1          );
; 2498        2491   1 !
; 2499        2492   1 ! X-25 Access Module Network - characteristics
; 2500        2493   1 !
; 2501      P 2494   1 PRM_SHOW (ACC, CHA, PCXA
; 2502     P 2495  1
; 2503     P 2496  1            ,NET, NML$SHOPARAM          ! Network name
; 2504     P 2497  1            ,NOD, NML$SHONODEID         ! Node number and name
; 2505     P 2498  1            ,USR, NML$SHOPARAM          ! User
; 2506     P 2499  1            ,PSW, NML$SHOPWSET          ! Password
; 2507     P 2500  1            ,ACC, NML$SHOPARAM          ! Account
; 2508       2501  1            );
; 2509       2502  1
; 2510       2503  1 BIND
; 2511       2504  1            NML$Q_ACCSUM_TABDES = NML$Q_ACCCHA_TABDES,
; 2512       2505  1            NML$Q_ACCSTA_TABDES = NML$Q_ACCCHA_TABDES;
; 2513       2506  1
; 2514       2507  1 !
; 2515       2508  1 !      Show X-25 Protocol network params - characteristics
; 2516       2509  1 !
; 2517     P 2510  1 PRM_SHOW (NET, CHA, PCXP
; 2518     P 2511  1            ,NET, NML$SHOPARAM          ! Network
; 2519     P 2512  1            ,DBL, NML$SHOPARAM          ! Default data
; 2520     P 2513  1            ,DWI, NML$SHOPARAM          ! Default window
; 2521     P 2514  1            ,MBL, NML$SHOPARAM          ! Maximum data
; 2522     P 2515  1            ,MWI, NML$SHOPARAM          ! Maximum window
; 2523     P 2516  1            ,MCL, NML$SHOPARAM          ! Maximum clears
; 2524     P 2517  1            ,MRS, NML$SHOPARAM          ! Maximum resets
; 2525     P 2518  1            ,MST, NML$SHOPARAM          ! Maximum restarts
; 2526     P 2519  1            ,CAT, NML$SHOPARAM          ! Call timer
; 2527     P 2520  1            ,CLT, NML$SHOPARAM          ! Clear timer
; 2528     P 2521  1            ,RST, NML$SHOPARAM          ! Reset timer
; 2529     P 2522  1            ,STT, NML$SHOPARAM          ! Restart timer
; 2530     P 2523  1            ,MNS, NML$SHOPARAM          ! Multinetwork support
; 2531       2524  1            );
; 2532       2525  1
; 2533       2526  1
; 2534       2527  1 !
; 2535       2528  1 !      X-25 Protocol DTE status
; 2536       2529  1 !
; 2537     P 2530  1 PRM_SHOW (DTE, STA, PCXP
; 2538     P 2531  1            ,DTE, NML$SHOPARAM          ! DTE ID
; 2539     P 2532  1            ,STA, NML$SHOPARAM          ! State
; 2540     P 2533  1            ,ACH, NML$SHOPARAM          ! Active channels
; 2541     P 2534  1            ,ASW, NML$SHOPARAM          ! Active switched
; 2542     P 2535  1            ,SBS, NML$SHOPARAM          ! Substate
; 2543       2536  1            );
; 2544       2537  1
; 2545       2538  1
; 2546       2539  1 !
; 2547       2540  1 !      X-25 Protocol DTE characteristics
; 2548       2541  1 !
; 2549     P 2542  1 PRM_SHOW (DTE, CHA, PCXP
; 2550     P 2543  1            ,DTE, NML$SHOPARAM          ! DTE ID
; 2551     P 2544  1            ,CTM, NML$SHOPARAM          ! Counter timer
; 2552     P 2545  1            ,LIN, NML$SHOPARAM          ! Line
; 2553     P 2546  1            ,CHN, NML$SHOCHANNELS       ! Channels
; 2554     P 2547  1            ,MCH, NML$SHOPARAM          ! Maximum channels
; 2555     P 2548  1            ,MCI, NML$SHOPARAM          ! Maximum circuits
; 2556       2549  1            );
; 2557       2550  1 !
; 2558       2551  1 ! X-25 Protocol DTE Counters
; 2559         2552  1 !
; 2560       P 2553  1 PRM_SHOW (DTE, COU, PCXP
; 2561       P 2554  1          ,DTE, NML$SHOPARAM        ! DTE ID
; 2562       P 2555  1          ,PC$, NML$SHOCOUNTERS     ! Counters
; 2563         2556  1          );
; 2564         2557  1 !
; 2565         2558  1 !    X-25 Protocol zero counters
; 2566         2559  1 !
; 2567         2560  1 BIND
; 2568         2561  1     NML$Q_DTEZER_TABDES = 0;
; 2569         2562  1
; 2570         2563  1
; 2571         2564  1 !
; 2572         2565  1 !    X-25 Protocol Group characteristics
; 2573         2566  1 !
; 2574       P 2567  1 PRM_SHOW (GRP, CHA, PCXP
; 2575       P 2568  1          ,GRP, NML$SHOPARAM        ! Group name
; 2576       P 2569  1          ,GDT, NML$SHOPARAM        ! DTE number
; 2577       P 2570  1          ,GNM, NML$SHOPARAM        ! Group number
; 2578       P 2571  1          ,GTY, NML$SHOPARAM        ! Group type
; 2579         2572  1          );
; 2580         2573  1
; 2581         2574  1
; 2582         2575  1 !
; 2583         2576  1 ! X-25 Server Module status and summary
; 2584         2577  1 !
; 2585       P 2578  1 PRM_SHOW (SV5, SUM, PCXS
; 2586       P 2579  1          ,ACI, NML$SHOPARAM        ! Active circuits
; 2587       P 2580  1          ,STA, NML$SHOPARAM        ! State
; 2588         2581  1          );
; 2589         2582  1 !
; 2590         2583  1 ! X-25 Server Module characteristics
; 2591         2584  1 !
; 2592       P 2585  1 PRM_SHOW (SV5, CHA, PCXS
; 2593       P 2586  1          ,CTM, NML$SHOPARAM        ! Counter timer
; 2594       P 2587  1          ,MCI, NML$SHOPARAM        ! Maximum circuits
; 2595         2588  1          );
; 2596         2589  1 !
; 2597         2590  1 ! X-25 Server Module Counters
; 2598         2591  1 !
; 2599       P 2592  1 PRM_SHOW (SV5, COU, PCXS
; 2600       P 2593  1          ,SC$, NML$SHOCOUNTERS
; 2601         2594  1          );
; 2602         2595  1 !
; 2603         2596  1 ! X-25 Server Module zero counters
; 2604         2597  1 !
; 2605         2598  1 BIND
; 2606         2599  1     NML$Q_SV5ZER_TABDES = 0;
; 2607         2600  1
; 2608         2601  1
; 2609         2602  1 !
; 2610         2603  1 ! X-25 Server Module Destination characteristics
; 2611         2604  1 !
; 2612       P 2605  1 PRM_SHOW (DST5, CHA, PCXS
; 2613       P 2606  1          ,DST, NML$SHOPARAM        ! Destination
; 2614       P 2607  1          ,NOD, NML$SHONODEID       ! Node address and name
; 2615       P 2608  1          ,USR, NML$SHOPARAM        ! Username
; 2616      P 2609  1           ,RPW, NML$SHOPWSET        ! Password setting
; 2617      P 2610  1           ,ACC, NML$SHOPARAM        ! Account
; 2618      P 2611  1           ,OBJ, NML$SHOPARAM        ! Object
; 2619      P 2612  1           ,PRI, NML$SHOPARAM        ! Priority
; 2620      P 2613  1           ,CMK, NML$SHOPARAM        ! Call mask
; 2621      P 2614  1           ,CVL, NML$SHOPARAM        ! Call value
; 2622      P 2615  1           ,GRP, NML$SHOPARAM        ! Group
; 2623      P 2616  1           ,NUM, NML$SHOPARAM        ! Number
; 2624      P 2617  1           ,SAD, NML$SHORANGE        ! Subaddresses
; 2625      P 2618  1           ,FIL, NML$SHOPARAM        ! Object startup file
; 2626        2619  1           );
; 2627        2620  1 !
; 2628        2621  1 ! X-25 Trace Module status and summary
; 2629        2622  1 !
; 2630      P 2623  1 PRM_SHOW(TRA, SUM, PCXT
; 2631      P 2624  1           ,STA, NML$SHOPARAM        ! Trace state
; 2632      P 2625  1           ,FNM, NML$SHOPARAM        ! File name
; 2633        2626  1           );
; 2634        2627  1 !
; 2635        2628  1 ! X-25 Trace Module characteristics
; 2636        2629  1 !
; 2637      P 2630  1 PRM_SHOW(TRA, CHA, PCXT
; 2638      P 2631  1           ,BSZ, NML$SHOPARAM        ! Buffer size
; 2639      P 2632  1           ,MBK, NML$SHOPARAM        ! Maximum blocks/file
; 2640      P 2633  1           ,FNM, NML$SHOPARAM        ! File name
; 2641      P 2634  1           ,MBF, NML$SHOPARAM        ! Maximum number of buffers
; 2642      P 2635  1           ,CPL, NML$SHOPARAM        ! Global data capture limit
; 2643      P 2636  1           ,MVR, NML$SHOPARAM        ! Maximum trace file version
; 2644        2637  1           );
; 2645        2638  1
; 2646        2639  1 !
; 2647        2640  1 ! X-25 Tracepoint Module status and summary
; 2648        2641  1 !
; 2649      P 2642  1 PRM_SHOW(TPT, SUM, PCXT
; 2650      P 2643  1           ,TPT, NML$SHOPARAM        ! Tracepoint name
; 2651      P 2644  1           ,TST, NML$SHOPARAM        ! Per-Trace state
; 2652        2645  1           );
; 2653        2646  1 !
; 2654        2647  1 ! X-25 Tracepoint Module characteristics
; 2655        2648  1 !
; 2656      P 2649  1 PRM_SHOW(TPT, CHA, PCXT
; 2657      P 2650  1           ,TPT, NML$SHOPARAM        ! Tracepoint name
; 2658      P 2651  1           ,CPS, NML$SHOPARAM        ! Per-trace capture size
; 2659      P 2652  1           ,TST, NML$SHOPARAM        ! Per-trace state
; 2660        2653  1           );
; 2661        2654  1 !
; 2662        2655  1 ! X-29 Server Module status, characteristics, read counters,
; 2663        2656  1 ! and zero counters.
; 2664        2657  1 !
; 2665        2658  1 BIND
; 2666        2659  1     NML$Q_SV9SUM_TABDES = NML$Q_SV5SUM_TABDES,
; 2667        2660  1     NML$Q_SV9CHA_TABDES = NML$Q_SV5CHA_TABDES,
; 2668        2661  1     NML$Q_SV9COU_TABDES = NML$Q_SV5COU_TABDES,
; 2669        2662  1     NML$Q_SV9ZER_TABDES = NML$Q_SV5ZER_TABDES;
; 2670        2663  1
; 2671        2664  1 !
; 2672        2665  1 ! X-29 Server Module Destination characteristics
; 2673            2666  1 !
; 2674            2667  1 BIND
; 2675            2668  1     NML$Q_DST9CHA_TABDES = NML$Q_DST5CHA_TABDES;
; 2676            2669  1
; 2677            2670  1 !
; 2678            2671  1 !    object status
; 2679            2672  1 !
; 2680          P 2673  1 PRM_SHOW (OBJ, STA, PCOB
; 2681          P 2674  1
; 2682          P 2675  1         ,NUM, NML$SHOPARAM          ! Number
; 2683          P 2676  1         ,FID, NML$SHOPARAM          ! File id
; 2684          P 2677  1         ,PID, NML$SHOPARAM          ! Process id
; 2685          P 2678  1         ,USR, NML$SHOPARAM          ! User id
; 2686          P 2679  1         ,PSW, NML$SHOPARAM          ! Password
; 2687          P 2680  1
; 2688            2681  1         );
; 2689            2682  1 !
; 2690            2683  1 !    object summary
; 2691            2684  1 !
; 2692          P 2685  1 PRM_SHOW (OBJ, SUM, PCOB
; 2693          P 2686  1
; 2694          P 2687  1         ,NUM, NML$SHOPARAM          ! Number
; 2695          P 2688  1         ,FID, NML$SHOPARAM          ! File id
; 2696          P 2689  1         ,PID, NML$SHOPARAM          ! Process id
; 2697          P 2690  1         ,USR, NML$SHOPARAM          ! User id
; 2698          P 2691  1         ,PSW, NML$SHOPARAM          ! Password
; 2699          P 2692  1
; 2700            2693  1         );
; 2701            2694  1 !
; 2702            2695  1 !    object characteristics
; 2703            2696  1 !
; 2704          P 2697  1 PRM_SHOW (OBJ, CHA, PCOB
; 2705          P 2698  1
; 2706          P 2699  1         ,NUM, NML$SHOPARAM          ! Number
; 2707          P 2700  1         ,FID, NML$SHOPARAM          ! File id
; 2708          P 2701  1         ,PID, NML$SHOPARAM          ! Process id
; 2709          P 2702  1         ,PRV, NML$SHOOBJPRV         ! Privilege list
; 2710          P 2703  1         ,USR, NML$SHOPARAM          ! User id
; 2711          P 2704  1         ,ACC, NML$SHOPARAM          ! Account
; 2712          P 2705  1         ,PSW, NML$SHOPARAM          ! Password
; 2713          P 2706  1         ,PRX, NML$SHOPARAM          ! Proxy access
; 2714          P 2707  1
; 2715            2708  1         );
; 2716            2709  1 !
; 2717            2710  1 !       link status
; 2718            2711  1 !
; 2719          P 2712  1 PRM_SHOW (LNK, STA, PCLK
; 2720          P 2713  1
; 2721          P 2714  1         ,STA, NML$SHOPARAM          ! State
; 2722          P 2715  1         ,PID, NML$SHOPARAM          ! Process ID
; 2723          P 2716  1         ,NID, NML$SHONODEID         ! Partner node ID
; 2724          P 2717  1         ,RLN, NML$SHOPARAM          ! Remote link number
; 2725          P 2718  1         ,PRC, NML$SHOPARAM          ! Process name
; 2726          P 2719  1
; 2727            2720  1         );
; 2728            2721  1 !
; 2729            2722  1 !       link summary
; 2730            2723   1 !
; 2731          P 2724   1 PRM_SHOW (LNK, SUM, PCLK
; 2732          P 2725   1
; 2733          P 2726   1          ,PID, NML$SHOPARAM        ! Process ID
; 2734          P 2727   1          ,NID, NML$SHONODEID       ! Partner node ID
; 2735          P 2728   1          ,RLN, NML$SHOPARAM        ! Remote link number
; 2736          P 2729   1          ,RID, NML$SHOPARAM        ! Remote identification
; 2737          P 2730   1          ,PRC, NML$SHOPARAM        ! Process name
; 2738          P 2731   1
; 2739            2732   1          );
; 2740            2733   1 !
; 2741            2734   1 !        link characteristics
; 2742            2735   1 !
; 2743          P 2736   1 PRM_SHOW (LNK, CHA, PCLK
; 2744          P 2737   1
; 2745          P 2738   1          ,STA, NML$SHOPARAM        ! State
; 2746          P 2739   1          ,PID, NML$SHOPARAM        ! Process ID
; 2747          P 2740   1          ,NID, NML$SHONODEID       ! Partner node ID
; 2748          P 2741   1          ,DLY, NML$SHOPARAM        ! Round trip delay time
; 2749          P 2742   1          ,RLN, NML$SHOPARAM        ! Remote link number
; 2750          P 2743   1          ,RID, NML$SHOPARAM        ! Remote identification
; 2751          P 2744   1          ,USR, NML$SHOPARAM        ! User name
; 2752          P 2745   1          ,PRC, NML$SHOPARAM        ! Process name
; 2753          P 2746   1
; 2754            2747   1          );
; 2755            2748   1
; 2756            2749   1 UNDECLARE
; 2757            2750   1     %QUOTE PRM_SHOW,
; 2758            2751   1     %QUOTE $DEXTN;
; 2759            2752   1
; 2761          2753  1 %SBTTL 'NFB data for showing volatile entity information'
; 2762          2754  1 !
; 2763          2755  1 ! Each NFB is used to retrieve a specific set of volatile data base
; 2764          2756  1 ! information for the specified entity.
; 2765          2757  1 !
; 2766          2758  1 !*****************************************************************************
; 2767          2759  1 !
; 2768          2760  1 ! NOTE:  Any changes to an NFB (order or content) must be reflected in
; 2769          2761  1 !        the SHOW parameter table corresponding to that NFB.
; 2770          2762  1 !
; 2771          2763  1 !*****************************************************************************
; 2772          2764  1
; 2773          2765  1 !
; 2774          2766  1 ! Circuit status and summary
; 2775          2767  1 !
; 2776        P 2768  1 $NFBDSC (NML$Q_CIRSUM_NFBDSC, SHOW, , CRI
; 2777        P 2769  1
; 2778        P 2770  1         ,NAM,               ! Search key one = name, oper1 = eql
; 2779        P 2771  1         ,,                  ! Null search key two, oper2 = eql
; 2780        P 2772  1
; 2781        P 2773  1         ,TYP                ! Type - determines whether to look at SDI database
; 2782        P 2774  1         ,NAM                ! Name
; 2783        P 2775  1         ,STA                ! State
; 2784        P 2776  1         ,SUB                ! Substate
; 2785        P 2777  1         ,LOO                ! Loopback name
; 2786        P 2778  1
; 2787          2779  1         );
; 2788          2780  1 !
; 2789          2781  1 ! Circuit characteristics
; 2790          2782  1 !
; 2791        P 2783  1 $NFBDSC (NML$Q_CIRCHA_NFBDSC, SHOW, , CRI
; 2792        P 2784  1
; 2793        P 2785  1         ,NAM,               ! Search key one = name, oper1 = eql
; 2794        P 2786  1         ,,                  ! Null search key two, oper2 = eql
; 2795        P 2787  1
; 2796        P 2788  1         ,TYP                ! Type - determines whether to look at SDI database
; 2797        P 2789  1         ,NAM                ! Name
; 2798        P 2790  1         ,STA                ! State
; 2799        P 2791  1         ,SUB                ! Substate
; 2800        P 2792  1         ,SER                ! Service control
; 2801        P 2793  1         ,LCT                ! Counter timer
; 2802        P 2794  1 !?      ,CNO                ! Connected node
; 2803        P 2795  1 !?      ,COB                ! Connected object
; 2804        P 2796  1         ,LOO                ! Loopback name
; 2805        P 2797  1         ,DRT                ! Designated router
; 2806        P 2798  1         ,COS                ! Cost
; 2807        P 2799  1         ,MRT                ! Maximum routers on NI
; 2808        P 2800  1         ,RPR                ! Router priority on NI
; 2809        P 2801  1         ,HET                ! Hello timer
; 2810        P 2802  1         ,BLK                ! Blocking
; 2811        P 2803  1         ,MRC                ! Maximum recalls
; 2812        P 2804  1         ,RCT                ! Recall timer
; 2813        P 2805  1         ,NUM                ! Number
; 2814        P 2806  1 !?      ,USR                ! User
; 2815        P 2807  1         ,POL                ! Polling state
; 2816        P 2808  1         ,PLS                ! Polling substate
; 2817        P 2809  1         ,DLM                ! Data Link Mapping (Owner entity id)
; 2818      P 2810  1          ,USE             ! Usage
; 2819      P 2811  1          ,TYP             ! Type
; 2820      P 2812  1          ,DTE             ! DTE
; 2821      P 2813  1          ,CHN             ! Channel
; 2822      P 2814  1          ,MBL             ! Maximum block
; 2823      P 2815  1          ,MWI             ! Maximum window
; 2824      P 2816  1          ,TRI             ! Tributary
; 2825      P 2817  1          ,BBT             ! Babble timer
; 2826      P 2818  1          ,TRT             ! Transmit timer
; 2827      P 2819  1          ,MRB             ! Maximum receive buffers
; 2828      P 2820  1          ,MTR             ! Maximum transmits
; 2829      P 2821  1          ,ACB             ! Active base
; 2830      P 2822  1          ,ACI             ! Active increment
; 2831      P 2823  1          ,IAB             ! Inactive base
; 2832      P 2824  1          ,IAI             ! Inactive increment
; 2833      P 2825  1          ,IAT             ! Inactive threshold
; 2834      P 2826  1          ,DYB             ! Dying base
; 2835      P 2827  1          ,DYI             ! Dying increment
; 2836      P 2828  1          ,DYT             ! Dying threshold
; 2837      P 2829  1          ,DTH             ! Dead threshold
; 2838      P 2830  1          ,VER             ! Verification
; 2839      P 2831  1          ,XPT             ! Transport protocol
; 2840      P 2832  1
; 2841        2833  1          );
; 2842        2834  1  !
; 2843        2835  1  ! Circuit counters
; 2844        2836  1  !
; 2845      P 2837  1  $NFBDSC (NML$Q_CIRCOU_NFBDSC, SHOW, , CRI
; 2846      P 2838  1
; 2847      P 2839  1          ,NAM,            ! Search key one = name, oper1 = eql
; 2848      P 2840  1          ,,               ! Null search key two, oper2 = eql
; 2849      P 2841  1
; 2850      P 2842  1          ,TYP             ! Type - determines whether to look at SDI database
; 2851      P 2843  1          ,NAM             ! Name
; 2852      P 2844  1          ,CNT             ! Counters
; 2853      P 2845  1
; 2854        2846  1          );
; 2855        2847  1  !
; 2856        2848  1  ! Zero circuit counters
; 2857        2849  1  !
; 2858      P 2850  1  $NFBDSC (NML$Q_CIRZER_NFBDSC, ZERCOU, , CRI
; 2859      P 2851  1
; 2860      P 2852  1          ,NAM,            ! Search key one = name, oper1 = eql
; 2861      P 2853  1          ,,               ! Null search key two, oper2 = eql
; 2862      P 2854  1
; 2863      P 2855  1          ,CNT             ! Counters
; 2864      P 2856  1
; 2865        2857  1          );
; 2866        2858  1  !
; 2867        2859  1  ! Circuit Adjacency summary
; 2868        2860  1  !
; 2869      P 2861  1  $NFBDSC (NML$Q_CAJSUM_NFBDSC, SHOW, , AJI
; 2870      P 2862  1
; 2871      P 2863  1          ,CIR,            ! Search key one = circuit ID, oper1 = eql
; 2872      P 2864  1          ,,               ! Null search key two, oper2 = eql
; 2873      P 2865  1
; 2874      P 2866  1          ,CIR             ! Circuit ID (entity ID)
; 2875         P 2867  1            ,ADD               ! Adjacent node address
; 2876         P 2868  1            ,NNA               ! Adjacent node name
; 2877         P 2869  1
; 2878           2870  1            );
; 2879           2871  1
; 2880           2872  1  !
; 2881           2873  1  ! Circuit Adjacency status
; 2882           2874  1  !
; 2883         P 2875  1  $NFBDSC (NML$Q_CAJSTA_NFBDSC, SHOW, , AJI
; 2884         P 2876  1
; 2885         P 2877  1            ,CIR,              ! Search key one = circuit ID, oper1 = eql
; 2886         P 2878  1            ,,                 ! Null search key two, oper2 = eql
; 2887         P 2879  1
; 2888         P 2880  1            ,CIR               ! Circuit ID (entity ID)
; 2889         P 2881  1            ,ADD               ! Adjacent node address
; 2890         P 2882  1            ,NNA               ! Adjacent node name
; 2891         P 2883  1            ,BLO               ! Block size
; 2892         P 2884  1
; 2893           2885  1            );
; 2894           2886  1  !
; 2895           2887  1  ! Circuit Adjacency characteristics
; 2896           2888  1  !
; 2897         P 2889  1  $NFBDSC (NML$Q_CAJCHA_NFBDSC, SHOW, , AJI
; 2898         P 2890  1
; 2899         P 2891  1            ,CIR,              ! Search key one = circuit ID, oper1 = eql
; 2900         P 2892  1            ,,                 ! Null search key two, oper2 = eql
; 2901         P 2893  1
; 2902         P 2894  1            ,CIR               ! Circuit ID (entity ID)
; 2903         P 2895  1            ,ADD               ! Adjacent node address
; 2904         P 2896  1            ,NNA               ! Adjacent node name
; 2905         P 2897  1            ,LIT               ! Listen timer
; 2906         P 2898  1
; 2907           2899  1            );
; 2908           2900  1  !
; 2909           2901  1  ! Circuit Service Adjacency summary
; 2910           2902  1  !
; 2911         P 2903  1  $NFBDSC (NML$Q_CSASUM_NFBDSC, SHOW, , SDI
; 2912         P 2904  1
; 2913         P 2905  1            ,CIR,              ! Search key one = circuit ID, oper1 = eql
; 2914         P 2906  1            ,,                 ! Null search key two, oper2 = eql
; 2915         P 2907  1
; 2916         P 2908  1            ,CIR               ! Circuit ID (entity ID)
; 2917         P 2909  1            ,PHA               ! Service physical address
; 2918         P 2910  1            ,SUB               ! Service substate
; 2919         P 2911  1
; 2920           2912  1            );
; 2921           2913  1  !
; 2922           2914  1  ! Line status.
; 2923           2915  1  !
; 2924         P 2916  1  $NFBDSC (NML$Q_LINSTA_NFBDSC, SHOW, , PLI
; 2925         P 2917  1
; 2926         P 2918  1            ,NAM,              ! Search key one = name, oper1 = eql
; 2927         P 2919  1            ,,                 ! Null search key two, oper2 = eql
; 2928         P 2920  1
; 2929         P 2921  1            ,NAM               ! Name
; 2930         P 2922  1            ,STA               ! State
; 2931         P 2923  1            ,SUB               ! Substate
; 2932         P 2924  1
; 2933           2925  1          );
; 2934           2926  1  !
; 2935           2927  1  ! Line summary
; 2936           2928  1  !
; 2937         P 2929  1  $NFBDSC (NML$Q_LINSUM_NFBDSC, SHOW, , PLI
; 2938         P 2930  1
; 2939         P 2931  1          ,NAM,            ! Search key one = name, oper1 = eql
; 2940         P 2932  1          ,,               ! Null search key two, oper2 = eql
; 2941         P 2933  1
; 2942         P 2934  1          ,NAM             ! Name
; 2943         P 2935  1          ,STA             ! State
; 2944         P 2936  1          ,SUB             ! Substate
; 2945         P 2937  1
; 2946           2938  1          );
; 2947           2939  1  !
; 2948           2940  1  ! Line characteristics
; 2949           2941  1  !
; 2950         P 2942  1  $NFBDSC (NML$Q_LINCHA_NFBDSC, SHOW, , PLI
; 2951         P 2943  1
; 2952         P 2944  1          ,NAM,            ! Search key one = name, oper1 = eql
; 2953         P 2945  1          ,,               ! Null search key two, oper2 = eql
; 2954         P 2946  1
; 2955         P 2947  1          ,NAM             ! Name
; 2956         P 2948  1          ,SER             ! Service control
; 2957         P 2949  1          ,LCT             ! Counter timer
; 2958         P 2950  1          ,BFN             ! Buffers
; 2959         P 2951  1          ,CON             ! Controller mode
; 2960         P 2952  1          ,DUP             ! Duplex
; 2961         P 2953  1          ,PRO             ! Line type
; 2962         P 2954  1          ,CLO             ! Clock
; 2963         P 2955  1          ,STI             ! Service timer
; 2964         P 2956  1          ,RTT             ! Retransmit timer
; 2965         P 2957  1          ,HTI             ! Holdback timer
; 2966         P 2958  1          ,MBL             ! Maximum block
; 2967         P 2959  1          ,MRT             ! Maximum retransmits
; 2968         P 2960  1          ,MWI             ! Maximum window
; 2969         P 2961  1          ,SLT             ! Scheduling timer
; 2970         P 2962  1          ,DDT             ! Dead timer
; 2971         P 2963  1          ,DLT             ! Delay timer
; 2972         P 2964  1          ,SRT             ! Stream timer
; 2973         P 2965  1          ,HWA             ! Hardware address on NI
; 2974         P 2966  1          ,MOD             ! PCL address mode
; 2975         P 2967  1          ,EPT             ! Ethernet protocol type
; 2976         P 2968  1          ,BFS             ! Ethernet buffer size
; 2977         P 2969  1
; 2978           2970  1          );
; 2979           2971  1  !
; 2980           2972  1  ! Line counters
; 2981           2973  1  !
; 2982         P 2974  1  $NFBDSC (NML$Q_LINCOU_NFBDSC, SHOW, , PLI
; 2983         P 2975  1
; 2984         P 2976  1          ,NAM,            ! Search key one = name, oper1 = eql
; 2985         P 2977  1          ,,               ! Null search key two, oper2 = eql
; 2986         P 2978  1
; 2987         P 2979  1          ,NAM             ! Name
; 2988         P 2980  1          ,CNT             ! Counters
```

```
: 2989      P 2981   1
: 2990        2982   1           );
: 2991        2983   1 !
: 2992        2984   1 ! Zero line counters
: 2993        2985   1 !
: 2994      P 2986   1 $NFBDSC (NML$Q_LINZER_NFBDSC, ZERCOU, , PLI
: 2995      P 2987   1
: 2996      P 2988   1           ,NAM,           ! Search key one = name, oper1 = eql
: 2997      P 2989   1           ,,              ! Null search key two, oper2 = eql
: 2998      P 2990   1
: 2999      P 2991   1           ,CNT            ! Counters
: 3000      P 2992   1
: 3001        2993   1           );
: 3002        2994   1 !
: 3003        2995   1 ! Node status (remote node by address)
: 3004        2996   1 !
: 3005      P 2997   1 $NFBDSC (NML$Q_NODSTA_NFBDSC, SHOW, , NDI
: 3006      P 2998   1
: 3007      P 2999   1           ,ADD,           ! Search key one = address, oper1 = eql
: 3008      P 3000   1           ,,              ! Null search key two, oper2 = eql
: 3009      P 3001   1
: 3010      P 3002   1           ,TAD            ! Address
: 3011      P 3003   1           ,NNA            ! Name
: 3012      P 3004   1           ,REA            ! State
: 3013      P 3005   1           ,ACL            ! Active links
: 3014      P 3006   1           ,DEL            ! Delay
: 3015      P 3007   1           ,DTY            ! Type
: 3016      P 3008   1           ,DCO            ! Cost
: 3017      P 3009   1           ,DHO            ! Hops
: 3018      P 3010   1           ,DLI            ! Line
: 3019      P 3011   1           ,NND            ! Next node to destination address
: 3020      P 3012   1           ,NNN            ! Next node to destination name
: 3021      P 3013   1
: 3022        3014   1           );
: 3023        3015   1 !
: 3024        3016   1 ! Node summary (remote node by address)
: 3025        3017   1 !
: 3026      P 3018   1 $NFBDSC (NML$Q_NODSUM_NFBDSC, SHOW, , NDI
: 3027      P 3019   1
: 3028      P 3020   1           ,ADD,           ! Search key one = address, oper1 = eql
: 3029      P 3021   1           ,,              ! Null search key two, oper2 = eql
: 3030      P 3022   1
: 3031      P 3023   1           ,TAD            ! Address
: 3032      P 3024   1           ,NNA            ! Name
: 3033      P 3025   1           ,REA            ! State
: 3034      P 3026   1           ,NLI            ! Loopback line name
: 3035      P 3027   1           ,ACL            ! Active links
: 3036      P 3028   1           ,DEL            ! Delay
: 3037      P 3029   1           ,DLI            ! Line
: 3038      P 3030   1           ,NND            ! Next node to destination address
: 3039      P 3031   1           ,NNN            ! Next node to destination name
: 3040      P 3032   1
: 3041        3033   1           );
: 3042        3034   1 !
: 3043        3035   1 ! Node characteristics (remote node by address)
: 3044        3036   1 !
: 3045      P 3037   1 $NFBDSC (NML$Q_NODCHA_NFBDSC, SHOW, , NDI
; 3046      P 3038  1
; 3047      P 3039  1          ,ADD,              ! Search key one = address, oper1 = eql
; 3048      P 3040  1          ,,                 ! Null search key two, oper2 = eql
; 3049      P 3041  1
; 3050      P 3042  1          ,TAD               ! Address
; 3051      P 3043  1          ,NNA               ! Name
; 3052      P 3044  1          ,SLI               ! Service circuit
; 3053      P 3045  1          ,SPA               ! Service password
; 3054      P 3046  1          ,SDV               ! Service device
; 3055      P 3047  1          ,CPU               ! CPU type
; 3056      P 3048  1          ,HWA               ! Hardware address on NI
; 3057      P 3049  1          ,SNV               ! Service node version
; 3058      P 3050  1          ,LOA               ! Load file
; 3059      P 3051  1          ,SLO               ! Secondary loader
; 3060      P 3052  1          ,TLO               ! Tertiary loader
; 3061      P 3053  1          ,DFL               ! Diagnostic file
; 3062      P 3054  1          ,STY               ! Software type
; 3063      P 3055  1          ,SID               ! Software id
; 3064      P 3056  1          ,DUM               ! Dump file
; 3065      P 3057  1          ,SDU               ! Secondary dumper
; 3066      P 3058  1          ,DAD               ! Dump address
; 3067      P 3059  1          ,DCT               ! Dump count
; 3068      P 3060  1          ,IHO               ! Host
; 3069      P 3061  1          ,CTI               ! Counter timer
; 3070      P 3062  1          ,NLI               ! Loopback Line Name
; 3071      P 3063  1          ,PUS               ! Privileged user id
; 3072      P 3064  1          ,PAC               ! Privileged account
; 3073      P 3065  1          ,PPW               ! Privileged password
; 3074      P 3066  1          ,NUS               ! Non-privileged user id
; 3075      P 3067  1          ,NAC               ! Non-privileged account
; 3076      P 3068  1          ,NPW               ! Non-privileged password
; 3077      P 3069  1          ,RPA               ! Receive password
; 3078      P 3070  1          ,TPA               ! Transmit password
; 3079      P 3071  1          ,ACC               ! Access
; 3080      P 3072  1
; 3081        3073  1          );
; 3082        3074  1  !
; 3083        3075  1  ! Node counters (remote node by address)
; 3084        3076  1  !
; 3085      P 3077  1  $NFBDSC (NML$Q_NODCOU_NFBDSC, SHOW, , NDI
; 3086      P 3078  1
; 3087      P 3079  1          ,ADD,              ! Search key one = address, oper1 = eql
; 3088      P 3080  1          ,,                 ! Null search key two, oper2 = eql
; 3089      P 3081  1
; 3090      P 3082  1          ,TAD               ! Address
; 3091      P 3083  1          ,NNA               ! Name
; 3092      P 3084  1
; 3093      P 3085  1          ,CNT               ! Counters
; 3094      P 3086  1
; 3095        3087  1          );
; 3096        3088  1  !
; 3097        3089  1  ! Zero node counters (remote node by address)
; 3098        3090  1  !
; 3099      P 3091  1  $NFBDSC (NML$Q_NODZER_NFBDSC, ZERCOU, , NDI
; 3100      P 3092  1
; 3101      P 3093  1          ,ADD,              ! Search key one = address, oper1 = eql
; 3102      P 3094  1          ,,                 ! Null search key two, oper2 = eql
```

```
: 3103        P 3095   1
: 3104        P 3096   1          ,CNT              ! Counters
: 3105        P 3097   1
: 3106          3098   1          );
: 3107          3099   1 !
: 3108          3100   1 ! Node status (remote node by name)
: 3109          3101   1 !
: 3110        P 3102   1 $NFBDSC (NML$Q_NDNSTA_NFBDSC, SHOW, , NDI
: 3111        P 3103   1
: 3112        P 3104   1          ,NNA,             ! Search key one = name, oper1 = eql
: 3113        P 3105   1          ,,                ! Null search key two, oper 2 = eql
: 3114        P 3106   1
: 3115        P 3107   1          ,LOO              ! Loop node flag
: 3116        P 3108   1          ,TAD              ! Address
: 3117        P 3109   1          ,NNA              ! Name
: 3118        P 3110   1          ,REA              ! State
: 3119        P 3111   1          ,ACL              ! Active links
: 3120        P 3112   1          ,DEL              ! Delay
: 3121        P 3113   1          ,DTY              ! Type
: 3122        P 3114   1          ,DCO              ! Cost
: 3123        P 3115   1          ,DHO              ! Hops
: 3124        P 3116   1          ,DLI              ! Line
: 3125        P 3117   1          ,NND              ! Next node to destination address
: 3126        P 3118   1          ,NNN              ! Next node to destination name
: 3127        P 3119   1
: 3128          3120   1          );
: 3129          3121   1 !
: 3130          3122   1 ! Node summary (remote node by name)
: 3131          3123   1 !
: 3132        P 3124   1 $NFBDSC (NML$Q_NDNSUM_NFBDSC, SHOW, , NDI
: 3133        P 3125   1
: 3134        P 3126   1          ,NNA,             ! Search key one = name, oper1 = eql
: 3135        P 3127   1          ,,                ! Null search key two, oper2 = eql
: 3136        P 3128   1
: 3137        P 3129   1          ,LOO              ! Loop node flag
: 3138        P 3130   1          ,TAD              ! Address
: 3139        P 3131   1          ,NNA              ! Name
: 3140        P 3132   1          ,REA              ! State
: 3141        P 3133   1          ,NLI              ! Loopback Line Name
: 3142        P 3134   1          ,ACL              ! Active links
: 3143        P 3135   1          ,DEL              ! Delay
: 3144        P 3136   1          ,DLI              ! Line
: 3145        P 3137   1          ,NND              ! Next node to destination address
: 3146        P 3138   1          ,NNN              ! Next node to destination name
: 3147        P 3139   1
: 3148          3140   1          );
: 3149          3141   1 !
: 3150          3142   1 ! Node characteristics (remote node by name)
: 3151          3143   1 !
: 3152        P 3144   1 $NFBDSC (NML$Q_NDNCHA_NFBDSC, SHOW, , NDI
: 3153        P 3145   1
: 3154        P 3146   1          ,NNA,             ! Search key one = name, oper1 = eql
: 3155        P 3147   1          ,,                ! Null search key two, oper2 = eql
: 3156        P 3148   1
: 3157        P 3149   1          ,LOO              ! Loop node flag
: 3158        P 3150   1          ,TAD              ! Address
: 3159        P 3151   1          ,NNA              ! Name
```

```
; 3160      P 3152  1          ,SLI            ! Service circuit
; 3161      P 3153  1          ,SPA            ! Service password
; 3162      P 3154  1          ,SDV            ! Service device
; 3163      P 3155  1          ,CPU            ! CPU type
; 3164      P 3156  1          ,HWA            ! Hardware address
; 3165      P 3157  1          ,SNV            ! Service node version
; 3166      P 3158  1          ,LOA            ! Load file
; 3167      P 3159  1          ,SLO            ! Secondary loader
; 3168      P 3160  1          ,TLO            ! Tertiary loader
; 3169      P 3161  1          ,DFL            ! Diagnostic file
; 3170      P 3162  1          ,STY            ! Software type
; 3171      P 3163  1          ,SID            ! Software id
; 3172      P 3164  1          ,DUM            ! Dump file
; 3173      P 3165  1          ,SDU            ! Secondary dumper
; 3174      P 3166  1          ,DAD            ! Dump address
; 3175      P 3167  1          ,DCT            ! Dump count
; 3176      P 3168  1          ,IHO            ! Host
; 3177      P 3169  1          ,CTI            ! Counter timer
; 3178      P 3170  1          ,NLI            ! Looback Line Name
; 3179      P 3171  1          ,PUS            ! Privileged user id
; 3180      P 3172  1          ,PAC            ! Privileged account
; 3181      P 3173  1          ,PPW            ! Privileged password
; 3182      P 3174  1          ,NUS            ! Non-privileged user id
; 3183      P 3175  1          ,NAC            ! Non-privileged account
; 3184      P 3176  1          ,NPW            ! Non-privileged password
; 3185      P 3177  1          ,RPA            ! Receive password
; 3186      P 3178  1          ,TPA            ! Transmit password
; 3187      P 3179  1          ,ACC            ! Access
; 3188      P 3180  1
; 3189        3181  1          );
; 3190        3182  1  !
; 3191        3183  1  ! Node counters (remote node by name)
; 3192        3184  1  !
; 3193      P 3185  1  $NFBDSC (NML$Q_NDNCOU_NFBDSC, SHOW, , NDI
; 3194      P 3186  1
; 3195      P 3187  1          ,NNA,           ! Search key one = name, oper1 = eql
; 3196      P 3188  1          ,,              ! Null search key two, oper2 = eql
; 3197      P 3189  1
; 3198      P 3190  1          ,LOO            ! Loop node flag
; 3199      P 3191  1          ,TAD            ! Addess
; 3200      P 3192  1          ,NNA            ! Name
; 3201      P 3193  1          ,CNT            ! Counters
; 3202      P 3194  1
; 3203        3195  1          );
; 3204        3196  1  !
; 3205        3197  1  ! Zero node counters (remote node by name)
; 3206        3198  1  !
; 3207      P 3199  1  $NFBDSC (NML$Q_NDNZER_NFBDSC, ZERCOU, , NDI
; 3208      P 3200  1
; 3209      P 3201  1          ,NNA,           ! Search key one = name, oper1 = eql
; 3210      P 3202  1          ,,              ! Null search key two, oper2 = eql
; 3211      P 3203  1
; 3212      P 3204  1          ,CNT            ! Counters
; 3213      P 3205  1
; 3214        3206  1          );
; 3215        3207  1
; 3216        3208  1  !
; 3217          3209  1 ! Area Summary and characteristics
; 3218          3210  1 !
; 3219        P 3211  1 $NFBDSC (NML$Q_ARESUM_NFBDSC, SHOW, , ARI
; 3220        P 3212  1
; 3221        P 3213  1         ,ADD,               ! Search key one = area address, oper1 = eql
; 3222        P 3214  1         ,,                  ! Null search key two, oper2 = eql
; 3223        P 3215  1
; 3224        P 3216  1         ,ADD                ! Area address
; 3225        P 3217  1         ,REA                ! State
; 3226        P 3218  1         ,DLI                ! Circuit used for normal traffic to area.
; 3227        P 3219  1         ,NND                ! Address of next node to area.
; 3228        P 3220  1
; 3229          3221  1         );
; 3230          3222  1
; 3231          3223  1 !
; 3232          3224  1 ! Area Status
; 3233          3225  1 !
; 3234        P 3226  1 $NFBDSC (NML$Q_ARESTA_NFBDSC, SHOW, , ARI
; 3235        P 3227  1
; 3236        P 3228  1         ,ADD,               ! Search key one = area address, oper1 = eql
; 3237        P 3229  1         ,,                  ! Null search key two, oper2 = eql
; 3238        P 3230  1
; 3239        P 3231  1         ,ADD                ! Area address
; 3240        P 3232  1         ,REA                ! State
; 3241        P 3233  1         ,DCO                ! Destination cost
; 3242        P 3234  1         ,DHO                ! Destination hops
; 3243        P 3235  1         ,DLI                ! Circuit used for normal traffic to area.
; 3244        P 3236  1         ,NND                ! Address of next node to area.
; 3245        P 3237  1
; 3246          3238  1         );
; 3247          3239  1 !
; 3248          3240  1 ! Logging summary
; 3249          3241  1 !
; 3250        P 3242  1 $NFBDSC (NML$Q_LOGSUM_NFBDSC, SHOW, , EFI
; 3251        P 3243  1
; 3252        P 3244  1         ,SIN,               ! Search key one = sink node address, oper1 = eql
; 3253        P 3245  1         ,,                  ! Null search key two, oper2 = eql
; 3254        P 3246  1
; 3255        P 3247  1         ,EVE                ! Events
; 3256        P 3248  1
; 3257          3249  1         );
; 3258          3250  1
; 3259        P 3251  1 $NFBDSC (NML$Q_SNKSUM_NFBDSC, SHOW, , ESI
; 3260        P 3252  1
; 3261        P 3253  1         ,SNK,               ! Search key one = sink type, oper1 = eql
; 3262        P 3254  1         ,,                  ! Null search key two, oper2 = eql
; 3263        P 3255  1
; 3264        P 3256  1         ,STA                ! State
; 3265        P 3257  1         ,LNA                ! Name
; 3266        P 3258  1
; 3267          3259  1         );
; 3268          3260  1 !
; 3269          3261  1 ! Logging status
; 3270          3262  1 !
; 3271          3263  1 BIND
; 3272          3264  1     NML$Q_LOGSTA_NFBDSC = NML$Q_LOGSUM_NFBDSC,
; 3273          3265  1     NML$Q_SNKSTA_NFBDSC = NML$Q_SNKSUM_NFBDSC;
; 3274          3266  1 !
; 3275          3267  1 ! Logging characteristics
; 3276          3268  1 !
; 3277          3269  1 BIND
; 3278          3270  1     NML$Q_LOGCHA_NFBDSC = NML$Q_LOGSUM_NFBDSC,
; 3279          3271  1     NML$Q_SNKCHA_NFBDSC = NML$Q_SNKSUM_NFBDSC;
; 3280          3272  1 !
; 3281          3273  1 ! Logging events
; 3282          3274  1 !
; 3283          3275  1 BIND
; 3284          3276  1     NML$Q_LOGEVE_NFBDSC = NML$Q_LOGSUM_NFBDSC,
; 3285          3277  1     NML$Q_SNKEVE_NFBDSC = NML$Q_LOGSUM_NFBDSC;
; 3286          3278  1 !
; 3287          3279  1 ! Loop node summary, status, and characteristics
; 3288          3280  1 !
; 3289        P 3281  1 $NFBDSC (NML$Q_LOOSUM_NFBDSC, SHOW, , NDI
; 3290        P 3282  1
; 3291        P 3283  1         ,NNA,             ! Search key one = node name, oper1 = eql
; 3292        P 3284  1         ,,                ! Null search key two, oper2 = eql
; 3293        P 3285  1
; 3294        P 3286  1         ,TAD              ! Node address
; 3295        P 3287  1         ,NNA              ! Node name
; 3296        P 3288  1         ,NLI              ! Circuit ID
; 3297          3289  1         );
; 3298          3290  1 !
; 3299          3291  1 ! Executor node status
; 3300          3292  1 !
; 3301        P 3293  1 $NFBDSC (NML$Q_EXESTA_NFBDSC, SHOW, , LNI
; 3302        P 3294  1
; 3303        P 3295  1         ,NFB$C_WILDCARD,! Any entry (there's only one), oper1 = eql
; 3304        P 3296  1         ,,                ! Null search key two, oper2 = eql
; 3305        P 3297  1
; 3306        P 3298  1         ,STA              ! State
; 3307        P 3299  1         ,PHA              ! Physical address on NI
; 3308        P 3300  1
; 3309          3301  1         );
; 3310          3302  1 !
; 3311          3303  1 ! Executor node summary
; 3312          3304  1 !
; 3313        P 3305  1 $NFBDSC (NML$Q_EXESUM_NFBDSC, SHOW, , LNI
; 3314        P 3306  1
; 3315        P 3307  1         ,NFB$C_WILDCARD,! Any entry (there's only one), oper1 = eql
; 3316        P 3308  1         ,,                ! Null search key two, oper2 = eql
; 3317        P 3309  1
; 3318        P 3310  1         ,STA              ! State
; 3319        P 3311  1         ,IDE              ! Identification
; 3320        P 3312  1
; 3321          3313  1         );
; 3322          3314  1 !
; 3323          3315  1 ! Executor node characteristics
; 3324          3316  1 !
; 3325        P 3317  1 $NFBDSC (NML$Q_EXECHA_NFBDSC, SHOW, , LNI
; 3326        P 3318  1
; 3327        P 3319  1         ,NFB$C_WILDCARD,! Any entry (there's only one), oper1 = eql
; 3328        P 3320  1         ,,                ! Null search key two, oper2 = eql
; 3329        P 3321  1
; 3330        P 3322  1         ,IDE              ! Identification
; 3331      P 3323   1          ,ITI              ! Incoming timer
; 3332      P 3324   1          ,OTI              ! Outgoing timer
; 3333      P 3325   1          ,NVE              ! NSP version
; 3334      P 3326   1          ,MLK              ! Maximum links
; 3335      P 3327   1          ,DFA              ! Delay factor
; 3336      P 3328   1          ,DWE              ! Delay weight
; 3337      P 3329   1          ,IAT              ! Inactivity timer
; 3338      P 3330   1          ,RFA              ! Retransmit factor
; 3339      P 3331   1          ,RVE              ! Routing version
; 3340      P 3332   1          ,ETY              ! Type
; 3341      P 3333   1          ,RTI              ! Routing timer
; 3342      P 3334   1          ,SAD              ! Subaddresses
; 3343      P 3335   1          ,BRT              ! Broadcast routine timer
; 3344      P 3336   1          ,MAD              ! Maximum address
; 3345      P 3337   1          ,MLN              ! Maximum lines
; 3346      P 3338   1          ,MCO              ! Maximum cost
; 3347      P 3339   1          ,MHO              ! Maximum hops
; 3348      P 3340   1          ,MVI              ! Maximum visits
; 3349      P 3341   1          ,MAR              ! Maximum areas
; 3350      P 3342   1          ,MBE              ! Maximum broadcast endnodes
; 3351      P 3343   1          ,MBR              ! Maximum broadcast routers
; 3352      P 3344   1          ,AMC              ! Area maximum cost
; 3353      P 3345   1          ,AMH              ! Area maximum hops
; 3354      P 3346   1          ,MBU              ! Maximum buffers
; 3355      P 3347   1          ,SBS              ! Segment buffer size
; 3356      P 3348   1          ,BUS              ! Buffer size
; 3357      P 3349   1          ,DAC              ! Default access
; 3358      P 3350   1          ,PIQ              ! Pipeline quota
; 3359      P 3351   1          ,ALI              ! Node alias
; 3360      P 3352   1          ,DPX              ! Default proxy access
; 3361      P 3353   1
; 3362        3354   1          );
; 3363        3355   1  !
; 3364        3356   1  ! Executor node counters - use node by address counters.
; 3365        3357   1  !
; 3366        3358   1  BIND
; 3367        3359   1          NML$Q_EXECOU_NFBDSC = NML$Q_NODCOU_NFBDSC;
; 3368        3360   1  !
; 3369        3361   1  ! Zero executor node counters
; 3370        3362   1  !
; 3371      P 3363   1  $NFBDSC (NML$Q_EXEZER_NFBDSC, ZERCOU, , LNI
; 3372      P 3364   1
; 3373      P 3365   1          ,NFB$C_WILDCARD,! Any entry (there's only one), oper1 = eql
; 3374      P 3366   1          ,,              ! Null search key two, oper2 = eql
; 3375      P 3367   1
; 3376      P 3368   1          ,CNT              ! Counters
; 3377      P 3369   1
; 3378        3370   1          );
; 3379        3371   1  !
; 3380        3372   1  ! X-25 Access Module Network - characteristics
; 3381        3373   1  !
; 3382      P 3374   1  $NFBDSC (NML$Q_ACCCHA_NFBDSC, SHOW, , XAI
; 3383      P 3375   1
; 3384      P 3376   1          ,NET,             ! Search Key value = network name.  Azero length
; 3385      P 3377   1                            !       string indicates the active network.
; 3386      P 3378   1          ,,                ! Null search key two, oper2 = eql
; 3387      P 3379   1
; 3388      P 3380   1               ,NET               ! Network
; 3389      P 3381   1               ,NDA               ! Node address
; 3390      P 3382   1               ,USR               ! User
; 3391      P 3383   1               ,PSW               ! Password
; 3392      P 3384   1               ,ACC               ! Account
; 3393      P 3385   1
; 3394        3386   1               );
; 3395        3387   1  !
; 3396        3388   1  !     X-25 Access Network summary and status
; 3397        3389   1  !
; 3398        3390   1  BIND
; 3399        3391   1      NML$Q_ACCSUM_NFBDSC = NML$Q_ACCCHA_NFBDSC,
; 3400        3392   1      NML$Q_ACCSTA_NFBDSC = NML$Q_ACCCHA_NFBDSC;
; 3401        3393   1
; 3402        3394   1  !
; 3403        3395   1  !     Show X-25 Protocol network params - characteristics
; 3404        3396   1  !
; 3405      P 3397   1  $NFBDSC (NML$Q_NETCHA_NFBDSC, SHOW, , XNI
; 3406      P 3398   1
; 3407      P 3399   1               ,NET,              ! Search Key value will be a zero length string,
; 3408      P 3400   1                                  !         to indicate the active network, oper1 = eql
; 3409      P 3401   1               ,,                 ! Null search key two, oper2 = eql
; 3410      P 3402   1
; 3411      P 3403   1               ,NET               ! Network
; 3412      P 3404   1               ,DBL               ! Default data
; 3413      P 3405   1               ,DWI               ! Default window
; 3414      P 3406   1               ,MBL               ! Maximum data
; 3415      P 3407   1               ,MWI               ! Maximum window
; 3416      P 3408   1               ,MCL               ! Maximum clears
; 3417      P 3409   1               ,MRS               ! Maximum resets
; 3418      P 3410   1               ,MST               ! Maximum restarts
; 3419      P 3411   1               ,CAT               ! Call timer
; 3420      P 3412   1               ,CLT               ! Clear timer
; 3421      P 3413   1               ,RST               ! Reset timer
; 3422      P 3414   1               ,STT               ! Restart timer
; 3423      P 3415   1               ,MNS               ! Multinetwork support
; 3424        3416   1               );
; 3425        3417   1
; 3426        3418   1  !
; 3427        3419   1  !     X-25 Protocol Network summary
; 3428        3420   1  !
; 3429        3421   1  BIND
; 3430        3422   1      NML$Q_NETSUM_NFBDSC= NML$Q_NETCHA_NFBDSC;
; 3431        3423   1
; 3432        3424   1  !
; 3433        3425   1  !     X-25 Protocol Network summary
; 3434        3426   1  !
; 3435        3427   1  BIND
; 3436        3428   1      NML$Q_NETSTA_NFBDSC= NML$Q_NETCHA_NFBDSC;
; 3437        3429   1
; 3438        3430   1  !
; 3439        3431   1  !     X-25 Protocol DTE status
; 3440        3432   1  !
; 3441      P 3433   1  $NFBDSC (NML$Q_DTESTA_NFBDSC, SHOW, , XDI
; 3442      P 3434   1
; 3443      P 3435   1               ,DTE,              ! Search key one = DTE number, oper1 = eql
; 3444      P 3436   1               ,,                 ! Null search key two, oper2 = eql
```

```
: 3445      P 3437  1
: 3446      P 3438  1               ,DTE                 ! DTE
: 3447      P 3439  1               ,STA                 ! State
: 3448      P 3440  1               ,ACH                 ! Active channels
: 3449      P 3441  1               ,ASW                 ! Active switched
: 3450      P 3442  1               ,SUB                 ! Substate
: 3451        3443  1               );
: 3452        3444  1
: 3453        3445  1 !
: 3454        3446  1 !     X-25 Protocol DTE summary
: 3455        3447  1 !
: 3456        3448  1 BIND
: 3457        3449  1     NML$Q_DTESUM_NFBDSC = NML$Q_DTESTA_NFBDSC;
: 3458        3450  1
: 3459        3451  1 !
: 3460        3452  1 !     X-25 Protocol DTE characteristics
: 3461        3453  1 !
: 3462      P 3454  1 $NFBDSC (NML$Q_DTECHA_NFBDSC, SHOW, , XDI
: 3463      P 3455  1
: 3464      P 3456  1               ,DTE,                ! Search key one = DTE number, oper1 = eql
: 3465      P 3457  1               ..                   ! Null search key two, oper2 = eql
: 3466      P 3458  1
: 3467      P 3459  1               ,DTE                 ! DTE
: 3468      P 3460  1               ,CTM                 ! Counter timer
: 3469      P 3461  1               ,LIN                 ! Line
: 3470      P 3462  1               ,CHN                 ! Channels
: 3471      P 3463  1               ,MCH                 ! Maximum channels
: 3472      P 3464  1               ,MCI                 ! Maximum circuits
: 3473        3465  1               );
: 3474        3466  1
: 3475        3467  1 !
: 3476        3468  1 !     X-25 Protocol DTE show counters
: 3477        3469  1 !
: 3478      P 3470  1 $NFBDSC (NML$Q_DTECOU_NFBDSC, SHOW, , XDI
: 3479      P 3471  1
: 3480      P 3472  1               ,DTE,                ! Search key one = name, oper1 = eql
: 3481      P 3473  1               ..                   ! Null search key two, oper2 = eql
: 3482      P 3474  1
: 3483      P 3475  1               ,DTE                 ! DTE
: 3484      P 3476  1               ,CNT                 ! Counters
: 3485      P 3477  1
: 3486        3478  1               );
: 3487        3479  1 !
: 3488        3480  1 !     X-25 Protocol DTE zero counters
: 3489        3481  1 !
: 3490      P 3482  1 $NFBDSC (NML$Q_DTEZER_NFBDSC, ZERCOU, , XDI
: 3491      P 3483  1               ,DTE,                ! Search key one = DTE number, oper1 = eql
: 3492      P 3484  1               ..                   ! Null search key two, oper2 = eql
: 3493      P 3485  1
: 3494      P 3486  1               ,CNT                 ! Counters
: 3495        3487  1               );
: 3496        3488  1
: 3497        3489  1 !
: 3498        3490  1 !     X-25 Protocol Group characteristics
: 3499        3491  1 !
: 3500      P 3492  1 $NFBDSC (NML$Q_GRPCHA_NFBDSC, SHOW, , XGI
: 3501      P 3493  1
```

```
; 3502        P 3494   1          ,GRP,               ! Search key one = DTE number, oper1 = eql
; 3503        P 3495   1          ,,                  ! Null search key two, oper2 = eql
; 3504        P 3496   1
; 3505        P 3497   1          ,GRP                ! Group name
; 3506        P 3498   1          ,GDT                ! DTE number
; 3507        P 3499   1          ,GNM                ! Group number
; 3508        P 3500   1          ,GTY                ! Group type
; 3509          3501   1          );
; 3510          3502   1
; 3511          3503   1
; 3512          3504   1 !
; 3513          3505   1 !    X-25 Server Module status and summary
; 3514          3506   1 !
; 3515        P 3507   1 $NFBDSC (NML$Q_SV5SUM_NFBDSC, SHOW, , XS5
; 3516        P 3508   1
; 3517        P 3509   1          ,NFB$C_WILDCARD,! Only one entry, oper1 = eql
; 3518        P 3510   1          ,,                  ! Null search key two, oper2 = eql
; 3519        P 3511   1
; 3520        P 3512   1          ,ACI                ! Active circuits
; 3521        P 3513   1          ,STA                ! State
; 3522          3514   1          );
; 3523          3515   1
; 3524          3516   1
; 3525          3517   1 !
; 3526          3518   1 !    X-25 Server Module characteristics
; 3527          3519   1 !
; 3528        P 3520   1 $NFBDSC (NML$Q_SV5CHA_NFBDSC, SHOW, , XS5
; 3529        P 3521   1
; 3530        P 3522   1          ,NFB$C_WILDCARD,! Only one entry, oper1 = eql
; 3531        P 3523   1          ,,                  ! Null search key two, oper2 = eql
; 3532        P 3524   1
; 3533        P 3525   1          ,CTM                ! Counter timer
; 3534        P 3526   1          ,MCI                ! Maximum circuits
; 3535          3527   1          );
; 3536          3528   1
; 3537          3529   1 !
; 3538          3530   1 !    X-25 Server Module show counters
; 3539          3531   1 !
; 3540        P 3532   1 $NFBDSC (NML$Q_SV5COU_NFBDSC, SHOW, , XS5
; 3541        P 3533   1
; 3542        P 3534   1          ,NFB$C_WILDCARD,! Only one entry, oper1 = eql
; 3543        P 3535   1          ,,                  ! Null search key two, oper2 = eql
; 3544        P 3536   1
; 3545        P 3537   1          ,CNT                ! Counters
; 3546        P 3538   1
; 3547          3539   1          );
; 3548          3540   1 !
; 3549          3541   1 !    X-25 Server Module zero counters
; 3550          3542   1 !
; 3551        P 3543   1 $NFBDSC (NML$Q_SV5ZER_NFBDSC, ZERCOU, , XS5
; 3552        P 3544   1          ,NFB$C_WILDCARD,! Wildcard search key one, oper1 = eql
; 3553        P 3545   1          ,,                  ! Null search key two, oper2 = eql
; 3554        P 3546   1
; 3555        P 3547   1          ,CNT                ! Counters
; 3556          3548   1          );
; 3557          3549   1
; 3558          3550   1
; 3559          3551  1 !
; 3560          3552  1 !       X-25 Server Destination characteristics
; 3561          3553  1 !
; 3562        P 3554  1 $NFBDSC (NML$Q_DST5CHA_NFBDSC, SHOW, , XD5
; 3563        P 3555  1
; 3564        P 3556  1         ,DST,                 ! Search key one = Destination ID, oper1 = eql
; 3565        P 3557  1         ,,                    ! Null search key two, oper2 = eql
; 3566        P 3558  1
; 3567        P 3559  1         ,DST                  ! Destination
; 3568        P 3560  1         ,NOD                  ! Node
; 3569        P 3561  1         ,USR                  ! Username
; 3570        P 3562  1         ,PSW                  ! Password setting
; 3571        P 3563  1         ,ACC                  ! Account
; 3572        P 3564  1         ,OBJ                  ! Object
; 3573        P 3565  1         ,PRI                  ! Priority
; 3574        P 3566  1         ,CMK                  ! Call mask
; 3575        P 3567  1         ,CVL                  ! Call value
; 3576        P 3568  1         ,GRP                  ! Group
; 3577        P 3569  1         ,NUM                  ! Number
; 3578        P 3570  1         ,SAD                  ! Subaddresses
; 3579        P 3571  1         ,FIL                  ! Object startup file
; 3580          3572  1         );
; 3581          3573  1
; 3582          3574  1 !
; 3583          3575  1 !       X-25 Trace module status and summary
; 3584          3576  1 !
; 3585        P 3577  1 $NFBDSC (NML$Q_TRASUM_NFBDSC, SHOW, , XTI
; 3586        P 3578  1
; 3587        P 3579  1         ,NFB$C_WILDCARD,! Search key one = Wildcard, oper1 = eql
; 3588        P 3580  1         ,,                    ! Null search key two, oper2 = eql
; 3589        P 3581  1
; 3590        P 3582  1         ,STA    ! State
; 3591        P 3583  1         ,FNM    ! Filename
; 3592          3584  1         );
; 3593          3585  1 !
; 3594          3586  1 !       X-25 Trace module characteristics
; 3595          3587  1 !
; 3596        P 3588  1 $NFBDSC (NML$Q_TRACHA_NFBDSC, SHOW, , XTI
; 3597        P 3589  1
; 3598        P 3590  1         ,NFB$C_WILDCARD,! Search key one = Wildcard, oper1 = eql
; 3599        P 3591  1         ,,                    ! Null search key two, oper2 = eql
; 3600        P 3592  1
; 3601        P 3593  1         ,BFZ    ! Buffer size
; 3602        P 3594  1         ,MBK    ! Maximum blocks/file
; 3603        P 3595  1         ,FNM    ! File name
; 3604        P 3596  1         ,MBF    ! Maximum number of buffers
; 3605        P 3597  1         ,CPL    ! Global data capture limit
; 3606        P 3598  1         ,MVR    ! Maximum trace file version
; 3607          3599  1         );
; 3608          3600  1 !
; 3609          3601  1 !       X-25 Tracepoint module status and summary
; 3610          3602  1 !
; 3611        P 3603  1 $NFBDSC (NML$Q_TPTSUM_NFBDSC, SHOW, , XTT
; 3612        P 3604  1
; 3613        P 3605  1         ,TPT,   ! Search key one = Tracepoint, oper1 = eql
; 3614        P 3606  1         ,,      ! Null search key two, oper2 = eql
; 3615        P 3607  1
```

```
: 3616     P 3608  1            ,TPT    ! Tracepoint name
: 3617     P 3609  1            ,TST    ! Per-trace state
: 3618       3610  1            );
: 3619       3611  1  !
: 3620       3612  1  !     X-25 Tracepoint module characteristics
: 3621       3613  1  !
: 3622     P 3614  1  $NFBDSC (NML$Q_TPTCHA_NFBDSC, SHOW, , XTT
: 3623     P 3615  1
: 3624     P 3616  1            ,TPT,   ! Search key one = Tracepoint, oper1 = eql
: 3625     P 3617  1            ,,      ! Null search key two, oper2 = eql
: 3626     P 3618  1
: 3627     P 3619  1            ,TPT    ! Tracepoint name
: 3628     P 3620  1            ,CPS    ! Per-trace capture size
: 3629     P 3621  1            ,TST    ! Per-trace state
: 3630       3622  1            );
: 3631       3623  1  !
: 3632       3624  1  !     X-29 Server Module summary and status
: 3633       3625  1  !
: 3634     P 3626  1  $NFBDSC (NML$Q_SV9SUM_NFBDSC, SHOW, , XS9
: 3635     P 3627  1
: 3636     P 3628  1            ,NFB$C_WILDCARD,! Only one entry, oper1 = eql
: 3637     P 3629  1            ,,              ! Null search key two, oper2 = eql
: 3638     P 3630  1
: 3639     P 3631  1            ,ACI            ! Active circuits
: 3640     P 3632  1            ,STA            ! State
: 3641       3633  1            );
: 3642       3634  1
: 3643       3635  1
: 3644       3636  1  !
: 3645       3637  1  !     X-29 Server Module characteristics
: 3646       3638  1  !
: 3647     P 3639  1  $NFBDSC (NML$Q_SV9CHA_NFBDSC, SHOW, , XS9
: 3648     P 3640  1
: 3649     P 3641  1            ,NFB$C_WILDCARD,! Only one entry, oper1 = eql
: 3650     P 3642  1            ,,              ! Null search key two, oper2 = eql
: 3651     P 3643  1
: 3652     P 3644  1            ,CTM            ! Counter timer
: 3653     P 3645  1            ,MCI            ! Maximum circuits
: 3654       3646  1            );
: 3655       3647  1
: 3656       3648  1  !
: 3657       3649  1  !     X-29 Server Module show counters
: 3658       3650  1  !
: 3659     P 3651  1  $NFBDSC (NML$Q_SV9COU_NFBDSC, SHOW, , XS9
: 3660     P 3652  1
: 3661     P 3653  1            ,NFB$C_WILDCARD,! Only one entry, oper1 = eql
: 3662     P 3654  1            ,,              ! Null search key two, oper2 = eql
: 3663     P 3655  1
: 3664     P 3656  1            ,CNT            ! Counters
: 3665     P 3657  1
: 3666       3658  1            );
: 3667       3659  1  !
: 3668       3660  1  !     X-29 Server Module zero counters
: 3669       3661  1  !
: 3670     P 3662  1  $NFBDSC (NML$Q_SV9ZER_NFBDSC, ZERCOU, , XS9
: 3671     P 3663  1            ,NFB$C_WILDCARD,! Wildcard search key one, oper1 = eql
: 3672     P 3664  1            ,,              ! Null search key two, oper2 = eql
```

```
; 3673       P 3665  1
; 3674       P 3666  1          ,CNT                ! Counters
; 3675         3667  1          );
; 3676         3668  1
; 3677         3669  1
; 3678         3670  1  !
; 3679         3671  1  !     X-29 Server Destination characteristics
; 3680         3672  1  !
; 3681       P 3673  1  $NFBDSC (NML$Q_DST9CHA_NFBDSC, SHOW, , XD9
; 3682       P 3674  1
; 3683       P 3675  1          ,DST,               ! Search key one = Destination ID, oper1 = eql
; 3684       P 3676  1          ,,                  ! Null search key two, oper2 = eql
; 3685       P 3677  1
; 3686       P 3678  1          ,DST                ! Destination
; 3687       P 3679  1          ,NOD                ! Node
; 3688       P 3680  1          ,USR                ! Username
; 3689       P 3681  1          ,PSW                ! Password setting
; 3690       P 3682  1          ,ACC                ! Account
; 3691       P 3683  1          ,OBJ                ! Object
; 3692       P 3684  1          ,PRI                ! Priority
; 3693       P 3685  1          ,CMK                ! Call mask
; 3694       P 3686  1          ,CVL                ! Call value
; 3695       P 3687  1          ,GRP                ! Group
; 3696       P 3688  1          ,NUM                ! Number
; 3697       P 3689  1          ,SAD                ! Subaddresses
; 3698       P 3690  1          ,FIL                ! Object startup file
; 3699         3691  1          );
; 3700         3692  1
; 3701         3693  1  !
; 3702         3694  1  ! Object status
; 3703         3695  1  !
; 3704       P 3696  1  $NFBDSC (NML$Q_OBJSTA_NFBDSC, SHOW, , OBI
; 3705       P 3697  1
; 3706       P 3698  1          ,NAM,               ! Search key one = name, oper1 = eql
; 3707       P 3699  1          ,,                  ! Null search key two, oper2 = eql
; 3708       P 3700  1
; 3709       P 3701  1          ,NAM                ! Name
; 3710       P 3702  1          ,NUM                ! Number
; 3711       P 3703  1          ,FID                ! File
; 3712       P 3704  1          ,PID                ! Process id
; 3713       P 3705  1          ,USR                ! User id
; 3714       P 3706  1          ,PSW                ! Password
; 3715       P 3707  1
; 3716         3708  1          );
; 3717         3709  1  !
; 3718         3710  1  ! Object summary
; 3719         3711  1  !
; 3720       P 3712  1  $NFBDSC (NML$Q_OBJSUM_NFBDSC, SHOW, , OBI
; 3721       P 3713  1
; 3722       P 3714  1          ,NAM,               ! Search key one = name, oper1 = eql
; 3723       P 3715  1          ,,                  ! Null search key two, oper2 = eql
; 3724       P 3716  1
; 3725       P 3717  1          ,NAM                ! Name
; 3726       P 3718  1          ,NUM                ! Number
; 3727       P 3719  1          ,FID                ! File
; 3728       P 3720  1          ,PID                ! Process id
; 3729       P 3721  1          ,USR                ! User id
; 3730      P 3722  1           ,PSW                ! Password
; 3731      P 3723  1
; 3732        3724  1           );
; 3733        3725  1 !
; 3734        3726  1 ! Object characteristics
; 3735        3727  1 !
; 3736      P 3728  1 $NFBDSC (NML$Q_OBJCHA_NFBDSC, SHOW, , OBI
; 3737      P 3729  1
; 3738      P 3730  1           ,NAM,               ! Search key one = name, oper1 = eql
; 3739      P 3731  1           ,,                  ! Null search key two, oper2 = eql
; 3740      P 3732  1
; 3741      P 3733  1           ,NAM                ! Name
; 3742      P 3734  1           ,NUM                ! Name
; 3743      P 3735  1           ,FID                ! File
; 3744      P 3736  1           ,PID                ! Process id
; 3745      P 3737  1           ,LPR                ! Low order privileges
; 3746      P 3738  1           ,USR                ! User id
; 3747      P 3739  1           ,ACC                ! Account
; 3748      P 3740  1           ,PSW                ! Password
; 3749      P 3741  1           ,PRX                ! Proxy access
; 3750      P 3742  1
; 3751        3743  1           );
; 3752        3744  1 !
; 3753        3745  1 ! Link summary
; 3754        3746  1 !
; 3755      P 3747  1 $NFBDSC (NML$Q_LNKSUM_NFBDSC, SHOW, , LLI
; 3756      P 3748  1
; 3757      P 3749  1           ,LLN,               ! Search key one = logical link number, oper1 = eql
; 3758      P 3750  1           ,,                  ! Null search key two, oper2 = eql
; 3759      P 3751  1
; 3760      P 3752  1           ,LLN                ! Link number (entity ID)
; 3761      P 3753  1           ,PID                ! Process ID
; 3762      P 3754  1           ,PNA                ! Partner node's address
; 3763      P 3755  1           ,PNN                ! Partner node's name
; 3764      P 3756  1           ,RLN                ! Remote link number.
; 3765      P 3757  1           ,RID                ! Remote identification
; 3766      P 3758  1           ,PRC                ! Process name
; 3767      P 3759  1
; 3768        3760  1           );
; 3769        3761  1 !
; 3770        3762  1 ! Link status
; 3771        3763  1 !
; 3772      P 3764  1 $NFBDSC (NML$Q_LNKSTA_NFBDSC, SHOW, , LLI
; 3773      P 3765  1
; 3774      P 3766  1           ,LLN,               ! Search key one = logical link number, oper1 = eql
; 3775      P 3767  1           ,,                  ! Null search key two, oper2 = eql
; 3776      P 3768  1
; 3777      P 3769  1           ,LLN                ! Link number (entity ID)
; 3778      P 3770  1           ,STA                ! Link state
; 3779      P 3771  1           ,PID                ! Process ID
; 3780      P 3772  1           ,PNA                ! Partner node's address
; 3781      P 3773  1           ,PNN                ! Partner node's name
; 3782      P 3774  1           ,RLN                ! Remote link number.
; 3783      P 3775  1           ,PRC                ! Process name
; 3784      P 3776  1
; 3785        3777  1           );
; 3786        3778  1 !
; 3787          3779  1 ! Link characteristics
; 3788          3780  1 !
; 3789        P 3781  1 $NFBDSC (NML$Q_LNKCHA_NFBDSC, SHOW, , LLI
; 3790        P 3782  1
; 3791        P 3783  1         ,LLN,                ! Search key one = logical link number, oper1 = eql
; 3792        P 3784  1         ,,                   ! Null search key two, oper2 = eql
; 3793        P 3785  1
; 3794        P 3786  1         ,LLN                 ! Link number (entity ID)
; 3795        P 3787  1         ,STA                 ! Link state
; 3796        P 3788  1         ,PID                 ! Process ID
; 3797        P 3789  1         ,PNA                 ! Partner node's address
; 3798        P 3790  1         ,PNN                 ! Partner node's name
; 3799        P 3791  1         ,DLY                 ! Round trip delay time
; 3800        P 3792  1         ,RLN                 ! Remote link number
; 3801        P 3793  1         ,RID                 ! Remote identification
; 3802        P 3794  1         ,USR                 ! User name
; 3803        P 3795  1         ,PRC                 ! Process name
; 3804        P 3796  1
; 3805          3797  1         );
; 3806          3798  1
; 3808            3799  1 %SBTTL 'Permanent entity information table'
; 3809            3800  1
; 3810            3801  1 MACRO
; 3811          M 3802  1     $INFTAB (NAM) =
; 3812          M 3803  1
; 3813          M 3804  1         GLOBAL BIND
; 3814          M 3805  1             %NAME (NAM) =
; 3815            3806  1                 UPLIT ($DEXTN (%REMAINING)) : VECTOR [(%LENGTH - 1) / 2] %,
; 3816            3807  1
; 3817          M 3808  1     $DEXTN [ENT, INF] =
; 3818          M 3809  1         LONG (UPLIT ($ENTRY (ENT, %REMOVE (INF))))
; 3819            3810  1     %,
; 3820            3811  1
; 3821          M 3812  1     $ENTRY (ENT) [INF] =
; 3822          M 3813  1         %IF %IDENTICAL (INF, $)
; 3823          M 3814  1         %THEN
; 3824          M 3815  1             LONG (0)
; 3825          M 3816  1         %ELSE
; 3826          M 3817  1             LONG (%NAME ('NML$Q_P_', ENT, INF, '_TABDES'))
; 3827          M 3818  1         %FI
; 3828            3819  1     %;
; 3829            3820  1 !
; 3830            3821  1 ! Entity information table.  This structure is a vector of table addresses.
; 3831            3822  1 ! The internal entity code is the index to the table of parameter
; 3832            3823  1 ! sets for that entity.  The index values are the symbols:
; 3833            3824  1 !
; 3834            3825  1 !       NML$C_LINE
; 3835            3826  1 !       NML$C_LOGGING
; 3836            3827  1 !       NML$C_SINK
; 3837            3828  1 !       NML$C_NODE
; 3838            3829  1 !       NML$C_NODEBYNAME
; 3839            3830  1 !       NML$C_LOOPNODE
; 3840            3831  1 !       NML$C_ADJACENT_NODE
; 3841            3832  1 !       NML$C_EXECUTOR
; 3842            3833  1 !       NML$C_OBJECT
; 3843            3834  1 !       NML$C_CIRCUIT
; 3844            3835  1 !       NML$C_CIRC_ADJACENCIES
; 3845            3836  1 !       NML$C_AREA
; 3846            3837  1 !       NML$C_X25_ACCESS
; 3847            3838  1 !       NML$C_PROT_NET
; 3848            3839  1 !       NML$C_PROT_DTE
; 3849            3840  1 !       NML$C_PROT_GRP
; 3850            3841  1 !       NML$C_X25_SERV
; 3851            3842  1 !       NML$C_X25_SERV_DEST
; 3852            3843  1 !       NML$C_TRACE
; 3853            3844  1 !       NML$C_TRACEPNT
; 3854            3845  1 !       NML$C_X29_SERV
; 3855            3846  1 !       NML$C_X29_SERV_DEST
; 3856            3847  1 !       NML$C_CONFIG
; 3857            3848  1 !
; 3858            3849  1 ! This index is used to get the address of the vector of information sets
; 3859            3850  1 ! for the entity.  This structure is indexed using the internal
; 3860            3851  1 ! information type code which is one of the following values:
; 3861            3852  1 !
; 3862            3853  1 !       NML$C_SUMMARY
; 3863            3854  1 !       NML$C_STATUS
; 3864            3855  1 !       NML$C_CHARACTERISTICS
; 3865          3856  1 !           NML$C_COUNTERS
; 3866          3857  1 !           NML$C_EVENTS
; 3867          3858  1 !
; 3868          3859  1 !
; 3869          3860  1 !*************************************************************************************
; 3870          3861  1 !
; 3871        P 3862  1       $INFTAB (NML$AL_PERMINFTAB,
; 3872        P 3863  1
; 3873        P 3864  1           LIN, (SUM, STA, CHA, $,   $  ), ! Line
; 3874        P 3865  1           LOG, ($,   $,   $,   $,   $  ), ! Logging
; 3875        P 3866  1           SNK, ($,   $,   $,   $,   $  ), ! Logging sink
; 3876        P 3867  1           NOD, (SUM, STA, CHA, $,   $  ), ! Node
; 3877        P 3868  1           NDN, (SUM, STA, CHA, $,   $  ), ! Node by name
; 3878        P 3869  1           LOO, (SUM, SUM, SUM, $,   $  ), ! Loop node
; 3879        P 3870  1           NAJ, ($,   $,   $,   $,   $  ), ! Adjacent nodes
; 3880        P 3871  1           EXE, (SUM, STA, CHA, $,   $  ), ! Executor node
; 3881        P 3872  1           OBJ, (SUM, STA, CHA, $,   $  ), ! Object
; 3882        P 3873  1           CIR, (SUM, SUM, CHA, $,   $  ), ! Circuit
; 3883        P 3874  1           CAJ, ($,   $,   $,   $,   $  ), ! Circuit Adjacencies (Volatile only)
; 3884        P 3875  1           CAS, ($,   $,   $,   $,   $  ), ! Circuit Service Adjacencies (Volatile only)
; 3885        P 3876  1           ARE, ($,   $,   $,   $,   $  ), ! Area (Volatile only)
; 3886        P 3877  1           ACC, (SUM, STA, CHA, $,   $  ), ! X-25 Access
; 3887        P 3878  1           NET, (CHA, CHA, CHA, $,   $  ), ! X-25 Protocol Networks
; 3888        P 3879  1           DTE, (STA, STA, CHA, $,   $  ), ! X-25 Protocol DTE
; 3889        P 3880  1           GRP, (CHA, CHA, CHA, $,   $  ), ! X-25 Protocol Group
; 3890        P 3881  1           SVR, (SUM, SUM, CHA, $,   $  ), ! X-25 Server
; 3891        P 3882  1           DST, (CHA, CHA, CHA, $,   $  ), ! X-25 Server Destinations
; 3892        P 3883  1           TRA, (SUM, SUM, CHA, $,   $  ), ! X-25 Trace
; 3893        P 3884  1           TPT, (SUM, SUM, CHA, $,   $  ), ! X-25 Tracepoint
; 3894        P 3885  1           SVR, (SUM, SUM, CHA, $,   $  ), ! X-29 Server
; 3895        P 3886  1           DST, (CHA, CHA, CHA, $,   $  ), ! X-29 Server Destinations
; 3896        P 3887  1           CNF, (STA, STA, STA, $,   $  ), ! Configurator Module
; 3897        P 3888  1
; 3898          3889  1           );
; 3899          3890  1
; 3900          3891  1 UNDECLARE
; 3901          3892  1     %QUOTE $INFTAB,
; 3902          3893  1     %QUOTE $DEXTN,
; 3903          3894  1     %QUOTE $ENTRY;
; 3905          3895   1 %SBTTL 'Volatile entity information table'
; 3906          3896   1
; 3907          3897   1 MACRO
; 3908        M 3898   1     $INFTAB (NAM) =
; 3909        M 3899   1
; 3910        M 3900   1         GLOBAL BIND
; 3911        M 3901   1             %NAME (NAM) =
; 3912          3902   1                 UPLIT ($DEXTN (%REMAINING)) : VECTOR [(%LENGTH - 1) / 2] %,
; 3913          3903   1
; 3914        M 3904   1     $DEXTN [ENT, INF] =
; 3915        M 3905   1         LONG (UPLIT ($ENTRY (ENT, %REMOVE (INF))))
; 3916          3906   1     %,
; 3917          3907   1
; 3918        M 3908   1     $ENTRY (ENT) [INF] =
; 3919        M 3909   1         %IF %IDENTICAL (INF, $)
; 3920        M 3910   1         %THEN
; 3921        M 3911   1             LONG (0),
; 3922        M 3912   1             LONG (0)
; 3923        M 3913   1         %ELSE
; 3924        M 3914   1             LONG (%NAME ('NML$Q_', ENT, INF, '_NFBDSC')),
; 3925        M 3915   1             LONG (%NAME ('NML$Q_', ENT, INF, '_TABDES'))
; 3926        M 3916   1         %FI
; 3927          3917   1     %;
; 3928          3918   1 !
; 3929          3919   1 ! Entity information table.  This structure is a vector of table addresses.
; 3930          3920   1 ! The internal entity code is the index to the table of parameter
; 3931          3921   1 ! sets for that entity.  The index values are the symbols:
; 3932          3922   1 !
; 3933          3923   1 !       NML$C_LINE
; 3934          3924   1 !       NML$C_LOGGING
; 3935          3925   1 !       NML$C_SINK
; 3936          3926   1 !       NML$C_NODE
; 3937          3927   1 !       NML$C_NODEBYNAME
; 3938          3928   1 !       NML$C_LOOPNODE
; 3939          3929   1 !       NML$C_ADJACENT_NODE
; 3940          3930   1 !       NML$C_EXECUTOR
; 3941          3931   1 !       NML$C_OBJECT
; 3942          3932   1 !       NML$C_CIRCUIT
; 3943          3933   1 !       NML$C_CIRCUIT_ADJACENCIES
; 3944          3934   1 !       NML$C_AREA
; 3945          3935   1 !       NML$C_X25_ACCESS
; 3946          3936   1 !       NML$C_PROT_NET
; 3947          3937   1 !       NML$C_PROT_DTE
; 3948          3938   1 !       NML$C_PROT_GRP
; 3949          3939   1 !       NML$C_X25_SERV
; 3950          3940   1 !       NML$C_X25_SERV_DEST
; 3951          3941   1 !       NML$C_TRACE
; 3952          3942   1 !       NML$C_TRACEPNT
; 3953          3943   1 !       NML$C_X29_SERV
; 3954          3944   1 !       NML$C_X29_SERV_DEST
; 3955          3945   1 !       NML$C_CONFIG
; 3956          3946   1 !       NML$C_LINKS
; 3957          3947   1 !
; 3958          3948   1 ! This index is used to get the address of the blockvector of information sets
; 3959          3949   1 ! for the entity.  The address points to a table of NFB descriptors and
; 3960          3950   1 ! table descriptors.  This structure is indexed using the internal
; 3961          3951   1 ! information type code which is one of the following values:
   1 !
   1 !            NML$C_SUMMARY
   1 !            NML$C_STATUS
   1 !            NML$C_CHARACTERISTICS
   1 !            NML$C_COUNTERS
   1 !            NML$C_EVENTS
   1 !            NML$C_ZERO
   1 !
   1 ! The first longword in the entry is the address of the descriptor of the
   1 ! NFB used to retrieve the specified set of volatile information.  The
   1 ! second longword is the address of the descriptor of the table used for
   1 ! processing the data returned.
   1 !
   1 !
   1 !
   1 !****************************************************************************
   1 !
   1 ! NOTE: The order of the entries in this table corresponds to the numeric
   1 !       order of the entity codes.  DO NOT change the order of the entries
   1 !       or add new ones without verifying that the order is correct.
   1 !       Also, the information types within each entry correspond to the
   1 !       numeric order of the information codes.
   1 !
   1
P  1    $INFTAB (NML$AL_ENTINFTAB,
P  1
P  1        LIN, (SUM, STA, CHA, COU, $,   ZER),     ! Line
P  1        LOG, (SUM, STA, CHA, $,   EVE, $),       ! Logging
P  1        SNK, (SUM, STA, CHA, $,   EVE, $),       ! Logging sink
P  1        NOD, (SUM, STA, CHA, COU, $,   ZER),     ! Node
P  1        NDN, (SUM, STA, CHA, COU, $,   ZER),     ! Node by name
P  1        LOO, (SUM, SUM, SUM, $,   $,   $),       ! Loop node
P  1        NOD, (SUM, STA, CHA, COU, $,   $),       ! Adjacent Nodes
P  1        EXE, (SUM, STA, CHA, COU, $,   ZER),     ! Executor node
P  1        OBJ, (SUM, STA, CHA, $,   $,   $),       ! Object
P  1        CIR, (SUM, SUM, CHA, COU, $,   ZER),     ! Circuit
P  1        CAJ, (SUM, STA, CHA, $,   $,   $),       ! Circuit Adjacencies
P  1        CSA, (SUM, SUM, SUM, $,   $,   $),       ! Circuit Service Adjacencies
P  1        ARE, (SUM, STA, SUM, $,   $,   $),       ! Area
P  1        ACC, (SUM, STA, CHA, $,   $,   $),       ! X-25 Access
P  1        NET, (CHA, CHA, CHA, $,   $,   $),       ! X-25 Protocol Network
P  1        DTE, (STA, STA, CHA, COU, $,   ZER),     ! X-25 Protocol DTE
P  1        GRP, (CHA, CHA, CHA, $,   $,   $),       ! X-25 Protocol Group
P  1        SV5, (SUM, SUM, CHA, COU, $,   ZER),     ! X-25 Server
P  1        DST5,(CHA, CHA, CHA, $,   $,   $),       ! X-25 Server Destinations
P  1        TRA, (SUM, SUM, CHA, $,   $,   $),       ! X-25 Trace
P  1        TPT, (SUM, SUM, CHA, $,   $,   $),       ! X-25 Tracepoint
P  1        SV9, (SUM, SUM, CHA, COU, $,   ZER),     ! X-29 Server
P  1        DST9,(CHA, CHA, CHA, $,   $,   $),       ! X-29 Server Destinations
P  1        CNF, ( $,   $,   $, $,   $,   $),        ! Configurator Module
P  1        LNK, (SUM, STA, CHA, $,   $,   $)        ! Links
P  1
   1        );
   1
   1 UNDECLARE
   1     %QUOTE $INFTAB,
   1     %QUOTE $DEXTN,
; 4019          4009  1     %QUOTE $ENTRY;
; 4021          4010  1 %SBTTL 'SET ALL parameter tables'
; 4022          4011  1 !
; 4023          4012  1 ! Parameter list definition macro.
; 4024          4013  1 !
; 4025          4014  1 MACRO
; 4026        M 4015  1     PRM_ALL (TAB, TYP) []  =
; 4027        M 4016  1
; 4028        M 4017  1         SWITCHES UNAMES;
; 4029        M 4018  1         PSECT
; 4030        M 4019  1             PLIT = NML$ALLPARAMS;
; 4031        M 4020  1
; 4032        M 4021  1         BIND
; 4033        M 4022  1             %NAME ('NML$Q_ALL', TAB, 'DES') =
; 4034        M 4023  1                 UPLIT ( %LENGTH - 2,
; 4035        M 4024  1                         UPLIT BYTE ($DEXTN (TYP, %REMAINING)));
; 4036        M 4025  1
; 4037        M 4026  1         PSECT PLIT = $PLIT$;
; 4038        M 4027  1         SWITCHES NOUNAMES;
; 4039          4028  1     %,
; 4040          4029  1
; 4041        M 4030  1     $DEXTN (TAB) [PRM] =
; 4042        M 4031  1         WORD (%NAME ('NMA$C_', TAB, '_', PRM)),
; 4043        M 4032  1         WORD (%NAME ('CPT$GR_', TAB, '_', PRM))
; 4044          4033  1     %;
; 4045          4034  1 !
; 4046          4035  1 ! Initialize psect.
; 4047          4036  1 !
; 4048          4037  1 PSECT
; 4049          4038  1     OWN = NML$ALLPARAMS (NOWRITE, ALIGN(0));
; 4050          4039  1 OWN
; 4051          4040  1     $Z : VECTOR [0];
; 4052          4041  1 PSECT
; 4053          4042  1     OWN = $OWN$;
; 4054          4043  1 UNDECLARE
; 4055          4044  1     $Z;
; 4056          4045  1 !
; 4057          4046  1 ! Circuit parameters.
; 4058          4047  1 !
; 4059        P 4048  1     PRM_ALL (CIR, PCCI
; 4060        P 4049  1
; 4061        P 4050  1             ,STA    ! State
; 4062        P 4051  1             ,SER    ! Service state
; 4063        P 4052  1             ,LCT    ! Counter timer
; 4064        P 4053  1             ,COS    ! Cost
; 4065        P 4054  1             ,MRT    ! Maximum routers on NI
; 4066        P 4055  1             ,RPR    ! Router priority on NI
; 4067        P 4056  1             ,HET    ! Hello timer
; 4068        P 4057  1             ,BLK    ! Blocking
; 4069        P 4058  1             ,MRC    ! Maximum recalls
; 4070        P 4059  1             ,RCT    ! Recall timer
; 4071        P 4060  1             ,NUM    ! Number
; 4072        P 4061  1             ,POL    ! Polling state
; 4073        P 4062  1             ,OWN    ! Owner entity ID (Data Link Mapping)
; 4074        P 4063  1             ,USE    ! Usage
; 4075        P 4064  1             ,TYP    ! Type
; 4076        P 4065  1             ,DTE    ! DTE
; 4077        P 4066  1             ,CHN    ! Channel
; 4078      P 4067  1             ,MBL    ! Maximum block
; 4079      P 4068  1             ,MWI    ! Maximum window
; 4080      P 4069  1             ,TRI    ! Tributary
; 4081      P 4070  1             ,BBT    ! Babble timer
; 4082      P 4071  1             ,TRT    ! Transmit timer
; 4083      P 4072  1             ,MRB    ! Maximum receive buffers
; 4084      P 4073  1             ,MTR    ! Maximum transmits
; 4085      P 4074  1             ,ACB    ! Active base
; 4086      P 4075  1             ,ACI    ! Active increment
; 4087      P 4076  1             ,IAB    ! Inactive base
; 4088      P 4077  1             ,IAI    ! Inactive increment
; 4089      P 4078  1             ,IAT    ! Inactive threshold
; 4090      P 4079  1             ,DYB    ! Dying base
; 4091      P 4080  1             ,DYI    ! Dying increment
; 4092      P 4081  1             ,DYT    ! Dying threshold
; 4093      P 4082  1             ,DTH    ! Dead threshold
; 4094      P 4083  1             ,VER    ! Verification
; 4095      P 4084  1             ,XPT    ! Transport protocol
; 4096      P 4085  1
; 4097        4086  1             );
; 4098        4087  1 !
; 4099        4088  1 ! Line parameters.
; 4100        4089  1 !
; 4101      P 4090  1     PRM_ALL (LIN, PCLI
; 4102      P 4091  1
; 4103      P 4092  1             ,STA    ! State
; 4104      P 4093  1             ,SER    ! Service
; 4105      P 4094  1             ,LCT    ! Counter timer
; 4106      P 4095  1             ,BFN    ! Number of buffers
; 4107      P 4096  1             ,CON    ! Controller mode
; 4108      P 4097  1             ,DUP    ! Duplex
; 4109      P 4098  1             ,PRO    ! Type
; 4110      P 4099  1             ,CLO    ! Clock
; 4111      P 4100  1             ,STI    ! Service timer
; 4112      P 4101  1             ,RTT    ! Retransmit timer
; 4113      P 4102  1             ,HTI    ! Holdback timer
; 4114      P 4103  1             ,MBL    ! Maximum block
; 4115      P 4104  1             ,MRT    ! Maximum retransmits
; 4116      P 4105  1             ,MWI    ! Maximum window
; 4117      P 4106  1             ,SLT    ! Scheduling timer
; 4118      P 4107  1             ,DDT    ! Dead timer
; 4119      P 4108  1             ,DLT    ! Delay timer
; 4120      P 4109  1             ,SRT    ! Stream timer
; 4121      P 4110  1             ,HWA    ! Hardware address on NI
; 4122      P 4111  1             ,XMD    ! PCL address mode
; 4123      P 4112  1             ,EPT    ! Ethernet Protocol Type
; 4124      P 4113  1             ,BSZ    ! Ethernet buffer size
; 4125      P 4114  1
; 4126        4115  1             );
; 4127        4116  1 !
; 4128        4117  1 ! Logging parameters.
; 4129        4118  1 !
; 4130      P 4119  1 PRM_ALL (LOG, PCLO
; 4131      P 4120  1
; 4132      P 4121  1             ,EVE    ! Events
; 4133      P 4122  1
; 4134        4123  1             );
; 4135        4124  1
; 4136      P 4125  1 PRM_ALL (SNK, PCLO
; 4137      P 4126  1
; 4138      P 4127  1               ,STA     ! State
; 4139      P 4128  1               ,LNA     ! Name
; 4140      P 4129  1
; 4141        4130  1               );
; 4142        4131  1 !
; 4143        4132  1 ! Executor node parameters.
; 4144        4133  1 !
; 4145      P 4134  1 PRM_ALL (EXE, PCNO
; 4146      P 4135  1
; 4147      P 4136  1               ,STA     ! State
; 4148      P 4137  1               ,IDE     ! Identification
; 4149      P 4138  1               ,ADD     ! Address
; 4150      P 4139  1               ,ITI     ! Incoming timer
; 4151      P 4140  1               ,OTI     ! Outgoing timer
; 4152      P 4141  1               ,MLK     ! Maximum links
; 4153      P 4142  1               ,DFA     ! Delay factor
; 4154      P 4143  1               ,DWE     ! Delay weight
; 4155      P 4144  1               ,IAT     ! Inactivity timer
; 4156      P 4145  1               ,RFA     ! Retransmit factor
; 4157      P 4146  1               ,ETY     ! Executor type
; 4158      P 4147  1               ,RTI     ! Routing timer
; 4159      P 4148  1               ,SAD     ! Subaddresses
; 4160      P 4149  1               ,BRT     ! Broadcast routing timer
; 4161      P 4150  1               ,MAD     ! Maximum address
; 4162      P 4151  1               ,MLN     ! Maximum lines
; 4163      P 4152  1               ,MCO     ! Maximum cost
; 4164      P 4153  1               ,MHO     ! Maximum hops
; 4165      P 4154  1               ,MVI     ! Maximum visits
; 4166      P 4155  1               ,MAR     ! Maximum areas
; 4167      P 4156  1               ,MBE     ! Maximum broadcast endnodes
; 4168      P 4157  1               ,MBR     ! Maximum broadcast routers
; 4169      P 4158  1               ,AMC     ! Area maximum cost
; 4170      P 4159  1               ,AMH     ! Area maximum hops
; 4171      P 4160  1               ,MBU     ! Maximum buffers
; 4172      P 4161  1               ,BUS     ! Buffer size
; 4173      P 4162  1               ,SBS     ! Segment buffer size
; 4174      P 4163  1               ,DAC     ! Default access
; 4175      P 4164  1               ,PIQ     ! Pipeline quota
; 4176      P 4165  1               ,ALI     ! Node alias
; 4177      P 4166  1               ,DPX     ! Default proxy access
; 4178      P 4167  1
; 4179        4168  1               );
; 4180        4169  1 !
; 4181        4170  1 ! Node parameters.
; 4182        4171  1 !
; 4183      P 4172  1 PRM_ALL (NOD, PCNO
; 4184      P 4173  1
; 4185      P 4174  1               ,SLI     ! Service circuit
; 4186      P 4175  1               ,SPA     ! Service password
; 4187      P 4176  1               ,SDV     ! Service device
; 4188      P 4177  1               ,CPU     ! CPU type
; 4189      P 4178  1               ,HWA     ! Hardware address on NI
; 4190      P 4179  1               ,SNV     ! Service node version
; 4191      P 4180  1               ,LOA     ! Load file
; 4192      P 4181  1               ,SLO     ! Secondary loader
; 4193      P 4182  1               ,TLO     ! Tertiary loader
; 4194      P 4183  1               ,DFL     ! Diagnostic file
; 4195      P 4184  1               ,STY     ! Software type
; 4196      P 4185  1               ,SID     ! Software identification
; 4197      P 4186  1               ,DUM     ! Dump file
; 4198      P 4187  1               ,SDU     ! Secondary dumper
; 4199      P 4188  1               ,DAD     ! Dump address
; 4200      P 4189  1               ,DCT     ! Dump count
; 4201      P 4190  1               ,IHO     ! Host
; 4202      P 4191  1               ,CTI     ! Counter timer
; 4203      P 4192  1               ,NNA     ! Name
; 4204      P 4193  1               ,NLI     ! Line
; 4205      P 4194  1               ,ADD     ! Address
; 4206      P 4195  1               ,ASS     ! Loop node address
; 4207      P 4196  1               ,PUS     ! Privileged user id
; 4208      P 4197  1               ,PAC     ! Privileged account
; 4209      P 4198  1               ,PPW     ! Privileged password
; 4210      P 4199  1               ,NUS     ! Nonprivileged user id
; 4211      P 4200  1               ,NAC     ! Nonprivileged account
; 4212      P 4201  1               ,NPW     ! Nonprivileged password
; 4213      P 4202  1               ,RPA     ! Receive password
; 4214      P 4203  1               ,TPA     ! Transmit password
; 4215      P 4204  1               ,ACC     ! Access
; 4216      P 4205  1               ,PRX     ! Proxy access
; 4217      P 4206  1
; 4218        4207  1               );
; 4219        4208  1
; 4220        4209  1 !
; 4221        4210  1 ! X-25 Access Module Network
; 4222        4211  1 !
; 4223      P 4212  1 PRM_ALL (ACC, PCXA
; 4224      P 4213  1
; 4225      P 4214  1               ,NOD     ! Node number
; 4226      P 4215  1               ,USR     ! User
; 4227      P 4216  1               ,PSW     ! Password
; 4228      P 4217  1               ,ACC     ! Account
; 4229      P 4218  1
; 4230        4219  1               );
; 4231        4220  1 !
; 4232        4221  1 ! X-25 Protocol Network parameters for SET ALL
; 4233        4222  1 !
; 4234      P 4223  1 PRM_ALL (NET, PCXP
; 4235      P 4224  1               ,DBL     ! Default block
; 4236      P 4225  1               ,DWI     ! Default window
; 4237      P 4226  1               ,MBL     ! Maximum block
; 4238      P 4227  1               ,MWI     ! Maximum window
; 4239      P 4228  1               ,MCL     ! Maximum clears
; 4240      P 4229  1               ,MRS     ! Maximum resets
; 4241      P 4230  1               ,MST     ! Maximum restarts
; 4242      P 4231  1               ,CAT     ! Call timer
; 4243      P 4232  1               ,CLT     ! Clear timer
; 4244      P 4233  1               ,RST     ! Reset timer
; 4245      P 4234  1               ,STT     ! Restart timer
; 4246        4235  1               );
; 4247        4236  1
; 4248        4237  1 !
```

```
: 4249          4238  1 ! X-25 Protocol DTE parameters for SET ALL
: 4250          4239  1 !
: 4251        P 4240  1 PRM_ALL (DTE, PCXP
: 4252        P 4241  1         ,STA    ! State
: 4253        P 4242  1         ,CTM    ! Counter timer
: 4254        P 4243  1         ,LIN    ! Line
: 4255        P 4244  1         ,CHN    ! Channels
: 4256          4245  1         );
: 4257          4246  1
: 4258          4247  1 !
: 4259          4248  1 ! X-25 Protocol Group parameters for SET ALL
: 4260          4249  1 !
: 4261        P 4250  1 PRM_ALL (GRP, PCXP
: 4262        P 4251  1         ,GDT    ! Group DTE number
: 4263        P 4252  1         ,GNM    ! Group number
: 4264        P 4253  1         ,GTY    ! Group type
: 4265          4254  1         );
: 4266          4255  1
: 4267          4256  1 !
: 4268          4257  1 ! X-25 Server parameters for SET ALL
: 4269          4258  1 !
: 4270        P 4259  1 PRM_ALL (SV5, PCXS
: 4271        P 4260  1         ,CTM    ! Counter timer
: 4272        P 4261  1         ,MCI    ! Maximum channels
: 4273        P 4262  1         ,STA    ! State
: 4274          4263  1         );
: 4275          4264  1
: 4276          4265  1 !
: 4277          4266  1 ! X-25 Server Destination parameters for SET ALL
: 4278          4267  1 !
: 4279        P 4268  1 PRM_ALL (DST5, PCXS
: 4280        P 4269  1         ,NOD    ! Node
: 4281        P 4270  1         ,USR    ! User
: 4282        P 4271  1         ,SPW    ! Password
: 4283        P 4272  1         ,ACC    ! Account
: 4284        P 4273  1         ,OBJ    ! Object
: 4285        P 4274  1         ,PRI    ! Priority
: 4286        P 4275  1         ,CMK    ! Call mask
: 4287        P 4276  1         ,CVL    ! Call value
: 4288        P 4277  1         ,GRP    ! Group
: 4289        P 4278  1         ,NUM    ! Number
: 4290        P 4279  1         ,SAD    ! Subaddresses
: 4291        P 4280  1         ,FIL    ! Object startup file
: 4292          4281  1         );
: 4293          4282  1 !
: 4294          4283  1 ! X-25 Trace parameters for SET ALL
: 4295          4284  1 !
: 4296        P 4285  1 PRM_ALL (TRA, PCXT
: 4297        P 4286  1         ,STA    ! State
: 4298        P 4287  1         ,BSZ    ! Buffer size
: 4299        P 4288  1         ,MBK    ! Maximum blocks
: 4300        P 4289  1         ,FNM    ! Filename
: 4301        P 4290  1         ,MBF    ! Maximum number of buffers
: 4302        P 4291  1         ,CPL    ! Global data capture limit
: 4303        P 4292  1         ,MVR    ! Maximum trace file version
: 4304          4293  1         );
: 4305          4294  1
```

```
; 4306        4295  1 !
; 4307        4296  1 ! X-25 Tracepoint parameters for SET ALL
; 4308        4297  1 !
; 4309      P 4298  1 PRM_ALL (TPT, PCXT
; 4310      P 4299  1          ,CPS     ! Per-trace capture size
; 4311      P 4300  1          ,TST     ! Per-trace state
; 4312        4301  1          );
; 4313        4302  1
; 4314        4303  1 !
; 4315        4304  1 ! X-29 Server parameters for SET ALL
; 4316        4305  1 !
; 4317      P 4306  1 PRM_ALL (SV9, PCXS9
; 4318      P 4307  1          ,CTM     ! Counter timer
; 4319      P 4308  1          ,MCI     ! Maximum channels
; 4320      P 4309  1          ,STA     ! State
; 4321        4310  1          );
; 4322        4311  1
; 4323        4312  1 !
; 4324        4313  1 ! X-29 Server Destination parameters for SET ALL
; 4325        4314  1 !
; 4326      P 4315  1 PRM_ALL (DST9, PCXS9
; 4327      P 4316  1          ,NOD     ! Node
; 4328      P 4317  1          ,USR     ! User
; 4329      P 4318  1          ,SPW     ! Password
; 4330      P 4319  1          ,ACC     ! Account
; 4331      P 4320  1          ,OBJ     ! Object
; 4332      P 4321  1          ,PRI     ! Priority
; 4333      P 4322  1          ,CMK     ! Call mask
; 4334      P 4323  1          ,CVL     ! Call value
; 4335      P 4324  1          ,GRP     ! Group
; 4336      P 4325  1          ,NUM     ! Number
; 4337      P 4326  1          ,SAD     ! Subaddresses
; 4338      P 4327  1          ,FIL     ! Object startup file
; 4339        4328  1          );
; 4340        4329  1
; 4341        4330  1 !
; 4342        4331  1 ! Configurator module parameters.
; 4343        4332  1 !
; 4344      P 4333  1 PRM_ALL (CNF, PCCN
; 4345      P 4334  1
; 4346      P 4335  1          ,CIR     ! Circuit ID
; 4347      P 4336  1          ,SUR     ! Surveillance
; 4348        4337  1          );
; 4349        4338  1
; 4350        4339  1 !
; 4351        4340  1 ! Object parameters.
; 4352        4341  1 !
; 4353      P 4342  1 PRM_ALL (OBJ, PCOB
; 4354      P 4343  1
; 4355      P 4344  1          ,FID     ! File
; 4356      P 4345  1          ,NUM     ! Number
; 4357      P 4346  1          ,PRV     ! Privileges
; 4358      P 4347  1          ,USR     ! User id
; 4359      P 4348  1          ,ACC     ! Account
; 4360      P 4349  1          ,PSW     ! Password
; 4361      P 4350  1          ,PRX     ! Proxy access
; 4362      P 4351  1
; 4363          4352  1             );
; 4364          4353  1
; 4365          4354  1  UNDECLARE
; 4366          4355  1         %QUOTE PRM_ALL,
; 4367          4356  1         %QUOTE $DEXTN;
; 4368          4357  1
; 4370          4358   1 %SBTTL 'Entity information table'
; 4371          4359   1 !
; 4372          4360   1 ! This table provides a variety of information for operations that can
; 4373          4361   1 ! be performed on entities in the volatile and permanent data bases.
; 4374          4362   1 !
; 4375          4363   1 MACRO
; 4376        M 4364   1     $ENTDATA [] =
; 4377        M 4365   1         UPLIT BYTE ($EXP (%REMAINING))
; 4378        M 4366   1           : BBLOCKVECTOR [%LENGTH, EIT$K_ENTRYLEN];
; 4379          4367   1     %,
; 4380          4368   1
; 4381        M 4369   1     $EXP [ENT] =
; 4382        M 4370   1         $ENTRY (%REMOVE (ENT))
; 4383          4371   1     %,
; 4384          4372   1
; 4385          4373   1     $ENTRY [FID, DET, KEY, NFBDB, SRCH_ID_1, SRCH_ID_2,
; 4386          4374   1                 KNO_SRCH_ID_1, KNO_SRCH_LEN_1, KNO_SRCH_VAL_1, KNO_OPER1,
; 4387          4375   1                 ACT_SRCH_ID_1, ACT_SRCH_LEN_1, ACT_SRCH_VAL_1, ACT_OPER1,
; 4388        M 4376   1                 TAB] =
; 4389        M 4377   1         BYTE (%IF %NULL (FID)
; 4390        M 4378   1                 %THEN 0
; 4391        M 4379   1                 %ELSE %NAME ('NMA$C_OPN_', FID)
; 4392        M 4380   1                 %FI),
; 4393        M 4381   1         WORD (%NAME ('NMA$C_', DET)),
; 4394        M 4382   1         WORD (%IF %NULL (KEY)
; 4395        M 4383   1                 %THEN 0
; 4396        M 4384   1                 %ELSE KEY
; 4397        M 4385   1                 %FI),
; 4398        M 4386   1         BYTE (%IF %NULL (NFBDB)
; 4399        M 4387   1                 %THEN 0
; 4400        M 4388   1                 %ELSE %NAME ('NFB$C_DB_', NFBDB)
; 4401        M 4389   1                 %FI),
; 4402        M 4390   1         $SRCH_KEY (NFBDB, SRCH_ID_1),               ! Single entity search key one ID
; 4403        M 4391   1         $SRCH_KEY (NFBDB, SRCH_ID_2),               ! Single entity search key two ID
; 4404        M 4392   1         $SRCH_KEY (NFBDB, KNO_SRCH_ID_1),           ! KNOWN search key one ID
; 4405        M 4393   1         LONG (KNO_SRCH_LEN_1),                      ! KNOWN search value one length.
; 4406        M 4394   1         LONG ( %IF %NULL (KNO_SRCH_VAL_1)
; 4407        M 4395   1                 %THEN 0
; 4408        M 4396   1                 %ELSE KNO_SRCH_VAL_1                ! KNOWN search key one value
; 4409        M 4397   1                 %FI ),
; 4410        M 4398   1         BYTE (KNO_OPER1),                           ! KNOWN search operator
; 4411        M 4399   1         $SRCH_KEY (NFBDB, ACT_SRCH_ID_1),           ! ACTIVE search key one ID
; 4412        M 4400   1         LONG (ACT_SRCH_LEN_1),                      ! ACTIVE search value one length.
; 4413        M 4401   1         LONG ( %IF %NULL (ACT_SRCH_VAL_1)
; 4414        M 4402   1                 %THEN 0
; 4415        M 4403   1                 %ELSE ACT_SRCH_VAL_1                ! ACTIVE search key one value
; 4416        M 4404   1                 %FI ),
; 4417        M 4405   1         BYTE (ACT_OPER1),                           ! ACTIVE search operator
; 4418        M 4406   1         LONG (%IF %NULL (TAB)
; 4419        M 4407   1                 %THEN 0
; 4420        M 4408   1                 %ELSE %NAME ('NML$Q_ALL', TAB, 'DES')
; 4421        M 4409   1                 %FI)
; 4422          4410   1     %;
; 4423          4411   1 !
; 4424          4412   1 !**************************************************************************
; 4425          4413   1 !
; 4426          4414   1 ! NOTE: The order of the entries in this table corresponds to the numeric
; 4427        4415  1 !        order of the entity codes.  DO NOT change the order of the entries
; 4428        4416  1 !        or add new ones without verifying that the order is correct.
; 4429        4417  1 !
; 4430        4418  1 !*************************************************************************
; 4431        4419  1
; 4432        4420  1 GLOBAL BIND
; 4433      P 4421  1     NML$AB_ENTITYDATA = $ENTDATA (
; 4434      P 4422  1
; 4435      P 4423  1 !
; 4436      P 4424  1 ! Line entity table (Index = NML$C_LINE)
; 4437      P 4425  1 !
; 4438      P 4426  1 (LINE,              ! EIT$B_FILEID - Permanent data base file ID code
; 4439      P 4427  1 ENT_LIN,            ! EIT$W_DETAIL - NICE error detail entity code
; 4440      P 4428  1 NML$C_KEY_LINE,     ! EIT$W_KEY - Permanent data base search key
; 4441      P 4429  1 PLI,                ! EIT$B_DATABASE - Volatile data base ID
; 4442      P 4430  1 NAM,                ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 4443      P 4431  1                     !       a single entity
; 4444      P 4432  1 ,                   ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
; 4445      P 4433  1                     !       a single entity
; 4446      P 4434  1 ,                   ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 4447      P 4435  1                     !       for KNOWN entities = wildcard
; 4448      P 4436  1 -1,                 ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 4449      P 4437  1                     !       one value for KNOWN entities = no value.
; 4450      P 4438  1 ,                   ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 4451      P 4439  1                     !       for KNOWN entities = none.
; 4452      P 4440  1 NFB$C_OP_EQL,       ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 4453      P 4441  1
; 4454      P 4442  1 STA,                ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 4455      P 4443  1                     !       for ACTIVE entities = state.
; 4456      P 4444  1 0,                  ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 4457      P 4445  1                     !       one value for ACTIVE entities = longword.
; 4458      P 4446  1 NMA$C_STATE_OFF,    ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 4459      P 4447  1                     !       for ACTIVE entities = off.
; 4460      P 4448  1 NFB$C_OP_NEQ,       ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 4461      P 4449  1 LIN),               ! Parameter table for SET ALL
; 4462      P 4450  1
; 4464      P 4451   1 !
; 4465      P 4452   1 ! Logging entity table (Index = NML$C_LOGGING)
; 4466      P 4453   1 !
; 4467      P 4454   1 (LOG,              ! EIT$B_FILEID - Permanent data base file ID code
; 4468      P 4455   1 ENT_LOG,           ! EIT$W_DETAIL - NICE error detail entity code
; 4469      P 4456   1 NMA$C_PCLO_SIN,    ! EIT$W_KEY - Permanent data base search key
; 4470      P 4457   1 EFI,               ! EIT$B_DATABASE - Volatile data base ID
; 4471      P 4458   1 SIN,               ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 4472      P 4459   1                    !         a single entity
; 4473      P 4460   1 ,                  ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
; 4474      P 4461   1                    !         a single entity
; 4475      P 4462   1 ,                  ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 4476      P 4463   1                    !         for KNOWN entities = wildcard
; 4477      P 4464   1 -1,                ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 4478      P 4465   1                    !         one value for KNOWN entities = no value.
; 4479      P 4466   1 ,                  ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 4480      P 4467   1                    !         for KNOWN entities = none.
; 4481      P 4468   1 NFB$C_OP_EQL,      ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 4482      P 4469   1
; 4483      P 4470   1 ,                  ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 4484      P 4471   1                    !         for ACTIVE entities = wildcard.
; 4485      P 4472   1 -1,                ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 4486      P 4473   1                    !         one value for ACTIVE entities = no value.
; 4487      P 4474   1 ,                  ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 4488      P 4475   1                    !         for ACTIVE entities = null.
; 4489      P 4476   1 NFB$C_OP_EQL,      ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 4490      P 4477   1 LOG),              ! Parameter table for SET ALL
; 4492          P 4478   1 !
; 4493          P 4479   1 !  Sink logging entity table (Index = NML$C_SINK)
; 4494          P 4480   1 !
; 4495          P 4481   1 (LOG,              ! EIT$B_FILEID - Permanent data base file ID code
; 4496          P 4482   1 ENT_LOG,           ! EIT$W_DETAIL - NICE error detail entity code
; 4497          P 4483   1 NML$C_KEY_SINK,    ! EIT$W_KEY - Permanent data base search key
; 4498          P 4484   1 ESI,               ! EIT$B_DATABASE - Volatile data base ID
; 4499          P 4485   1 SNK,               ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 4500          P 4486   1                    !         a single entity
; 4501          P 4487   1 ,                  ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
; 4502          P 4488   1                    !         a single entity = wildcard
; 4503          P 4489   1 ,                  ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 4504          P 4490   1                    !         for KNOWN entities = wildcard
; 4505          P 4491   1 -1,                ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 4506          P 4492   1                    !         one value for KNOWN entities = no value.
; 4507          P 4493   1 ,                  ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 4508          P 4494   1                    !         for KNOWN entities = none.
; 4509          P 4495   1 NFB$C_OP_EQL,      ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 4510          P 4496   1
; 4511          P 4497   1 STA,               ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 4512          P 4498   1                    !         for ACTIVE entities = state.
; 4513          P 4499   1 0,                 ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 4514          P 4500   1                    !         one value for ACTIVE entities = longword.
; 4515          P 4501   1 NMA$C_STATE_OFF,   ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 4516          P 4502   1                    !         for ACTIVE entities = off.
; 4517          P 4503   1 NFB$C_OP_NEQ,      ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 4518          P 4504   1 SNK),              ! Parameter table for SET ALL
; 4520          P 4505   1 !
; 4521          P 4506   1 ! Node by address entity table (Index = NML$C_NODE)
; 4522          P 4507   1 !
; 4523          P 4508   1 (NODE,              ! EIT$B_FILEID - Permanent data base file ID code
; 4524          P 4509   1 ENT_NOD,            ! EIT$W_DETAIL - NICE error detail entity code
; 4525          P 4510   1 NMA$C_PCNO_ADD,     ! EIT$W_KEY - Permanent data base search key
; 4526          P 4511   1 NDI,                ! EIT$B_DATABASE - Volatile data base ID
; 4527          P 4512   1 ADD,                ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 4528          P 4513   1                     !         a single entity
; 4529          P 4514   1 ,                   ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
; 4530          P 4515   1                     !         a single entity = wildcard
; 4531          P 4516   1 ,                   ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 4532          P 4517   1                     !         for KNOWN entities = wildcard
; 4533          P 4518   1 -1,                 ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 4534          P 4519   1                     !         one value for KNOWN entities = no value.
; 4535          P 4520   1 ,                   ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 4536          P 4521   1                     !         for KNOWN entities = none.
; 4537          P 4522   1 NFB$C_OP_EQL,       ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 4538          P 4523   1
; 4539          P 4524   1 REA,                ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 4540          P 4525   1                     !         for ACTIVE entities = reachable.
; 4541          P 4526   1 0,                  ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 4542          P 4527   1                     !         one value for ACTIVE entities = longword.
; 4543          P 4528   1 1,                  ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 4544          P 4529   1                     !         for ACTIVE entities = on.
; 4545          P 4530   1 NFB$C_OP_EQL,       ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 4546          P 4531   1 NOD),               ! Parameter table for SET ALL
; 4548          P 4532   1 !
; 4549          P 4533   1 ! Node by name entity table (Index = NML$C_NODEBYNAME)
; 4550          P 4534   1 !
; 4551          P 4535   1 (NODE,           ! EIT$B_FILEID - Permanent data base file ID code
; 4552          P 4536   1 ENT_NOD,         ! EIT$W_DETAIL - NICE error detail entity code
; 4553          P 4537   1 NMA$C_PCNO_NNA,  ! EIT$W_KEY - Permanent data base search key
; 4554          P 4538   1 NDI,             ! EIT$B_DATABASE - Volatile data base ID
; 4555          P 4539   1 NNA,             ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 4556          P 4540   1                  !       a single entity = node name.
; 4557          P 4541   1 ,                ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
; 4558          P 4542   1                  !       a single entity = wildcard.
; 4559          P 4543   1 ,                ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 4560          P 4544   1                  !       for KNOWN entities = wildcard
; 4561          P 4545   1 -1,              ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 4562          P 4546   1                  !       one value for KNOWN entities = no value.
; 4563          P 4547   1 ,                ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 4564          P 4548   1                  !       for KNOWN entities = none.
; 4565          P 4549   1 NFB$C_OP_EQL,    ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 4566          P 4550   1
; 4567          P 4551   1 REA,             ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 4568          P 4552   1                  !       for ACTIVE entities = reachable.
; 4569          P 4553   1 0,               ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 4570          P 4554   1                  !       one value for ACTIVE entities = longword.
; 4571          P 4555   1 1,               ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 4572          P 4556   1                  !       for ACTIVE entities = on.
; 4573          P 4557   1 NFB$C_OP_EQL,    ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 4574          P 4558   1 NOD),            ! Parameter table for SET ALL
; 4576          P 4559   1 !
; 4577          P 4560   1 ! Loopnode entity table (Index = NML$C_LOOPNODE)
; 4578          P 4561   1 !
; 4579          P 4562   1 (NODE,              ! EIT$B_FILEID - Permanent data base file ID code
; 4580          P 4563   1 ENT_NOD,            ! EIT$W_DETAIL - NICE error detail entity code
; 4581          P 4564   1 NMN$C_TYP_KEY_REF,! EIT$W_KEY - Permanent data base search key
; 4582          P 4565   1 NDI,                ! EIT$B_DATABASE - Volatile data base ID
; 4583          P 4566   1 NNA,                ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 4584          P 4567   1                     !         a single entity = node name.
; 4585          P 4568   1 ,                   ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
; 4586          P 4569   1                     !         a single entity = wildcard.
; 4587          P 4570   1 LOO,                ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 4588          P 4571   1                     !         for KNOWN entities = loopnode bit.
; 4589          P 4572   1 0,                  ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 4590          P 4573   1                     !         one value for KNOWN entities = longword.
; 4591          P 4574   1 1,                  ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 4592          P 4575   1                     !         for KNOWN entities = on.
; 4593          P 4576   1 NFB$C_OP_EQL,       ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 4594          P 4577   1
; 4595          P 4578   1 LOO,                ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 4596          P 4579   1                     !         for ACTIVE entities = loopnode bit.
; 4597          P 4580   1 0,                  ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 4598          P 4581   1                     !         one value for ACTIVE entities = longword.
; 4599          P 4582   1 1,                  ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 4600          P 4583   1                     !         for ACTIVE entities = on.
; 4601          P 4584   1 NFB$C_OP_EQL,       ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 4602          P 4585   1 NOD),               ! Parameter table for SET ALL
; 4604          P 4586   1 !
; 4605          P 4587   1 ! Adjacent Nodes entity table (Index = NML$C_ADJACENT_NODE).  Used only
; 4606          P 4588   1 ! for SHOWs.
; 4607          P 4589   1 !
; 4608          P 4590   1 (,                  ! EIT$B_FILEID - Permanent data base file ID code
; 4609          P 4591   1 ENT_NOD,            ! EIT$W_DETAIL - NICE error detail entity code
; 4610          P 4592   1 ,                   ! EIT$W_KEY - Permanent data base search key
; 4611          P 4593   1 NDI,                ! EIT$B_DATABASE - Volatile data base ID
; 4612          P 4594   1 ,                   ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 4613          P 4595   1                     !         a single entity - not used
; 4614          P 4596   1 ,                   ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
; 4615          P 4597   1                     !         a single entity = wildcard
; 4616          P 4598   1 DHO,                ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 4617          P 4599   1                     !         for KNOWN entities = Destination hops
; 4618          P 4600   1 0,                  ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 4619          P 4601   1                     !         one value for KNOWN entities = no value.
; 4620          P 4602   1 1,                  ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 4621          P 4603   1                     !         for KNOWN entities = none.
; 4622          P 4604   1 NFB$C_OP_EQL,       ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 4623          P 4605   1
; 4624          P 4606   1 ,                   ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 4625          P 4607   1                     !         for ACTIVE entities = wildcard.
; 4626          P 4608   1 -1,                 ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 4627          P 4609   1                     !         one value for ACTIVE entities = no value.
; 4628          P 4610   1 ,                   ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 4629          P 4611   1                     !         for ACTIVE entities
; 4630          P 4612   1 NFB$C_OP_EQL,       ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 4631          P 4613   1 ),                  ! Parameter table for SET ALL
; 4633          P 4614   1 !
; 4634          P 4615   1 ! Executor entity table (Index = NML$C_EXECUTOR)
; 4635          P 4616   1 !
; 4636          P 4617   1 (NODE,                ! EIT$B_FILEID - Permanent data base file ID code
; 4637          P 4618   1 ENT_NOD,              ! EIT$W_DETAIL - NICE error detail entity code
; 4638          P 4619   1 NMN$C_TYP_KEY_REF,! EIT$W_KEY - Permanent data base search key
; 4639          P 4620   1 LNI,                  ! EIT$B_DATABASE - Volatile data base ID
; 4640          P 4621   1 ,                     ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 4641          P 4622   1                       !         a single entity = wildcard (there's only one entry).
; 4642          P 4623   1 ,                     ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
; 4643          P 4624   1                       !         a single entity = wildcard.
; 4644          P 4625   1 ,                     ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 4645          P 4626   1                       !         for KNOWN entities = wildcard
; 4646          P 4627   1 -1,                   ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 4647          P 4628   1                       !         one value for KNOWN entities = no value.
; 4648          P 4629   1 ,                     ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 4649          P 4630   1                       !         for KNOWN entities = none.
; 4650          P 4631   1 NFB$C_OP_EQL,         ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 4651          P 4632   1
; 4652          P 4633   1 ,                     ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 4653          P 4634   1                       !         for ACTIVE entities = wildcard
; 4654          P 4635   1 -1,                   ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 4655          P 4636   1                       !         one value for ACTIVE entities = no value.
; 4656          P 4637   1 ,                     ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 4657          P 4638   1                       !         for ACTIVE entities = null.
; 4658          P 4639   1 NFB$C_OP_EQL,         ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 4659          P 4640   1 EXE),                 ! Parameter table for SET ALL
; 4661      P 4641   1 !
; 4662      P 4642   1 ! Object entity table (Index = NML$C_OBJECT)
; 4663      P 4643   1 !
; 4664      P 4644   1 (OBJ,             ! EIT$B_FILEID - Permanent data base file ID code
; 4665      P 4645   1 SENT_OBJ,         ! EIT$W_DETAIL - NICE error detail entity code
; 4666      P 4646   1 NMA$C_PCOB_NAM,   ! EIT$W_KEY - Permanent data base search key
; 4667      P 4647   1 OBI,              ! EIT$B_DATABASE - Volatile data base ID
; 4668      P 4648   1 NAM,              ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 4669      P 4649   1                   !         a single entity = name.
; 4670      P 4650   1 ,                 ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
; 4671      P 4651   1                   !         a single entity = wildcard.
; 4672      P 4652   1 ,                 ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 4673      P 4653   1                   !         for KNOWN entities = wildcard
; 4674      P 4654   1 -1,               ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 4675      P 4655   1                   !         one value for KNOWN entities = no value.
; 4676      P 4656   1 ,                 ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 4677      P 4657   1                   !         for KNOWN entities = none.
; 4678      P 4658   1 NFB$C_OP_EQL,     ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 4679      P 4659   1
; 4680      P 4660   1 ,                 ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 4681      P 4661   1                   !         for ACTIVE entities = wildcard.
; 4682      P 4662   1 -1,               ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 4683      P 4663   1                   !         one value for ACTIVE entities = no value.
; 4684      P 4664   1 ,                 ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 4685      P 4665   1                   !         for ACTIVE entities = null.
; 4686      P 4666   1 NFB$C_OP_EQL,     ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 4687      P 4667   1 OBJ),             ! Parameter table for SET ALL
; 4689          P 4668   1 !
; 4690          P 4669   1 ! Circuit entity table (Index = NML$C_CIRCUIT)
; 4691          P 4670   1 !
; 4692          P 4671   1 (CIR,              ! EIT$B_FILEID - Permanent data base file ID code
; 4693          P 4672   1 ENT_CIR,           ! EIT$W_DETAIL - NICE error detail entity code
; 4694          P 4673   1 NML$C_KEY_CIR,     ! EIT$W_KEY - Permanent data base search key
; 4695          P 4674   1 CRI,               ! EIT$B_DATABASE - Volatile data base ID
; 4696          P 4675   1 NAM,               ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 4697          P 4676   1                    !         a single entity = name.
; 4698          P 4677   1 ,                  ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
; 4699          P 4678   1                    !         a single entity = wildcard.
; 4700          P 4679   1 ,                  ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 4701          P 4680   1                    !         for KNOWN entities = wildcard
; 4702          P 4681   1 -1,                ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 4703          P 4682   1                    !         one value for KNOWN entities = no value.
; 4704          P 4683   1 ,                  ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 4705          P 4684   1                    !         for KNOWN entities = none.
; 4706          P 4685   1 NFB$C_OP_EQL,      ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 4707          P 4686   1
; 4708          P 4687   1 STA,               ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 4709          P 4688   1                    !         for ACTIVE entities = state.
; 4710          P 4689   1 0,                 ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 4711          P 4690   1                    !         one value for ACTIVE entities = longword.
; 4712          P 4691   1 NMA$C_STATE_OFF,   ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 4713          P 4692   1                    !         for ACTIVE entities = off.
; 4714          P 4693   1 NFB$C_OP_NEQ,      ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 4715          P 4694   1 CIR),              ! Parameter table for SET ALL
; 4717      P 4695  1 !
; 4718      P 4696  1 ! Circuit Adjacency entity table (Index = NML$C_CIRCUIT_ADJACENT).  The
; 4719      P 4697  1 ! Circuit Adjacency database is useful on the NI, where there are many
; 4720      P 4698  1 ! nodes on a single circuit.  It's in the volatile database only and is read
; 4721      P 4699  1 ! only.
; 4722      P 4700  1 !
; 4723      P 4701  1 (,                   ! No permanent data base file.  Database is volatile RO.
; 4724      P 4702  1 ENT_CIR,             ! EIT$W_DETAIL - NICE error detail entity code
; 4725      P 4703  1 ,                    ! EIT$W_KEY - No permanent data base search key
; 4726      P 4704  1 AJI,                 ! EIT$B_DATABASE - Volatile data base ID
; 4727      P 4705  1 CIR,                 ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 4728      P 4706  1                      !         a single entity = circuit name.
; 4729      P 4707  1 ,                    ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
; 4730      P 4708  1                      !         a single entity = wildcard.
; 4731      P 4709  1 ,                    ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 4732      P 4710  1                      !         for KNOWN entities = wildcard
; 4733      P 4711  1 -1,                  ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 4734      P 4712  1                      !         one value for KNOWN entities = no value.
; 4735      P 4713  1 ,                    ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 4736      P 4714  1                      !         for KNOWN entities = none.
; 4737      P 4715  1 NFB$C_OP_EQL,        ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 4738      P 4716  1
; 4739      P 4717  1 REA,                 ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 4740      P 4718  1                      !         for ACTIVE entities = reachable nodes.
; 4741      P 4719  1 0,                   ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 4742      P 4720  1                      !         one value for ACTIVE entities = longword.
; 4743      P 4721  1 1,                   ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 4744      P 4722  1                      !         for ACTIVE entities = on.
; 4745      P 4723  1 NFB$C_OP_EQL,        ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 4746      P 4724  1 ),                   ! Parameter table for SET ALL
; 4747      P 4725  1
```

```
1 !
1 ! Circuit Service Adjacencies entity table (Index = NML$C_CIRCUIT_ADJ_SRV).  The
1 ! Circuit Service Adjacency database is used on the NI, where there are many
1 ! nodes on a single circuit.  It's in the volatile database only and is read
1 ! only.  It contains information about nodes which are being down line loaded,
1 ! upline dumped, etc. (service functions).
1 !
1 (,                    ! No permanent data base file.  Database is volatile RO.
1 ENT_CIR,              ! EIT$W_DETAIL - NICE error detail entity code
1 ,                     ! EIT$W_KEY - No permanent data base search key
1 $DI,                  ! EIT$B_DATABASE - Volatile data base ID
1 CIR,                  ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
1                       !         a single entity = circuit name.
1 ,                     ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
1                       !         a single entity = wildcard.
1 ,                     ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
1                       !         for KNOWN entities = wildcard
1 -1,                   ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
1                       !         one value for KNOWN entities = no value.
1 ,                     ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
1                       !         for KNOWN entities = none.
1 NFB$C_OP_EQL,         ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
1
1 ,                     ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
1                       !         for ACTIVE entities = reachable nodes.
1 -1,                   ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
1                       !         one value for ACTIVE entities = longword.
1 ,                     ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
1                       !         for ACTIVE entities = on.
1 NFB$C_OP_EQL,         ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
1 ),                    ! Parameter table for SET ALL
```

```
; 4781      P 4757  1 !
; 4782      P 4758  1 ! Area entity table (Index = NML$C_AREA)
; 4783      P 4759  1 ! For now, it's the same as for circuits, until it get's put in NMADEF and
; 4784      P 4760  1 ! NETUSR.
; 4785      P 4761  1 !
; 4786      P 4762  1 (,                  ! No permanent data base file.  Database is volatile RO.
; 4787      P 4763  1 ENT_ARE,            ! EIT$W_DETAIL - NICE error detail entity code
; 4788      P 4764  1 ,                   ! EIT$W_KEY - No permanent data base search key
; 4789      P 4765  1 ARI,                ! EIT$B_DATABASE - Volatile data base ID
; 4790      P 4766  1 ADD,                ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 4791      P 4767  1                     !         a single entity = name.
; 4792      P 4768  1 ,                   ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
; 4793      P 4769  1                     !         a single entity = wildcard.
; 4794      P 4770  1 ,                   ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 4795      P 4771  1                     !         for KNOWN entities = wildcard
; 4796      P 4772  1 -1,                 ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 4797      P 4773  1                     !         one value for KNOWN entities = no value.
; 4798      P 4774  1 ,                   ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 4799      P 4775  1                     !         for KNOWN entities = none.
; 4800      P 4776  1 NFB$C_OP_EQL,       ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 4801      P 4777  1
; 4802      P 4778  1 REA,                ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 4803      P 4779  1                     !         for ACTIVE entities = state.
; 4804      P 4780  1 0,                  ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 4805      P 4781  1                     !         one value for ACTIVE entities = longword.
; 4806      P 4782  1 1,                  ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 4807      P 4783  1                     !         for ACTIVE entities = on.
; 4808      P 4784  1 NFB$C_OP_EQL,       ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 4809      P 4785  1 ),                  ! Parameter table for SET ALL
; 4810      P 4786  1
; 4812          P 4787   1 !
; 4813          P 4788   1 ! X25-Access Network entity table (Index = NML$C_X25_ACCESS)
; 4814          P 4789   1 !
; 4815          P 4790   1 (X25,              ! EIT$B_FILEID - Permanent data base file ID code
; 4816          P 4791   1 ENT_MOD,           ! EIT$W_DETAIL - NICE error detail entity code
; 4817          P 4792   1 NML$C_KEY_X25_ACCESS,! EIT$W_KEY - Permanent data base search key
; 4818          P 4793   1 XAI,               ! EIT$B_DATABASE - Volatile data base ID
; 4819          P 4794   1 NET,               ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 4820          P 4795   1                    !         a single entity = network.
; 4821          P 4796   1 ,                  ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
; 4822          P 4797   1                    !         a single entity
; 4823          P 4798   1 ,                  ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 4824          P 4799   1                    !         for KNOWN entities = wildcard
; 4825          P 4800   1 -1,                ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 4826          P 4801   1                    !         one value for KNOWN entities = no value.
; 4827          P 4802   1 ,                  ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 4828          P 4803   1                    !         for KNOWN entities = none.
; 4829          P 4804   1 NFB$C_OP_EQL,      ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 4830          P 4805   1
; 4831          P 4806   1 ,                  ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 4832          P 4807   1                    !         for ACTIVE entities = state.
; 4833          P 4808   1 -1,                ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 4834          P 4809   1                    !         one value for ACTIVE entities = no value.
; 4835          P 4810   1 ,                  ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 4836          P 4811   1                    !         for ACTIVE entities = null.
; 4837          P 4812   1 NFB$C_OP_EQL,      ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 4838          P 4813   1 ACC),              ! Parameter table for SET ALL
; 4840      P 4814   1 !
; 4841      P 4815   1 ! X25-Protocol Network entity table (Index = NML$C_PROT_NET)
; 4842      P 4816   1 !
; 4843      P 4817   1 (X25,              ! EIT$B_FILEID - Permanent data base file ID code
; 4844      P 4818   1 ENT_MOD,           ! EIT$W_DETAIL - NICE error detail entity code
; 4845      P 4819   1 NMA$C_PCXP_NET,    ! EIT$W_KEY - Permanent data base search key
; 4846      P 4820   1 XNI,               ! EIT$B_DATABASE - Volatile data base ID
; 4847      P 4821   1 NET,               ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 4848      P 4822   1                    !         a single entity = network.
; 4849      P 4823   1 ,                  ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
; 4850      P 4824   1                    !         a single entity
; 4851      P 4825   1 ,                  ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 4852      P 4826   1                    !         for KNOWN entities = wildcard
; 4853      P 4827   1 -1,                ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 4854      P 4828   1                    !         one value for KNOWN entities = no value.
; 4855      P 4829   1 ,                  ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 4856      P 4830   1                    !         for KNOWN entities = none.
; 4857      P 4831   1 NFB$C_OP_EQL,      ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 4858      P 4832   1
; 4859      P 4833   1 ,                  ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 4860      P 4834   1                    !         for ACTIVE entities = state.
; 4861      P 4835   1 -1,                ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 4862      P 4836   1                    !         one value for ACTIVE entities = no value.
; 4863      P 4837   1 ,                  ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 4864      P 4838   1                    !         for ACTIVE entities = null.
; 4865      P 4839   1 NFB$C_OP_EQL,      ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 4866      P 4840   1 NET),              ! Parameter table for SET ALL
; 4868         P 4841   1 !
; 4869         P 4842   1 ! X25-Protocol DTE entity table (Index = NML$C_PROT_DTE)
; 4870         P 4843   1 !
; 4871         P 4844   1 (X25,             ! EIT$B_FILEID - Permanent data base file ID code
; 4872         P 4845   1 ENT_MOD,          ! EIT$W_DETAIL - NICE error detail entity code
; 4873         P 4846   1 NMA$C_PCXP_DTE,   ! EIT$W_KEY - Permanent data base search key
; 4874         P 4847   1 XDI,              ! EIT$B_DATABASE - Volatile data base ID
; 4875         P 4848   1 DTE,              ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 4876         P 4849   1                   !          a single entity = DTE number.
; 4877         P 4850   1 ,                 ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
; 4878         P 4851   1                   !          a single entity = wildcard.
; 4879         P 4852   1 ,                 ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 4880         P 4853   1                   !          for KNOWN entities = wildcard
; 4881         P 4854   1 -1,               ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 4882         P 4855   1                   !          one value for KNOWN entities = no value.
; 4883         P 4856   1 ,                 ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 4884         P 4857   1                   !          for KNOWN entities = none.
; 4885         P 4858   1 NFB$C_OP_EQL,     ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 4886         P 4859   1
; 4887         P 4860   1 ,                 ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 4888         P 4861   1                   !          for ACTIVE entities = wildcard.
; 4889         P 4862   1 -1,               ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 4890         P 4863   1                   !          one value for ACTIVE entities = no value.
; 4891         P 4864   1 ,                 ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 4892         P 4865   1                   !          for ACTIVE entities = null.
; 4893         P 4866   1 NFB$C_OP_EQL,     ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 4894         P 4867   1 DTE),             ! Parameter table for SET ALL
; 4896        P 4868   1 !
; 4897        P 4869   1 ! X25-Protocol Group entity table (Index = NML$C_PROT_GRP)
; 4898        P 4870   1 !
; 4899        P 4871   1 (X25,              ! EIT$B_FILEID - Permanent data base file ID code
; 4900        P 4872   1 ENT_MOD,           ! EIT$W_DETAIL - NICE error detail entity code
; 4901        P 4873   1 NMA$C_PCXP_GRP,    ! EIT$W_KEY - Permanent data base search key
; 4902        P 4874   1 XGI,               ! EIT$B_DATABASE - Volatile data base ID
; 4903        P 4875   1 GRP,               ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 4904        P 4876   1                    !       a single entity = group name.
; 4905        P 4877   1 GDT,               ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
; 4906        P 4878   1                    !       a single entity = DTE number.
; 4907        P 4879   1 ,                  ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 4908        P 4880   1                    !       for KNOWN entities = wildcard
; 4909        P 4881   1 -1,                ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 4910        P 4882   1                    !       one value for KNOWN entities = no value.
; 4911        P 4883   1 ,                  ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 4912        P 4884   1                    !       for KNOWN entities = none.
; 4913        P 4885   1 NFB$C_OP_EQL,      ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 4914        P 4886   1                    !
; 4915        P 4887   1 ,                  ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 4916        P 4888   1                    !       for ACTIVE entities = wildcard.
; 4917        P 4889   1 -1,                ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 4918        P 4890   1                    !       one value for ACTIVE entities = longword.
; 4919        P 4891   1 ,                  ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 4920        P 4892   1                    !       for ACTIVE entities = null.
; 4921        P 4893   1 NFB$C_OP_EQL,      ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 4922        P 4894   1 GRP),              ! Parameter table for SET ALL
; 4924        P 4895   1 !
; 4925        P 4896   1 ! X25-Server entity table (Index = NML$C_X25_SERV)
; 4926        P 4897   1 !
; 4927        P 4898   1 (X25,              ! EIT$B_FILEID - Permanent data base file ID code
; 4928        P 4899   1 ENT_MOD,           ! EIT$W_DETAIL - NICE error detail entity code
; 4929        P 4900   1 NML$C_KEY_X25_SERV,      ! EIT$W_KEY - Permanent data base search key
; 4930        P 4901   1 XS5,               ! EIT$B_DATABASE - Volatile data base ID
; 4931        P 4902   1 ,                  ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 4932        P 4903   1                    !         a single entity = wildcard.
; 4933        P 4904   1 ,                  ! EIT$L_SRCH_ID2 - Volatile data base search key twc ID for
; 4934        P 4905   1                    !         a single entity = wildcard
; 4935        P 4906   1 ,                  ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 4936        P 4907   1                    !         for KNOWN entities = wildcard
; 4937        P 4908   1 -1,                ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 4938        P 4909   1                    !         one value for KNOWN entities = no value.
; 4939        P 4910   1 ,                  ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 4940        P 4911   1                    !         for KNOWN entities = none.
; 4941        P 4912   1 NFB$C_OP_EQL,      ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 4942        P 4913   1
; 4943        P 4914   1 ,                  ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 4944        P 4915   1                    !         for ACTIVE entities = wildcard.
; 4945        P 4916   1 -1,                ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 4946        P 4917   1                    !         one value for ACTIVE entities = no value.
; 4947        P 4918   1 ,                  ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 4948        P 4919   1                    !         for ACTIVE entities = null.
; 4949        P 4920   1 NFB$C_OP_EQL,      ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 4950        P 4921   1 SV5),              ! Parameter table for SET ALL
; 4952        P 4922   1 !
; 4953        P 4923   1 ! X25-Server Destination entity table (Index = NML$C_X25_SERV_DEST)
; 4954        P 4924   1 !
; 4955        P 4925   1 (X25,              ! EIT$B_FILEID - Permanent data base file ID code
; 4956        P 4926   1 ENT_MOD,           ! EIT$W_DETAIL - NICE error detail entity code
; 4957        P 4927   1 NMA$C_PCXS_DST,    ! EIT$W_KEY - Permanent data base search key
; 4958        P 4928   1 XD5,               ! EIT$B_DATABASE - Volatile data base ID
; 4959        P 4929   1 DST,               ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 4960        P 4930   1                    !         a single entity = destination.
; 4961        P 4931   1 ,                  ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
; 4962        P 4932   1                    !         a single entity = wildcard
; 4963        P 4933   1 ,                  ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 4964        P 4934   1                    !         for KNOWN entities = wildcard
; 4965        P 4935   1 -1,                ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 4966        P 4936   1                    !         one value for KNOWN entities = no value.
; 4967        P 4937   1 ,                  ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 4968        P 4938   1                    !         for KNOWN entities = none.
; 4969        P 4939   1 NFB$C_OP_EQL,      ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 4970        P 4940   1
; 4971        P 4941   1 ,                  ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 4972        P 4942   1                    !         for ACTIVE entities = wildcard.
; 4973        P 4943   1 -1,                ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 4974        P 4944   1                    !         one value for ACTIVE entities = no value.
; 4975        P 4945   1 ,                  ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 4976        P 4946   1                    !         for ACTIVE entities = none.
; 4977        P 4947   1 NFB$C_OP_EQL,      ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 4978        P 4948   1 DST5),             ! Parameter table for SET ALL
; 4979        P 4949   1
; 4981     P 4950  1 !
; 4982     P 4951  1 ! X25 Trace entity table (Index = NML$C_TRACE)
; 4983     P 4952  1 !
; 4984     P 4953  1 (X25,             ! EIT$B_FILEID - Permanent data base file ID code
; 4985     P 4954  1 ENT_MOD,          ! EIT$W_DETAIL - NICE error detail entity code
; 4986     P 4955  1 NML$C_KEY_TRACE,  ! EIT$W_KEY - Permanent data base search key
; 4987     P 4956  1 XTI,              ! EIT$B_DATABASE - Volatile data base ID
; 4988     P 4957  1 ,                 ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 4989     P 4958  1                   !         a single entity = wildcard.
; 4990     P 4959  1 ,                 ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
; 4991     P 4960  1                   !         a single entity = wildcard
; 4992     P 4961  1 ,                 ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 4993     P 4962  1                   !         for KNOWN entities = wildcard
; 4994     P 4963  1 -1,               ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 4995     P 4964  1                   !         one value for KNOWN entities = no value.
; 4996     P 4965  1 ,                 ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 4997     P 4966  1                   !         for KNOWN entities = none.
; 4998     P 4967  1 NFB$C_OP_EQL,     ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 4999     P 4968  1
; 5000     P 4969  1 ,                 ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 5001     P 4970  1                   !         for ACTIVE entities = wildcard.
; 5002     P 4971  1 -1,               ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 5003     P 4972  1                   !         one value for ACTIVE entities = no value.
; 5004     P 4973  1 ,                 ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 5005     P 4974  1                   !         for ACTIVE entities = none.
; 5006     P 4975  1 NFB$C_OP_EQL,     ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 5007     P 4976  1 TRA),             ! Parameter table for SET ALL
; 5008     P 4977  1
```

```
: 5010      P 4978  1 !
: 5011      P 4979  1 ! X25 Tracepoint entity table (Index = NML$C_TRACE)
: 5012      P 4980  1 !
: 5013      P 4981  1 (X25,               ! EIT$B_FILEID - Permanent data base file ID code
: 5014      P 4982  1 ENT_MOD,            ! EIT$W_DETAIL - NICE error detail entity code
: 5015      P 4983  1 NMA$C_PCXT_TPT,     ! EIT$W_KEY - Permanent data base search key
: 5016      P 4984  1 XTT,                ! EIT$B_DATABASE - Volatile data base ID
: 5017      P 4985  1 TPT,                ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
: 5018      P 4986  1                     !         a single entity = tracepoint name.
: 5019      P 4987  1 ,                   ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
: 5020      P 4988  1                     !         a single entity = wildcard
: 5021      P 4989  1 ,                   ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
: 5022      P 4990  1                     !         for KNOWN entities = wildcard
: 5023      P 4991  1 -1,                 ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
: 5024      P 4992  1                     !         one value for KNOWN entities = no value.
: 5025      P 4993  1 ,                   ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
: 5026      P 4994  1                     !         for KNOWN entities = none.
: 5027      P 4995  1 NFB$C_OP_EQL,       ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
: 5028      P 4996  1
: 5029      P 4997  1 ,                   ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
: 5030      P 4998  1                     !         for ACTIVE entities = wildcard.
: 5031      P 4999  1 -1,                 ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
: 5032      P 5000  1                     !         one value for ACTIVE entities = no value.
: 5033      P 5001  1 ,                   ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
: 5034      P 5002  1                     !         for ACTIVE entities = none.
: 5035      P 5003  1 NFB$C_OP_EQL,       ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
: 5036      P 5004  1 TPT),               ! Parameter table for SET ALL
: 5037      P 5005  1
```

```
; 5039          P 5006   1 !
; 5040          P 5007   1 ! X29-Server entity table (Index = NML$C_X29_SERV)
; 5041          P 5008   1 !
; 5042          P 5009   1 (X29,               ! EIT$B_FILEID - Permanent data base file ID code
; 5043          P 5010   1 ENT_MOD,            ! EIT$W_DETAIL - NICE error detail entity code
; 5044          P 5011   1 NML$C_KEY_X29_SERV,     ! EIT$W_KEY - Permanent data base search key
; 5045          P 5012   1 XS9,                ! EIT$B_DATABASE - Volatile data base ID
; 5046          P 5013   1 ,                   ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 5047          P 5014   1                     !         a single entity = wildcard.
; 5048          P 5015   1 ,                   ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
; 5049          P 5016   1                     !         a single entity = wildcard
; 5050          P 5017   1 ,                   ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 5051          P 5018   1                     !         for KNOWN entities = wildcard
; 5052          P 5019   1 -1,                 ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 5053          P 5020   1                     !         one value for KNOWN entities = no value.
; 5054          P 5021   1 ,                   ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 5055          P 5022   1                     !         for KNOWN entities = none.
; 5056          P 5023   1 NFB$C_OP_EQL,       ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 5057          P 5024   1
; 5058          P 5025   1 ,                   ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 5059          P 5026   1                     !         for ACTIVE entities = wildcard.
; 5060          P 5027   1 -1,                 ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 5061          P 5028   1                     !         one value for ACTIVE entities = no value.
; 5062          P 5029   1 ,                   ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 5063          P 5030   1                     !         for ACTIVE entities = null.
; 5064          P 5031   1 NFB$C_OP_EQL,       ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 5065          P 5032   1 SV9),               ! Parameter table for SET ALL
; 5067          P 5033   1 !
; 5068          P 5034   1 ! X29-Server Destination entity table (Index = NML$C_X29_SERV_DEST)
; 5069          P 5035   1 !
; 5070          P 5036   1 (X29,                 ! EIT$B_FILEID - Permanent data base file ID code
; 5071          P 5037   1 ENT_MOD,              ! EIT$W_DETAIL - NICE error detail entity code
; 5072          P 5038   1 NMA$C_PCXS_DST,       ! EIT$W_KEY - Permanent data base search key
; 5073          P 5039   1 XD9,                  ! EIT$B_DATABASE - Volatile data base ID
; 5074          P 5040   1 DST,                  ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 5075          P 5041   1                       !       a single entity = destination.
; 5076          P 5042   1 ,                     ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
; 5077          P 5043   1                       !       a single entity = wildcard
; 5078          P 5044   1 ,                     ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 5079          P 5045   1                       !       for KNOWN entities = wildcard
; 5080          P 5046   1 -1,                   ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 5081          P 5047   1                       !       one value for KNOWN entities = no value.
; 5082          P 5048   1 ,                     ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 5083          P 5049   1                       !       for KNOWN entities = none.
; 5084          P 5050   1 NFB$C_OP_EQL,         ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 5085          P 5051   1
; 5086          P 5052   1 ,                     ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 5087          P 5053   1                       !       for ACTIVE entities = wildcard.
; 5088          P 5054   1 -1,                   ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 5089          P 5055   1                       !       one value for ACTIVE entities = no value.
; 5090          P 5056   1 ,                     ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 5091          P 5057   1                       !       for ACTIVE entities = none.
; 5092          P 5058   1 NFB$C_OP_EQL,         ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 5093          P 5059   1 DST9),                ! Parameter table for SET ALL
; 5095        P 5060  1 !
; 5096        P 5061  1 ! Configurator module entity table (Index = NML$C_CONFIG)
; 5097        P 5062  1 ! Volatile database is maintained by Configurator Module rather than NETACP,
; 5098        P 5063  1 ! and is accessed via a logical link using NICE.  Therefore, none of the
; 5099        P 5064  1 ! fields for issuing QIOs to NETACP are useful here.
; 5100        P 5065  1 !
; 5101        P 5066  1 (CNF,             ! EIT$B_FILEID - Permanent data base file ID code
; 5102        P 5067  1 ENT_MOD,          ! EIT$W_DETAIL - NICE error detail entity code
; 5103        P 5068  1 NMA$C_PCCN_CIR,   ! EIT$W_KEY - Permanent data base search key
; 5104        P 5069  1 ,                 ! EIT$B_DATABASE - Volatile data base ID
; 5105        P 5070  1 ,                 ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 5106        P 5071  1                   !         a single entity.
; 5107        P 5072  1 ,                 ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
; 5108        P 5073  1                   !         a single entity.
; 5109        P 5074  1 ,                 ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 5110        P 5075  1                   !         for KNOWN entities.
; 5111        P 5076  1 0,                ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 5112        P 5077  1                   !         one value for KNOWN entities = no value.
; 5113        P 5078  1 ,                 ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 5114        P 5079  1                   !         for KNOWN entities.
; 5115        P 5080  1 0,                ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 5116        P 5081  1
; 5117        P 5082  1 ,                 ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 5118        P 5083  1                   !         for ACTIVE entities.
; 5119        P 5084  1 0,                ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 5120        P 5085  1                   !         one value for ACTIVE entities.
; 5121        P 5086  1 ,                 ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 5122        P 5087  1                   !         for ACTIVE entities.
; 5123        P 5088  1 0,                ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 5124        P 5089  1 CNF),             ! Parameter table for SET ALL
; 5126          P 5090  1 !
; 5127          P 5091  1 ! Link entity table (Index = NML$C_LINK)
; 5128          P 5092  1 !
; 5129          P 5093  1 (,                 ! EIT$B_FILEID - No permanent data base file ID code
; 5130          P 5094  1 $ENT_LNK,          ! EIT$W_DETAIL - NICE error detail entity code
; 5131          P 5095  1 ,                  ! EIT$W_KEY - No permanent data base search key
; 5132          P 5096  1 LLI,               ! EIT$B_DATABASE - Volatile data base ID
; 5133          P 5097  1 LLN,               ! EIT$L_SRCH_ID1 - Volatile data base search key one ID for
; 5134          P 5098  1                    !         a single entity = logical link number.
; 5135          P 5099  1 ,                  ! EIT$L_SRCH_ID2 - Volatile data base search key two ID for
; 5136          P 5100  1                    !         a single entity = wildcard
; 5137          P 5101  1 ,                  ! EIT$L_KNO_SRCH_ID1 - Volatile data base search key one ID
; 5138          P 5102  1                    !         for KNOWN entities = wildcard
; 5139          P 5103  1 -1,                ! EIT$L_KNO_SRCH_LEN1 - Volatile data base length of search
; 5140          P 5104  1                    !         one value for KNOWN entities = no value.
; 5141          P 5105  1 ,                  ! EIT$L_KNO_SRCH_VAL1 -  Volatile data base search one value
; 5142          P 5106  1                    !         for KNOWN entities = none.
; 5143          P 5107  1 NFB$C_OP_EQL,      ! EIT$B_KNO_OPER1 - Sense of search one for KNOWN.
; 5144          P 5108  1
; 5145          P 5109  1 ,                  ! EIT$L_ACT_SRCH_ID1 - Volatile data base search key one ID
; 5146          P 5110  1                    !         for ACTIVE entities = wildcard.
; 5147          P 5111  1 -1,                ! EIT$L_ACT_SRCH_LEN1 - Volatile data base length of search
; 5148          P 5112  1                    !         one value for ACTIVE entities = no value.
; 5149          P 5113  1 ,                  ! EIT$L_ACT_SRCH_VAL1 - Volatile data base search one value
; 5150          P 5114  1                    !         for ACTIVE entities = none.
; 5151          P 5115  1 NFB$C_OP_EQL,      ! EIT$B_ACT_OPER1 - Sense of search one for ACTIVE.
; 5152          P 5116  1 ),                 ! No parameter table for SET ALL
; 5153          P 5117  1
; 5154            5118  1     );  ! End of NML$AB_ENTITYDATA  (Entity Table)
; 5155            5119  1
; 5156            5120  1 UNDECLARE
; 5157            5121  1     %QUOTE $ENTDATA,
; 5158            5122  1     %QUOTE $EXP,
; 5159            5123  1     %QUOTE $ENTRY;
; 5161            5124    1 %SBTTL 'QIO parameter mapping tables'
; 5162            5125    1 !
; 5163            5126    1 ! Tables to map returned QIO parameter ID's to NICE parameter ID's for
; 5164            5127    1 ! QIO error reporting.
; 5165            5128    1 !
; 5166            5129    1
; 5167            5130    1 !
; 5168            5131    1 ! Parameter list definition macro.
; 5169            5132    1 !
; 5170            5133    1 MACRO
; 5171          M 5134    1     PRM_MAP (TAB, TYP) []  =
; 5172          M 5135    1
; 5173          M 5136    1         SWITCHES UNAMES;
; 5174          M 5137    1         PSECT
; 5175          M 5138    1             PLIT = NML$QIOPRMMAP;
; 5176          M 5139    1
; 5177          M 5140    1         GLOBAL BIND
; 5178          M 5141    1             %NAME ('NML$GQ_', TAB, 'MAPDES') =
; 5179          M 5142    1                 UPLIT ( (%LENGTH - 2) / 2,
; 5180          M 5143    1                         UPLIT BYTE ($DEXTN (TAB, TYP, %REMAINING)));
; 5181          M 5144    1
; 5182          M 5145    1         PSECT PLIT = $PLIT$;
; 5183          M 5146    1         SWITCHES NOUNAMES;
; 5184            5147    1     %,
; 5185            5148    1
; 5186          M 5149    1     $DEXTN (TAB, TYP) [QP, PRM] =
; 5187          M 5150    1                 LONG ($FIELD_ID( TAB, QP)),
; 5188          M 5151    1                 WORD (%NAME ('PST$K_', TYP, '_', PRM))
; 5189            5152    1     %;
; 5190            5153    1 !
; 5191            5154    1 ! Initialize psect.
; 5192            5155    1 !
; 5193            5156    1 PSECT
; 5194            5157    1     OWN = NML$QIOPRMMAP (NOWRITE, ALIGN(0));
; 5195            5158    1 OWN
; 5196            5159    1     $Z : VECTOR [0];
; 5197            5160    1 PSECT
; 5198            5161    1     OWN = $OWN$;
; 5199            5162    1 UNDECLARE
; 5200            5163    1     $Z;
; 5201            5164    1 !
; 5202            5165    1 ! Circuit parameters.
; 5203            5166    1 !
; 5204          P 5167    1     PRM_MAP (CRI, PCCI
; 5205          P 5168    1
; 5206          P 5169    1           ,STA,    STA       ! State
; 5207          P 5170    1           ,SUB,    SUB       ! Substate
; 5208          P 5171    1           ,SER,    SER       ! Service state
; 5209          P 5172    1           ,LCT,    LCT       ! Counter timer
; 5210          P 5173    1 !?        ,CNO,    CNO       ! Connected node
; 5211          P 5174    1 !?        ,COB,    COB       ! Connected object
; 5212          P 5175    1           ,LOO,    LOO       ! Loopback name
; 5213          P 5176    1 !?        ,PNN,    ADJ       ! Adjacent node
; 5214          P 5177    1           ,DRT,    DRT       ! Designated router
; 5215          P 5178    1           ,BLO,    BLO       ! Block size
; 5216          P 5179    1           ,COS,    COS       ! Cost
; 5217          P 5180    1           ,MRT,    MRT       ! Maximum routers on NI
; 5218       P 5181  1          ,RPR,   RPR     ! Router priority on NI
; 5219       P 5182  1          ,HET,   HET     ! Hello timer
; 5220       P 5183  1          ,LIT,   LIT     ! Listen timer
; 5221       P 5184  1          ,BLK,   BLK     ! Blocking
; 5222       P 5185  1          ,MRC,   MRC     ! Maximum recalls
; 5223       P 5186  1          ,RCT,   RCT     ! Recall timer
; 5224       P 5187  1          ,NUM,   NUM     ! Number
; 5225       P 5188  1 !?       ,USR,   USR     ! User
; 5226       P 5189  1          ,POL,   POL     ! Polling state
; 5227       P 5190  1          ,PLS,   PLS     ! Polling substate
; 5228       P 5191  1          ,DLM,   OWN     ! Data Link Mapping => Owner entity id
; 5229       P 5192  1          ,USE,   USE     ! Usage
; 5230       P 5193  1          ,TYP,   TYP     ! Type
; 5231       P 5194  1          ,DTE,   DTE     ! DTE
; 5232       P 5195  1          ,CHN,   CHN     ! Channel
; 5233       P 5196  1          ,MBL,   MBL     ! Maximum block
; 5234       P 5197  1          ,MWI,   MWI     ! Maximum window
; 5235       P 5198  1          ,TRI,   TRI     ! Tributary
; 5236       P 5199  1          ,BBT,   BBT     ! Babble timer
; 5237       P 5200  1          ,TRT,   TRT     ! Transmit timer
; 5238       P 5201  1          ,MRB,   MRB     ! Maximum receive buffers
; 5239       P 5202  1          ,MTR,   MTR     ! Maximum transmits
; 5240       P 5203  1          ,ACB,   ACB     ! Active base
; 5241       P 5204  1          ,ACI,   ACI     ! Active increment
; 5242       P 5205  1          ,IAB,   IAB     ! Inactive base
; 5243       P 5206  1          ,IAI,   IAI     ! Inactive increment
; 5244       P 5207  1          ,IAT,   IAT     ! Inactive threshold
; 5245       P 5208  1          ,DYB,   DYB     ! Dying base
; 5246       P 5209  1          ,DYI,   DYI     ! Dying increment
; 5247       P 5210  1          ,DYT,   DYT     ! Dying threshold
; 5248       P 5211  1          ,DTH,   DTH     ! Dead threshold
; 5249       P 5212  1          ,VER,   VER     ! Verification
; 5250       P 5213  1          ,XPT,   XPT     ! Transport protocol
; 5251       P 5214  1
; 5252         5215  1          );
; 5253         5216  1
; 5254         5217  1 !
; 5255         5218  1 ! Line parameters.
; 5256         5219  1 !
; 5257       P 5220  1     PRM_MAP (PLI, PCLI
; 5258       P 5221  1
; 5259       P 5222  1          ,STA,   STA     ! State
; 5260       P 5223  1          ,SUB,   SUB     ! Substate
; 5261       P 5224  1          ,SER,   SER     ! Service
; 5262       P 5225  1          ,LCT,   LCT     ! Counter timer
; 5263       P 5226  1          ,BFN,   BFN     ! Number of buffers
; 5264       P 5227  1          ,CON,   CON     ! Controller
; 5265       P 5228  1          ,DUP,   DUP     ! Duplex
; 5266       P 5229  1          ,PRO,   PRO     ! Type
; 5267       P 5230  1          ,CLO,   CLO     ! Clock
; 5268       P 5231  1          ,STI,   STI     ! Service timer
; 5269       P 5232  1          ,RTT,   RTT     ! Retransmit timer
; 5270       P 5233  1          ,HTI,   HTI     ! Holdback timer
; 5271       P 5234  1          ,MBL,   MBL     ! Maximum block
; 5272       P 5235  1          ,MRT,   MRT     ! Maximum retransmits
; 5273       P 5236  1          ,MWI,   MWI     ! Maximum window
; 5274       P 5237  1          ,SLT,   SLT     ! Scheduling timer
; 5275      P 5238  1           ,DDT,   DDT     ! Dead timer
; 5276      P 5239  1           ,DLT,   DLT     ! Delay timer
; 5277      P 5240  1           ,SRT,   SRT     ! Stream timer
; 5278      P 5241  1           ,HWA,   HWA     ! Hardware address on NI
; 5279      P 5242  1           ,MCD,   MCD     ! Microcode dump filespec (WO)
; 5280      P 5243  1           ,MOD,   XMD     ! PCL address mode
; 5281      P 5244  1
; 5282        5245  1           );
; 5283        5246  1 !
; 5284        5247  1 ! Logging parameters.
; 5285        5248  1 !
; 5286      P 5249  1 PRM_MAP (EFI, PCLO
; 5287      P 5250  1
; 5288      P 5251  1           ,SIN,   SIN     ! Sink node
; 5289      P 5252  1           ,EVE,   EVE     ! Events
; 5290      P 5253  1
; 5291        5254  1           );
; 5292        5255  1
; 5293      P 5256  1 PRM_MAP (ESI, PCLO
; 5294      P 5257  1
; 5295      P 5258  1           ,STA,   STA     ! State
; 5296      P 5259  1           ,LNA,   LNA     ! Name
; 5297      P 5260  1
; 5298        5261  1           );
; 5299        5262  1 !
; 5300        5263  1 ! Executor parameters.
; 5301        5264  1 !
; 5302      P 5265  1 PRM_MAP (LNI, PCNO
; 5303      P 5266  1
; 5304      P 5267  1           ,STA,   STA     ! State
; 5305      P 5268  1           ,IDE,   IDE     ! Identification
; 5306      P 5269  1           ,ADD,   ADD     ! Address
; 5307      P 5270  1           ,ITI,   ITI     ! Incoming timer
; 5308      P 5271  1           ,OTI,   OTI     ! Outgoing timer
; 5309      P 5272  1           ,NVE,   NVE     ! NSP version
; 5310      P 5273  1           ,MLK,   MLK     ! Maximum links
; 5311      P 5274  1           ,DFA,   DFA     ! Delay factor
; 5312      P 5275  1           ,DWE,   DWE     ! Delay weight
; 5313      P 5276  1           ,IAT,   IAT     ! Inactivity timer
; 5314      P 5277  1           ,RFA,   RFA     ! Retransmit factor
; 5315      P 5278  1           ,RVE,   RVE     ! Routing version
; 5316      P 5279  1           ,ETY,   ETY     ! Type
; 5317      P 5280  1           ,RTI,   RTI     ! Routing timer
; 5318      P 5281  1           ,SAD,   SAD     ! Subaddresses
; 5319      P 5282  1           ,BRT,   BRT     ! Broadcast routing timer
; 5320      P 5283  1           ,MAD,   MAD     ! Maximum address
; 5321      P 5284  1           ,MLN,   MLN     ! Maximum lines
; 5322      P 5285  1           ,MCO,   MCO     ! Maximum cost
; 5323      P 5286  1           ,MHO,   MHO     ! Maximum hops
; 5324      P 5287  1           ,MVI,   MVI     ! Maximum visits
; 5325      P 5288  1           ,MAR,   MAR     ! Maximum areas
; 5326      P 5289  1           ,MBE,   MBE     ! Maximum broadcast endnodes
; 5327      P 5290  1           ,MBR,   MBR     ! Maximum broadcast routers
; 5328      P 5291  1           ,AMC,   AMC     ! Area maximum cost
; 5329      P 5292  1           ,AMH,   AMH     ! Area maximum hops
; 5330      P 5293  1           ,MBU,   MBU     ! Maximum buffers
; 5331      P 5294  1           ,BUS,   BUS     ! Buffer size
; 5332        P 5295  1             ,SBS,   SBS     ! Segment buffer size
; 5333        P 5296  1             ,DAC,   DAC     ! Default access
; 5334        P 5297  1             ,PIQ,   PIQ     ! Pipeline quota
; 5335        P 5298  1             ,ALI,   ALI     ! Node alias
; 5336        P 5299  1             ,DPX,   DPX     ! Default proxy access
; 5337        P 5300  1
; 5338          5301  1             );
; 5339          5302  1 !
; 5340          5303  1 ! Node parameters.
; 5341          5304  1 !
; 5342        P 5305  1 PRM_MAP (NDI, PCNO
; 5343        P 5306  1
; 5344        P 5307  1             ,REA,   STA     ! State
; 5345        P 5308  1             ,SLI,   SLI     ! Service circuit
; 5346        P 5309  1             ,SPA,   SPA     ! Service password
; 5347        P 5310  1             ,SDV,   SDV     ! Service device
; 5348        P 5311  1             ,CPU,   CPU     ! CPU type
; 5349        P 5312  1             ,HWA,   HWA     ! Hardware address on NI
; 5350        P 5313  1             ,SNV,   SNV     ! Service node version
; 5351        P 5314  1             ,LOA,   LOA     ! Load file
; 5352        P 5315  1             ,SLO,   SLO     ! Secondary loader
; 5353        P 5316  1             ,TLO,   TLO     ! Tertiary loader
; 5354        P 5317  1             ,DFL,   DFL     ! Diagnostic file
; 5355        P 5318  1             ,STY,   STY     ! Software type
; 5356        P 5319  1             ,SID,   SID     ! Software id
; 5357        P 5320  1             ,DUM,   DUM     ! Dump file
; 5358        P 5321  1             ,SDU,   SDU     ! Secondary dumper
; 5359        P 5322  1             ,DAD,   DAD     ! Dump address
; 5360        P 5323  1             ,DCT,   DCT     ! Dump count
; 5361        P 5324  1             ,IHO,   IHO     ! Host
; 5362        P 5325  1             ,CTI,   CTI     ! Counter timer
; 5363        P 5326  1             ,NNA,   NNA     ! Name
; 5364        P 5327  1             ,LOO,   NLI     ! Line
; 5365        P 5328  1             ,ADD,   ADD     ! Address
; 5366        P 5329  1             ,ACL,   ACL     ! Active links
; 5367        P 5330  1             ,DEL,   DEL     ! Delay
; 5368        P 5331  1             ,DTY,   DTY     ! Destination node type
; 5369        P 5332  1             ,DCO,   DCO     ! Cost
; 5370        P 5333  1             ,DHO,   DHO     ! Hops
; 5371        P 5334  1             ,NLI,   DLI     ! Line
; 5372        P 5335  1             ,PUS,   PUS     ! Privileged user id
; 5373        P 5336  1             ,PAC,   PAC     ! Privileged account
; 5374        P 5337  1             ,PPW,   PPW     ! Privileged password
; 5375        P 5338  1             ,NUS,   NUS     ! Non-privileged user id
; 5376        P 5339  1             ,NAC,   NAC     ! Non-privileged account
; 5377        P 5340  1             ,NPW,   NPW     ! Non-privileged password
; 5378        P 5341  1             ,RPA,   RPA     ! Receive password
; 5379        P 5342  1             ,TPA,   TPA     ! Transmit password
; 5380        P 5343  1             ,ACC,   ACC     ! Access
; 5381        P 5344  1             ,PRX,   PRX     ! Proxy access
; 5382        P 5345  1
; 5383          5346  1             );
; 5384          5347  1 !
; 5385          5348  1 ! Map Area Network NETACP parameters to NICE.
; 5386          5349  1 !
; 5387        P 5350  1 PRM_MAP (ARI, PCAR
; 5388        P 5351  1             ,REA,   STA     ! State
;  5389      P 5352  1              ,DCO,    COS        ! Cost
;  5390      P 5353  1              ,DHO,    HOP        ! Hops
;  5391      P 5354  1              ,DLI,    CIR        ! Circuit
;  5392      P 5355  1              ,NND,    NND        ! Next node to area
;  5393        5356  1              );
;  5394        5357  1
;  5395        5358  1 !
;  5396        5359  1 ! Map X-25 Access Module Network parameters to NICE
;  5397        5360  1 !
;  5398      P 5361  1 PRM_MAP (XAI, PCXA
;  5399      P 5362  1
;  5400      P 5363  1              ,NDA,    NOD        ! Node number
;  5401      P 5364  1              ,USR,    USR        ! User
;  5402      P 5365  1              ,PSW,    PSW        ! Password
;  5403      P 5366  1              ,ACC,    ACC        ! Account
;  5404      P 5367  1
;  5405        5368  1              );
;  5406        5369  1 !
;  5407        5370  1 ! Map X-25 Protocol Network NETACP parameters to NICE
;  5408        5371  1 !
;  5409      P 5372  1 PRM_MAP (XNI, PCXP
;  5410      P 5373  1              ,NET,    NET        ! Network
;  5411      P 5374  1              ,DBL,    DBL        ! Default block
;  5412      P 5375  1              ,DWI,    DWI        ! Default window
;  5413      P 5376  1              ,MBL,    MBL        ! Maximum block
;  5414      P 5377  1              ,MWI,    MWI        ! Maximum window
;  5415      P 5378  1              ,MCL,    MCL        ! Maximum clears
;  5416      P 5379  1              ,MRS,    MRS        ! Maximum resets
;  5417      P 5380  1              ,MST,    MST        ! Maximum restarts
;  5418      P 5381  1              ,CAT,    CAT        ! Call timer
;  5419      P 5382  1              ,CLT,    CLT        ! Clear timer
;  5420      P 5383  1              ,RST,    RST        ! Reset timer
;  5421      P 5384  1              ,STT,    STT        ! Restart timer
;  5422        5385  1              );
;  5423        5386  1
;  5424        5387  1 !
;  5425        5388  1 ! Map X-25 Protocol DTE NETACP parameters to NICE parameters
;  5426        5389  1 !
;  5427      P 5390  1 PRM_MAP (XDI, PCXP
;  5428      P 5391  1              ,DTE,    DTE        ! DTE
;  5429      P 5392  1              ,NET,    NET        ! Network (returned only if net not turned on).
;  5430      P 5393  1              ,ACH,    ACH        ! Active channels
;  5431      P 5394  1              ,ASW,    ASW        ! Active switched
;  5432      P 5395  1              ,STA,    STA        ! State
;  5433      P 5396  1              ,CTM,    CTM        ! Counter timer
;  5434      P 5397  1              ,MCH,    MCH        ! Maximum channels
;  5435      P 5398  1              ,LIN,    LIN        ! Line
;  5436      P 5399  1              ,CHN,    CHN        ! Channels
;  5437        5400  1              );
;  5438        5401  1
;  5439        5402  1 !
;  5440        5403  1 ! Map X-25 Protocol Group NETACP parameters to NICE parameters
;  5441        5404  1 !
;  5442      P 5405  1 PRM_MAP (XGI, PCXP
;  5443      P 5406  1              ,GRP,    GRP        ! Group name
;  5444      P 5407  1              ,GDT,    GDT        ! Group DTE
;  5445      P 5408  1              ,GNM,    GNM        ! Group number
; 5446      P 5409   1              ,GTY,    GTY       ! Group type
; 5447        5410   1              );
; 5448        5411   1
; 5449        5412   1  !
; 5450        5413   1  ! Map X-25 Server NETACP parameters to NICE parameters
; 5451        5414   1  !
; 5452      P 5415   1  PRM_MAP (XS5, PCXS
; 5453      P 5416   1              ,CTM,    CTM       ! Counter timer
; 5454      P 5417   1              ,ACI,    ACI       ! Active circuits
; 5455      P 5418   1              ,MCI,    MCI       ! Maximum channels
; 5456        5419   1              );
; 5457        5420   1
; 5458        5421   1  !
; 5459        5422   1  ! X-25 Server Destination parameters for SET ALL
; 5460        5423   1  !
; 5461      P 5424   1  PRM_MAP (XD5, PCXS
; 5462      P 5425   1              ,DST,    DST       ! Destination
; 5463      P 5426   1              ,NOD,    NOD       ! Node
; 5464      P 5427   1              ,USR,    USR       ! User
; 5465      P 5428   1              ,PSW,    SPW       ! Password
; 5466      P 5429   1              ,ACC,    ACC       ! Account
; 5467      P 5430   1              ,OBJ,    OBJ       ! Object
; 5468      P 5431   1              ,PRI,    PRI       ! Priority
; 5469      P 5432   1              ,CMK,    CMK       ! Call mask
; 5470      P 5433   1              ,CVL,    CVL       ! Call value
; 5471      P 5434   1              ,GRP,    GRP       ! Group
; 5472      P 5435   1              ,NUM,    NUM       ! Number
; 5473      P 5436   1              ,SAD,    SAD       ! Subaddresses
; 5474        5437   1              );
; 5475        5438   1
; 5476        5439   1  !
; 5477        5440   1  ! X-25 Trace parameters for SET ALL
; 5478        5441   1  !
; 5479      P 5442   1  PRM_MAP (XTI, PCXT
; 5480      P 5443   1              ,STA,    STA       ! State
; 5481      P 5444   1              ,BFZ,    BSZ       ! Buffer size
; 5482      P 5445   1              ,MBK,    MBK       ! Maximum blocks/file
; 5483      P 5446   1              ,FNM,    FNM       ! Filename
; 5484      P 5447   1              ,MBF,    MBF       ! Maximum number of buffers
; 5485      P 5448   1              ,CPL,    CPL       ! Capture limit
; 5486      P 5449   1              ,MVR,    MVR       ! Maximum trace file version
; 5487        5450   1              );
; 5488        5451   1  !
; 5489        5452   1  ! X25-Tracepoint parameters for SET ALL
; 5490        5453   1  !
; 5491      P 5454   1  PRM_MAP (XTT, PCXT
; 5492      P 5455   1              ,TST,    TST       ! Tracepoint state
; 5493      P 5456   1              ,CPS,    CPS       ! Per-trace capture size
; 5494      P 5457   1              ,TPT,    TPT       ! Trace point name
; 5495        5458   1              );
; 5496        5459   1
; 5497        5460   1  !
; 5498        5461   1  ! Map X-29 Server NETACP parameters to NICE parameters
; 5499        5462   1  !
; 5500      P 5463   1  PRM_MAP (XS9, PCXS
; 5501      P 5464   1              ,CTM,    CTM       ! Counter timer
; 5502      P 5465   1              ,ACI,    ACI       ! Active circuits
; 5503      P 5466  1                ,MCI,   MCI      ! Maximum channels
; 5504        5467  1                );
; 5505        5468  1
; 5506        5469  1  !
; 5507        5470  1  ! X-29 Server Destination parameters
; 5508        5471  1  !
; 5509      P 5472  1  PRM_MAP (XD9, PCXS
; 5510      P 5473  1                ,DST,   DST      ! Destination
; 5511      P 5474  1                ,NOD,   NOD      ! Node
; 5512      P 5475  1                ,USR,   USR      ! User
; 5513      P 5476  1                ,PSW,   SPW      ! Password
; 5514      P 5477  1                ,ACC,   ACC      ! Account
; 5515      P 5478  1                ,OBJ,   OBJ      ! Object
; 5516      P 5479  1                ,PRI,   PRI      ! Priority
; 5517      P 5480  1                ,CMK,   CMK      ! Call mask
; 5518      P 5481  1                ,CVL,   CVL      ! Call value
; 5519      P 5482  1                ,GRP,   GRP      ! Group
; 5520      P 5483  1                ,NUM,   NUM      ! Number
; 5521      P 5484  1                ,SAD,   SAD      ! Subaddresses
; 5522        5485  1                );
; 5523        5486  1
; 5524        5487  1  !
; 5525        5488  1  ! Object parameters.
; 5526        5489  1  !
; 5527      P 5490  1  PRM_MAP (OBI, PCOB
; 5528      P 5491  1
; 5529      P 5492  1                ,FID,   FID      ! File
; 5530      P 5493  1                ,PID,   PID      ! Process id
; 5531      P 5494  1                ,NUM,   NUM      ! Number
; 5532      P 5495  1                ,LPR,   PRV      ! Privileges
; 5533      P 5496  1                ,USR,   USR      ! User id
; 5534      P 5497  1                ,ACC,   ACC      ! Account
; 5535      P 5498  1                ,PSW,   PSW      ! Password
; 5536      P 5499  1                ,PRX,   PRX      ! Proxy access
; 5537      P 5500  1
; 5538        5501  1                );
; 5539        5502  1
; 5540      P 5503  1  PRM_MAP (LLI, PCLK
; 5541      P 5504  1
; 5542      P 5505  1                ,STA,   STA      ! State
; 5543      P 5506  1                ,PID,   PID      ! Process ID
; 5544      P 5507  1                ,PNN,   NID      ! Partner node number
; 5545      P 5508  1                ,PNA,   NID      ! Parter node name
; 5546      P 5509  1                ,DLY,   DLY      ! Round trip delay time
; 5547      P 5510  1                ,RLN,   RLN      ! Remote link number
; 5548      P 5511  1                ,USR,   USR      ! Username of link owner
; 5549      P 5512  1                ,PRC,   PRC      ! Process name of link owner
; 5550      P 5513  1
; 5551        5514  1                );
; 5552        5515  1
; 5553      P 5516  1  PRM_MAP (AJI, PCCI
; 5554      P 5517  1
; 5555      P 5518  1                ,ADD,   ADJ      ! Adjacent node address
; 5556      P 5519  1                ,LIT,   LIT      ! Listen timer
; 5557      P 5520  1                ,BLO,   BLO      ! Block size
; 5558      P 5521  1                ,NNA,   ADJ      ! Adjacent node name
; 5559        5522  1                );
; 5560          5523  1
; 5561          5524  1 UNDECLARE
; 5562          5525  1      %QUOTE PRM_MAP,
; 5563          5526  1      %QUOTE $DEXTN;
; 5564          5527  1
; 5566          5528  1 END                                               ! End of module
; 5567          5529  1
; 5568          5530  0 ELUDOM



                                                            .TITLE  NML$DAT
                                                            .IDENT  \V04-000\

                                                            .PSECT  NML$QIOPRMMAP,NOWRT,NOEXE,0

                                        00000 $Z:           .BLKB   0
                              04010013  00000 P.AMT:        .LONG   67174419                                    :
                                  0000  00004               .WORD   0                                           :
                              04010014  00006               .LONG   67174420                                    :
                                  0001  0000A               .WORD   1                                           :
                              04000002  0000C               .LONG   67108866                                    :
                                  0002  00010               .WORD   2                                           :
                              04010015  00012               .LONG   67174421                                    :
                                  0003  00016               .WORD   3                                           :
                              04020046  00018               .LONG   67240006                                    :
                                  0006  0001C               .WORD   6                                           :
                              04010036  0001E               .LONG   67174454                                    :
                                  0009  00022               .WORD   9                                           :
                              04010017  00024               .LONG   67174423                                    :
                                  000A  00028               .WORD   10                                          :
                              04010018  0002A               .LONG   67174424                                    :
                                  000B  0002E               .WORD   11                                          :
                              04010034  00030               .LONG   67174452                                    :
                                  000C  00034               .WORD   12                                          :
                              04010035  00036               .LONG   67174453                                    :
                                  000D  0003A               .WORD   13                                          :
                              04010019  0003C               .LONG   67174425                                    :
                                  000E  00040               .WORD   14                                          :
                              0401001A  00042               .LONG   67174426                                    :
                                  000F  00046               .WORD   15                                          :
                              04000003  00048               .LONG   67108867                                    :
                                  0010  0004C               .WORD   16                                          :
                              0401001B  0004E               .LONG   67174427                                    :
                                  0011  00052               .WORD   17                                          :
                              0401001C  00054               .LONG   67174428                                    :
                                  0012  00058               .WORD   18                                          :
                              04020048  0005A               .LONG   67240008                                    :
                                  0013  0005E               .WORD   19                                          :
                              0401001D  00060               .LONG   67174429                                    :
                                  0014  00064               .WORD   20                                          :
                              0401001E  00066               .LONG   67174430                                    :
                                  0015  0006A               .WORD   21                                          :
                              04000005  0006C               .LONG   67108869                                    :
                                  0016  00070               .WORD   22                                          :
                              0401001F  00072               .LONG   67174431                                    :
                                  0017  00076               .WORD   23                                          :
                              04010020  00078               .LONG   67174432                                    :
                                  0018  0007C               .WORD   24                                          :
                              04020049  0007E               .LONG   67240009                                    :
                                  0019  00082               .WORD   25                                          :
                              04010021  00084               .LONG   67174433                                    :
                                  001A  00088               .WORD   26                                          :
```

```
04010022  0008A          .LONG    67174434
    001B  0008E          .WORD    27
04010023  00090          .LONG    67174435
    001C  00094          .WORD    28
04010024  00096          .LONG    67174436
    001D  0009A          .WORD    29
04010025  0009C          .LONG    67174437
    001E  000A0          .WORD    30
04010026  000A2          .LONG    67174438
    001F  000A6          .WORD    31
04010027  000A8          .LONG    67174439
    0020  000AC          .WORD    32
04010028  000AE          .LONG    67174440
    0021  000B2          .WORD    33
04010029  000B4          .LONG    67174441
    0022  000B8          .WORD    34
0401002A  000BA          .LONG    67174442
    0023  000BE          .WORD    35
0401002B  000C0          .LONG    67174443
    0024  000C4          .WORD    36
0401002C  000C6          .LONG    67174444
    0025  000CA          .WORD    37
0401002D  000CC          .LONG    67174445
    0026  000D0          .WORD    38
0401002E  000D2          .LONG    67174446
    0027  000D6          .WORD    39
0401002F  000D8          .LONG    67174447
    0028  000DC          .WORD    40
04010030  000DE          .LONG    67174448
    0029  000E2          .WORD    41
04010031  000E4          .LONG    67174449
    002A  000E8          .WORD    42
04000004  000EA          .LONG    67108868
    002B  000EE          .WORD    43
04010033  000F0          .LONG    67174451
    002C  000F4          .WORD    44
          000F6          .BLKB    2
00000029  000F8 P.AMS:   .LONG    41
00000000' 000FC          .ADDRESS P.AMT
05010011  00100 P.AMV:   .LONG    83951633
    002E  00104          .WORD    46
05010012  00106          .LONG    83951634
    002F  0010A          .WORD    47
05000002  0010C          .LONG    83886082
    0030  00110          .WORD    48
05010013  00112          .LONG    83951635
    0031  00116          .WORD    49
0501001E  00118          .LONG    83951646
    0032  0011C          .WORD    50
05000004  0011E          .LONG    83886084
    0033  00122          .WORD    51
05000003  00124          .LONG    83886083
    0034  00128          .WORD    52
05010014  0012A          .LONG    83951636
    0035  0012E          .WORD    53
05000005  00130          .LONG    83886085
    0036  00134          .WORD    54
```

```
05010015  00136            .LONG    83951637                                          ;
    0037  0013A            .WORD    55                                                ;
05010021  0013C            .LONG    83951649                                          ;
    0038  00140            .WORD    56                                                ;
05010016  00142            .LONG    83951638                                          ;
    0039  00146            .WORD    57                                                ;
05010017  00148            .LONG    83951639                                          ;
    003A  0014C            .WORD    58                                                ;
05010018  0014E            .LONG    83951640                                          ;
    003B  00152            .WORD    59                                                ;
05010019  00154            .LONG    83951641                                          ;
    003C  00158            .WORD    60                                                ;
0501001A  0015A            .LONG    83951642                                          ;
    003D  0015E            .WORD    61                                                ;
0501001B  00160            .LONG    83951643                                          ;
    003E  00164            .WORD    62                                                ;
0501001C  00166            .LONG    83951644                                          ;
    003F  0016A            .WORD    63                                                ;
0501001D  0016C            .LONG    83951645                                          ;
    0040  00170            .WORD    64                                                ;
05020046  00172            .LONG    84017222                                          ;
    0041  00176            .WORD    65                                                ;
05020045  00178            .LONG    84017221                                          ;
    0042  0017C            .WORD    66                                                ;
05010022  0017E            .LONG    83951650                                          ;
    0043  00182            .WORD    67                                                ;
00000016  00184 P.AMU:     .LONG    22                                                ;
00000000' 00188            .ADDRESS P.AMV                                             ;
06010010  0018C P.AMX:     .LONG     100728848                                        ;
    004D  00190            .WORD     77                                               ;
06020041  00192            .LONG     100794433                                        ;
    004E  00196            .WORD     78                                               ;
00000002  00198 P.AMW:     .LONG     2                                                ;
00000000' 0019C            .ADDRESS P.AMX                                             ;
07010011  001A0 P.AMZ:     .LONG     117506065                                        ;
    004B  001A4            .WORD     75                                               ;
07020041  001A6            .LONG     117571649                                        ;
    004C  001AA            .WORD     76                                               ;
00000002  001AC P.AMY:     .LONG     2                                                ;
00000000' 001B0            .ADDRESS P.AMZ                                             ;
01010014  001B4 P.ANB:     .LONG    16842772                                          ;
    004F  001B8            .WORD    79                                                ;
01020043  001BA            .LONG    16908355                                          ;
    0051  001BE            .WORD    81                                                ;
01010010  001C0            .LONG    16842768                                          ;
    006E  001C4            .WORD    110                                               ;
01010012  001C6            .LONG    16842770                                          ;
    0071  001CA            .WORD    113                                               ;
01010013  001CC            .LONG    16842771                                          ;
    0072  001D0            .WORD    114                                               ;
01020045  001D2            .LONG    16908357                                          ;
    0075  001D6            .WORD    117                                               ;
01010015  001D8            .LONG    16842773                                          ;
    0076  001DC            .WORD    118                                               ;
01010016  001DE            .LONG    16842774                                          ;
    0077  001E2            .WORD    119                                               ;
01010017  001E4            .LONG    16842775                                          ;
```

```
    0078  001E8           .WORD   120
01010018  001EA           .LONG   16842776
    0079  001EE           .WORD   121
01010019  001F0           .LONG   16842777
    007A  001F4           .WORD   122
01020046  001F6           .LONG   16908358
    0080  001FA           .WORD   128
0101001A  001FC           .LONG   16842778
    0081  00200           .WORD   129
0101001B  00202           .LONG   16842779
    0082  00206           .WORD   130
0101001D  00208           .LONG   16842781
    0083  0020C           .WORD   131
0101002C  0020E           .LONG   16842796
    0084  00212           .WORD   132
0101001E  00214           .LONG   16842782
    0085  00218           .WORD   133
0101001F  0021A           .LONG   16842783
    0086  0021E           .WORD   134
01010020  00220           .LONG   16842784
    0087  00224           .WORD   135
01010021  00226           .LONG   16842785
    0088  0022A           .WORD   136
01010022  0022C           .LONG   16842786
    0089  00230           .WORD   137
0101002D  00232           .LONG   16842797
    008A  00236           .WORD   138
0101002E  00238           .LONG   16842798
    008B  0023C           .WORD   139
0101002F  0023E           .LONG   16842799
    008C  00242           .WORD   140
01010030  00244           .LONG   16842800
    008D  00248           .WORD   141
01010031  0024A           .LONG   16842801
    008E  0024E           .WORD   142
01010023  00250           .LONG   16842787
    008F  00254           .WORD   143
01010024  00256           .LONG   16842788
    0090  0025A           .WORD   144
01010032  0025C           .LONG   16842802
    0091  00260           .WORD   145
01010028  00262           .LONG   16842792
    009B  00266           .WORD   155
0101002A  00268           .LONG   16842794
    009C  0026C           .WORD   156
01010033  0026E           .LONG   16842803
    009D  00272           .WORD   157
01010029  00274           .LONG   16842793
    009F  00278           .WORD   159
          0027A           .BLKB   2
00000021  0027C  P.ANA:   .LONG   33
00000000' 00280           .ADDRESS P.ANB
02000003  00284  P.AND:   .LONG   33554435
    004F  00288           .WORD   79
02020044  0028A           .LONG   33685572
    0053  0028E           .WORD   83
02020045  00290           .LONG   33685573
```

```
    0054  00294      .WORD   84                                              :
02010019  00296      .LONG   33619993                                        :
    0055  0029A      .WORD   85                                              :
0201001A  0029C      .LONG   33619994                                        :
    0056  002A0      .WORD   86                                              :
02020057  002A2      .LONG   33685591                                        :
    0057  002A6      .WORD   87                                              :
02010023  002A8      .LONG   33620003                                        :
    0058  002AC      .WORD   88                                              :
02020046  002AE      .LONG   33685574                                        :
    0059  002B2      .WORD   89                                              :
02020047  002B4      .LONG   33685575                                        :
    005A  002B8      .WORD   90                                              :
02020048  002BA      .LONG   33685576                                        :
    005B  002BE      .WORD   91                                              :
02020056  002C0      .LONG   33685590                                        :
    005C  002C4      .WORD   92                                              :
0201001B  002C6      .LONG   33619995                                        :
    005D  002CA      .WORD   93                                              :
02020049  002CC      .LONG   33685577                                        :
    005E  002D0      .WORD   94                                              :
0202004A  002D2      .LONG   33685578                                        :
    005F  002D6      .WORD   95                                              :
0202004B  002D8      .LONG   33685579                                        :
    0060  002DC      .WORD   96                                              :
0201001C  002DE      .LONG   33619996                                        :
    0061  002E2      .WORD   97                                              :
0201001D  002E4      .LONG   33619997                                        :
    0062  002E8      .WORD   98                                              :
0201001F  002EA      .LONG   33619999                                        :
    0064  002EE      .WORD   100                                             :
02010013  002F0      .LONG   33619987                                        :
    006A  002F4      .WORD   106                                             :
02020043  002F6      .LONG   33685571                                        :
    006B  002FA      .WORD   107                                             :
02000002  002FC      .LONG   33554434                                        :
    006D  00300      .WORD   109                                             :
02010012  00302      .LONG   33619986                                        :
    006E  00306      .WORD   110                                             :
02010014  00308      .LONG   33619988                                        :
    0073  0030C      .WORD   115                                             :
02010015  0030E      .LONG   33619989                                        :
    0074  00312      .WORD   116                                             :
02010016  00314      .LONG   33619990                                        :
    007B  00318      .WORD   123                                             :
02010017  0031A      .LONG   33619991                                        :
    007C  0031E      .WORD   124                                             :
02010018  00320      .LONG   33619992                                        :
    007D  00324      .WORD   125                                             :
0202004C  00326      .LONG   33685580                                        :
    007E  0032A      .WORD   126                                             :
0202004E  0032C      .LONG   33685582                                        :
    0092  00330      .WORD   146                                             :
0202004F  00332      .LONG   33685583                                        :
    0093  00336      .WORD   147                                             :
02020050  00338      .LONG   33685584                                        :
    0094  0033C      .WORD   148                                             :
```

```
02020051  0033E          .LONG     33685585                                      ;
    0095  00342          .WORD     149                                           ;
02020052  00344          .LONG     33685586                                      ;
    0096  00348          .WORD     150                                           ;
02020053  0034A          .LONG     33685587                                      ;
    0097  0034E          .WORD     151                                           ;
02020054  00350          .LONG     33685588                                      ;
    0098  00354          .WORD     152                                           ;
02020055  00356          .LONG     33685589                                      ;
    0099  0035A          .WORD     153                                           ;
02010020  0035C          .LONG     33620000                                      ;
    009A  00360          .WORD     154                                           ;
02010021  00362          .LONG     33620001                                      ;
    009E  00366          .WORD     158                                           ;
00000026  00368 P.ANC:   .LONG     38                                            ;
00000000' 0036C          .ADDRESS  P.AND                                         ;
14000002  00370 P.ANF:   .LONG     335544322                                     ;
    00A1  00374          .WORD     161                                           ;
14010011  00376          .LONG     335609873                                     ;
    00A2  0037A          .WORD     162                                           ;
14010012  0037C          .LONG     335609874                                     ;
    00A3  00380          .WORD     163                                           ;
14020041  00382          .LONG     335675457                                     ;
    00A4  00386          .WORD     164                                           ;
14010013  00388          .LONG     335609875                                     ;
    00A5  0038C          .WORD     165                                           ;
          0038E          .BLKB     2
00000005  00390 P.ANE:   .LONG     5                                             ;
00000000' 00394          .ADDRESS  P.ANF                                         ;
1B010010  00398 P.ANH:   .LONG     453050384                                     ;
    00A7  0039C          .WORD     167                                           ;
1B020042  0039E          .LONG     453115970                                     ;
    00A8  003A2          .WORD     168                                           ;
1B020043  003A4          .LONG     453115971                                     ;
    00A9  003A8          .WORD     169                                           ;
1B020044  003AA          .LONG     453115972                                     ;
    00AA  003AE          .WORD     170                                           ;
00000004  003B0 P.ANG:   .LONG     4                                             ;
00000000' 003B4          .ADDRESS  P.ANH                                         ;
09020041  003B8 P.ANJ:   .LONG     151126081                                     ;
    00B1  003BC          .WORD     177                                           ;
09010012  003BE          .LONG     151060498                                     ;
    00B5  003C2          .WORD     181                                           ;
09010013  003C4          .LONG     151060499                                     ;
    00B6  003C8          .WORD     182                                           ;
09010014  003CA          .LONG     151060500                                     ;
    00B7  003CE          .WORD     183                                           ;
09010018  003D0          .LONG     151060504                                     ;
    00B8  003D4          .WORD     184                                           ;
09010015  003D6          .LONG     151060501                                     ;
    00B9  003DA          .WORD     185                                           ;
09010016  003DC          .LONG     151060502                                     ;
    00BA  003E0          .WORD     186                                           ;
09010017  003E2          .LONG     151060503                                     ;
    00BB  003E6          .WORD     187                                           ;
09010010  003E8          .LONG     151060496                                     ;
    00BC  003EC          .WORD     188                                           ;
```

```
 09010011  003EE           .LONG    151060497                          ;
     00BD  003F2           .WORD    189                                ;
 09010019  003F4           .LONG    151060505                          ;
     00BE  003F8           .WORD    190                                ;
 0901001A  003FA           .LONG    151060506                          ;
     00BF  003FE           .WORD    191                                ;
 0000000C  00400 P.ANI:    .LONG    12                                 ;
00000000'  00404           .ADDRESS P.ANJ                              ;
 0B020041  00408 P.ANL:    .LONG    184680513                          ;
     00AF  0040C           .WORD    175                                ;
 0B020044  0040E           .LONG    184680516                          ;
     00B1  00412           .WORD    177                                ;
 0B010010  00414           .LONG    184614928                          ;
     00AD  00418           .WORD    173                                ;
 0B010011  0041A           .LONG    184614929                          ;
     00AE  0041E           .WORD    174                                ;
 0B010014  00420           .LONG    184614932                          ;
     00AB  00424           .WORD    171                                ;
 0B010012  00426           .LONG    184614930                          ;
     00AC  0042A           .WORD    172                                ;
 0B010013  0042C           .LONG    184614931                          ;
     00B4  00430           .WORD    180                                ;
 0B020043  00432           .LONG    184680515                          ;
     00B2  00436           .WORD    178                                ;
 0B020042  00438           .LONG    184680514                          ;
     00B3  0043C           .WORD    179                                ;
           0043E           .BLKB    2
 00000009  00440 P.ANK:    .LONG    9                                  ;
00000000'  00444           .ADDRESS P.ANL                              ;
 0A020041  00448 P.ANN:    .LONG    167903297                          ;
     00B0  0044C           .WORD    176                                ;
 0A020042  0044E           .LONG    167903298                          ;
     00C0  00452           .WORD    192                                ;
 0A010010  00454           .LONG    167837712                          ;
     00C1  00458           .WORD    193                                ;
 0A010011  0045A           .LONG    167837713                          ;
     00C2  0045E           .WORD    194                                ;
 00000004  00460 P.ANM:    .LONG    4                                  ;
00000000'  00464           .ADDRESS P.ANN                              ;
 0C010013  00468 P.ANP:    .LONG    201392147                          ;
     00C7  0046C           .WORD    199                                ;
 0C010012  0046E           .LONG    201392146                          ;
     00C8  00472           .WORD    200                                ;
 0C010010  00474           .LONG    201392144                          ;
     00CA  00478           .WORD    202                                ;
           0047A           .BLKB    2
 00000003  0047C P.ANO:    .LONG    3                                  ;
00000000'  00480           .ADDRESS P.ANP                              ;
 0D020041  00484 P.ANR:    .LONG    218234945                          ;
     00C9  00488           .WORD    201                                ;
 0D010012  0048A           .LONG    218169362                          ;
     00CB  0048E           .WORD    203                                ;
 0D020048  00490           .LONG    218234952                          ;
     00CC  00494           .WORD    204                                ;
 0D020049  00496           .LONG    218234953                          ;
     00CD  0049A           .WORD    205                                ;
 0D02004A  0049C           .LONG    218234954                          ;
```

```
    00CF  004A0           .WORD    207                                              ;
0D020046  004A2           .LONG    218234950                                        ;
    00D0  004A6           .WORD    208                                              ;
0D010010  004A8           .LONG    218169360                                        ;
    00D1  004AC           .WORD    209                                              ;
0D020042  004AE           .LONG    218234946                                        ;
    00D2  004B2           .WORD    210                                              ;
0D020043  004B4           .LONG    218234947                                        ;
    00D3  004B8           .WORD    211                                              ;
0D020044  004BA           .LONG    218234948                                        ;
    00D4  004BE           .WORD    212                                              ;
0D020045  004C0           .LONG    218234949                                        ;
    00D5  004C4           .WORD    213                                              ;
0D010011  004C6           .LONG    218169361                                        ;
    00D6  004CA           .WORD    214                                              ;
0000000C  004CC P.ANQ:    .LONG    12                                               ;
00000000' 004D0           .ADDRESS P.ANR                                            ;
10010010  004D4 P.ANT:    .LONG    268501008                                        ;
    00DA  004D8           .WORD    218                                              ;
10010011  004DA           .LONG    268501009                                        ;
    00DB  004DE           .WORD    219                                              ;
10010013  004E0           .LONG    268501011                                        ;
    00DC  004E4           .WORD    220                                              ;
10020041  004E6           .LONG    268566593                                        ;
    00DD  004EA           .WORD    221                                              ;
10010014  004EC           .LONG    268501012                                        ;
    00DE  004F0           .WORD    222                                              ;
10010012  004F2           .LONG    268501010                                        ;
    00DF  004F6           .WORD    223                                              ;
10010015  004F8           .LONG    268501013                                        ;
    00E0  004FC           .WORD    224                                              ;
          004FE           .BLKB    2
00000007  00500 P.ANS:    .LONG    7                                                ;
00000000' 00504           .ADDRESS P.ANT                                            ;
11010010  00508 P.ANV:    .LONG    285278224                                        ;
    00E3  0050C           .WORD    227                                              ;
11010011  0050E           .LONG    285278225                                        ;
    00E2  00512           .WORD    226                                              ;
11020041  00514           .LONG    285343809                                        ;
    00E1  00518           .WORD    225                                              ;
          0051A           .BLKB    2
00000003  0051C P.ANU:    .LONG    3                                                ;
00000000' 00520           .ADDRESS P.ANV                                            ;
0E010013  00524 P.ANX:    .LONG    234946579                                        ;
    00C7  00528           .WORD    199                                              ;
0E010012  0052A           .LONG    234946578                                        ;
    00C8  0052E           .WORD    200                                              ;
0E010010  00530           .LONG    234946576                                        ;
    00CA  00534           .WORD    202                                              ;
          00536           .BLKB    2
00000003  00538 P.ANW:    .LONG    3                                                ;
00000000' 0053C           .ADDRESS P.ANX                                            ;
0F020041  00540 P.ANZ:    .LONG    251789377                                        ;
    00C9  00544           .WORD    201                                              ;
0F010012  00546           .LONG    251723794                                        ;
    00CB  0054A           .WORD    203                                              ;
0F020048  0054C           .LONG    251789384                                        ;
```

```
    00CC  00550            .WORD    204
OF020049  00552            .LONG    251789385
    00CD  00556            .WORD    205
OF02004A  00558            .LONG    251789386
    00CF  0055C            .WORD    207
OF020046  0055E            .LONG    251789382
    00D0  00562            .WORD    208
OF010010  00564            .LONG    251723792
    00D1  00568            .WORD    209
OF020042  0056A            .LONG    251789378
    00D2  0056E            .WORD    210
OF020043  00570            .LONG    251789379
    00D3  00574            .WORD    211
OF020044  00576            .LONG    251789380
    00D4  0057A            .WORD    212
OF020045  0057C            .LONG    251789381
    00D5  00580            .WORD    213
OF010011  00582            .LONG    251723793
    00D6  00586            .WORD    214
0000000C  00588 P.ANY:     .LONG     12
00000000' 0058C            .ADDRESS P.ANZ
03020045  00590 P.AOB:     .LONG     50462789
    00FA  00594            .WORD    250
03010015  00596            .LONG    50397205
    00FB  0059A            .WORD    251
03010014  0059C            .LONG    50397204
    00F9  005A0            .WORD    249
03010010  005A2            .LONG    50397200
    00FC  005A6            .WORD    252
03020046  005A8            .LONG    50462790
    00FD  005AC            .WORD    253
03020047  005AE            .LONG    50462791
    00FE  005B2            .WORD    254
03020048  005B4            .LONG    50462792
    00FF  005B8            .WORD    255
03010016  005BA            .LONG    50397206
    0100  005BE            .WORD    256
00000008  005C0 P.AOA:     .LONG    8
00000000' 005C4            .ADDRESS P.AOB
08010011  005C8 P.AOD:     .LONG     134283281
    0101  005CC            .WORD    257
08010015  005CE            .LONG    134283285
    0102  005D2            .WORD    258
08020043  005D4            .LONG    134348867
    0103  005D8            .WORD    259
08010014  005DA            .LONG    134283284
    0103  005DE            .WORD    259
08010010  005E0            .LONG    134283280
    0105  005E4            .WORD    261
08010013  005E6            .LONG    134283283
    0106  005EA            .WORD    262
08020041  005EC            .LONG    134348865
    0108  005F0            .WORD    264
08020042  005F2            .LONG    134348866
    0109  005F6            .WORD    265
00000008  005F8 P.AOC:     .LONG    8
00000000' 005FC            .ADDRESS P.AOD
```

```
13010010  00600 P.AOF:   .LONG    318832656
    0007  00604          .WORD    7
13010012  00606          .LONG    318832658
    000F  0060A          .WORD    15
13010013  0060C          .LONG    318832659
    000A  00610          .WORD    10
13020041  00612          .LONG    318898241
    0007  00616          .WORD    7
00000004  00618 P.AOE:   .LONG    4
00000000' 0061C          .ADDRESS P.AOF

                         .PSECT   NML$ALLPARAMS,NOWRT,NOEXE,0

          00000 $Z:      .BLKB    0
    0000  00000 P.ALI:   .WORD    0
    0000  00002          .WORD    0
    0064  00004          .WORD    100
    0001  00006          .WORD    1
    006E  00008          .WORD    110
    0002  0000A          .WORD    2
    0384  0000C          .WORD    900
    0009  0000E          .WORD    9
    0385  00010          .WORD    901
    000A  00012          .WORD    10
    0386  00014          .WORD    902
    000B  00016          .WORD    11
    038A  00018          .WORD    906
    000C  0001A          .WORD    12
    038E  0001C          .WORD    910
    000E  0001E          .WORD    14
    0398  00020          .WORD    920
    000F  00022          .WORD    15
    0399  00024          .WORD    921
    0010  00026          .WORD    16
    03A2  00028          .WORD    930
    0011  0002A          .WORD    17
    03F2  0002C          .WORD    1010
    0012  0002E          .WORD    18
    044C  00030          .WORD    1100
    0013  00032          .WORD    19
    0457  00034          .WORD    1111
    0014  00036          .WORD    20
    0458  00038          .WORD    1112
    0015  0003A          .WORD    21
    0460  0003C          .WORD    1120
    0016  0003E          .WORD    22
    0461  00040          .WORD    1121
    0017  00042          .WORD    23
    0462  00044          .WORD    1122
    0018  00046          .WORD    24
    0463  00048          .WORD    1123
    0019  0004A          .WORD    25
    0474  0004C          .WORD    1140
    001A  0004E          .WORD    26
    0475  00050          .WORD    1141
    001B  00052          .WORD    27
    0476  00054          .WORD    1142
```

```
            001C  00056           .WORD   28                                  :
            0479  00058           .WORD   1145                                :
            001D  0005A           .WORD   29                                  :
            047A  0005C           .WORD   1146                                :
            001E  0005E           .WORD   30                                  :
            047E  00060           .WORD   1150                                :
            001F  00062           .WORD   31                                  :
            047F  00064           .WORD   1151                                :
            0020  00066           .WORD   32                                  :
            0480  00068           .WORD   1152                                :
            0021  0006A           .WORD   33                                  :
            0481  0006C           .WORD   1153                                :
            0022  0006E           .WORD   34                                  :
            0482  00070           .WORD   1154                                :
            0023  00072           .WORD   35                                  :
            0483  00074           .WORD   1155                                :
            0024  00076           .WORD   36                                  :
            0484  00078           .WORD   1156                                :
            0025  0007A           .WORD   37                                  :
            0485  0007C           .WORD   1157                                :
            0026  0007E           .WORD   38                                  :
            0486  00080           .WORD   1158                                :
            0027  00082           .WORD   39                                  :
            0A8C  00084           .WORD   2700                                :
            0028  00086           .WORD   40                                  :
            0AA0  00088           .WORD   2720                                :
            0029  0008A           .WORD   41                                  :
        00000023  0008C P.ALH:    .LONG   35                                  :
        00000000' 00090           .ADDRESS P.ALI                              :
            0000  00094 P.ALK:    .WORD   0                                   :
            002A  00096           .WORD   42                                  :
            0064  00098           .WORD   100                                 :
            002B  0009A           .WORD   43                                  :
            006E  0009C           .WORD   110                                 :
            002C  0009E           .WORD   44                                  :
            0451  000A0           .WORD   1105                                :
            002D  000A2           .WORD   45                                  :
            0456  000A4           .WORD   1110                                :
            002E  000A6           .WORD   46                                  :
            0457  000A8           .WORD   1111                                :
            002F  000AA           .WORD   47                                  :
            0458  000AC           .WORD   1112                                :
            0030  000AE           .WORD   48                                  :
            0459  000B0           .WORD   1113                                :
            0031  000B2           .WORD   49                                  :
            0460  000B4           .WORD   1120                                :
            0032  000B6           .WORD   50                                  :
            0461  000B8           .WORD   1121                                :
            0033  000BA           .WORD   51                                  :
            0462  000BC           .WORD   1122                                :
            0034  000BE           .WORD   52                                  :
            046A  000C0           .WORD   1130                                :
            0035  000C2           .WORD   53                                  :
            046B  000C4           .WORD   1131                                :
            0036  000C6           .WORD   54                                  :
            046C  000C8           .WORD   1132                                :
            0037  000CA           .WORD   55                                  :
```

```
     047E  000CC          .WORD   1150
     0038  000CE          .WORD   56
     047F  000D0          .WORD   1151
     0039  000D2          .WORD   57
     0480  000D4          .WORD   1152
     003A  000D6          .WORD   58
     0481  000D8          .WORD   1153
     003B  000DA          .WORD   59
     0488  000DC          .WORD   1160
     003C  000DE          .WORD   60
     0A96  000E0          .WORD   2710
     003E  000E2          .WORD   62
     0AA0  000E4          .WORD   2720
     003F  000E6          .WORD   63
     0B20  000E8          .WORD   2848
     0040  000EA          .WORD   64
 00000016  000EC P.ALJ:   .LONG   22
00000000'  000F0          .ADDRESS P.ALK
     00C9  000F4 P.ALM:   .WORD   201
     0048  000F6          .WORD   72
 00000001  000F8 P.ALL:   .LONG   1
00000000'  000FC          .ADDRESS P.ALM
     0000  00100 P.ALO:   .WORD   0
     0045  00102          .WORD   69
     0064  00104          .WORD   100
     0046  00106          .WORD   70
 00000002  00108 P.ALN:   .LONG   2
00000000'  0010C          .ADDRESS P.ALO
     0000  00110 P.ALQ:   .WORD   0
     0049  00112          .WORD   73
     0064  00114          .WORD   100
     004B  00116          .WORD   75
     01F6  00118          .WORD   502
     0067  0011A          .WORD   103
     01FE  0011C          .WORD   510
     0069  0011E          .WORD   105
     01FF  00120          .WORD   511
     006A  00122          .WORD   106
     02C6  00124          .WORD   710
     006B  00126          .WORD   107
     02D0  00128          .WORD   720
     006C  0012A          .WORD   108
     02D1  0012C          .WORD   721
     006D  0012E          .WORD   109
     02D2  00130          .WORD   722
     006E  00132          .WORD   110
     02D3  00134          .WORD   723
     006F  00136          .WORD   111
     0385  00138          .WORD   901
     0072  0013A          .WORD   114
     038E  0013C          .WORD   910
     0073  0013E          .WORD   115
     038F  00140          .WORD   911
     0074  00142          .WORD   116
     0390  00144          .WORD   912
     0075  00146          .WORD   117
     0398  00148          .WORD   920
     0076  0014A           .WORD    118
     0399  0014C           .WORD    921
     0077  0014E           .WORD    119
     039A  00150           .WORD    922
     0078  00152           .WORD    120
     039B  00154           .WORD    923
     0079  00156           .WORD    121
     039C  00158           .WORD    924
     007A  0015A           .WORD    122
     039D  0015C           .WORD    925
     007B  0015E           .WORD    123
     039E  00160           .WORD    926
     007C  00162           .WORD    124
     039F  00164           .WORD    927
     007D  00166           .WORD    125
     03A0  00168           .WORD    928
     007E  0016A           .WORD    126
     03A1  0016C           .WORD    929
     007F  0016E           .WORD    127
     03A2  00170           .WORD    930
     0080  00172           .WORD    128
     03A3  00174           .WORD    931
     0081  00176           .WORD    129
     03A4  00178           .WORD    932
     0082  0017A           .WORD    130
     0AAB  0017C           .WORD    2731
     008C  0017E           .WORD    140
     0AB4  00180           .WORD    2740
     008D  00182           .WORD    141
     0AB5  00184           .WORD    2741
     008E  00186           .WORD    142
     0ABF  00188           .WORD    2751
     0090  0018A           .WORD    144
 0000001F  0018C  P.ALP:   .LONG    31
 00000000' 00190           .ADDRESS P.ALQ
     006E  00194  P.ALS:   .WORD    110
     004C  00196           .WORD    76
     006F  00198           .WORD    111
     004D  0019A           .WORD    77
     0070  0019C           .WORD    112
     004E  0019E           .WORD    78
     0071  001A0           .WORD    113
     004F  001A2           .WORD    79
     0072  001A4           .WORD    114
     0050  001A6           .WORD    80
     0073  001A8           .WORD    115
     0051  001AA           .WORD    81
     0078  001AC           .WORD    120
     0052  001AE           .WORD    82
     0079  001B0           .WORD    121
     0053  001B2           .WORD    83
     007A  001B4           .WORD    122
     0054  001B6           .WORD    84
     007B  001B8           .WORD    123
     0055  001BA           .WORD    85
     007D  001BC           .WORD    125
     0056  001BE           .WORD    86
     007E   001C0             .WORD   126
     0057   001C2             .WORD   87
     0082   001C4             .WORD   130
     0058   001C6             .WORD   88
     0083   001C8             .WORD   131
     0059   001CA             .WORD   89
     0087   001CC             .WORD   135
     005A   001CE             .WORD   90
     0088   001D0             .WORD   136
     005B   001D2             .WORD   91
     008D   001D4             .WORD   141
     005C   001D6             .WORD   92
     00A0   001D8             .WORD   160
     0062   001DA             .WORD   98
     01F4   001DC             .WORD   500
     0063   001DE             .WORD   99
     01F5   001E0             .WORD   501
     0065   001E2             .WORD   101
     01F6   001E4             .WORD   502
     0066   001E6             .WORD   102
     8000   001E8             .WORD   -32768
     0068   001EA             .WORD   104
     0A90   001EC             .WORD   2704
     0083   001EE             .WORD   131
     0A91   001F0             .WORD   2705
     0084   001F2             .WORD   132
     0A92   001F4             .WORD   2706
     0085   001F6             .WORD   133
     0A98   001F8             .WORD   2712
     0086   001FA             .WORD   134
     0A99   001FC             .WORD   2713
     0087   001FE             .WORD   135
     0A9A   00200             .WORD   2714
     0088   00202             .WORD   136
     0AA0   00204             .WORD   2720
     0089   00206             .WORD   137
     0AA1   00208             .WORD   2721
     008A   0020A             .WORD   138
     0AAA   0020C             .WORD   2730
     008B   0020E             .WORD   139
     0ABE   00210             .WORD   2750
     008F   00212             .WORD   143
 00000020   00214 P.ALR:      .LONG   32
 00000000'  00218             .ADDRESS P.ALS
     0140   0021C P.ALU:      .WORD   320
     0097   0021E             .WORD   151
     014A   00220             .WORD   330
     0098   00222             .WORD   152
     014B   00224             .WORD   331
     0099   00226             .WORD   153
     014C   00228             .WORD   332
     009A   0022A             .WORD   154
 00000004   0022C P.ALT:      .LONG   4
 00000000'  00230             .ADDRESS P.ALU
     0474   00234 P.ALW:      .WORD   1140
     00A5   00236             .WORD   165
     0475   00238             .WORD   1141
     00A6  0023A              .WORD   166
     047E  0023C              .WORD   1150
     00A7  0023E              .WORD   167
     047F  00240              .WORD   1151
     00A8  00242              .WORD   168
     0480  00244              .WORD   1152
     00A9  00246              .WORD   169
     0481  00248              .WORD   1153
     00AA  0024A              .WORD   170
     0482  0024C              .WORD   1154
     00AB  0024E              .WORD   171
     0488  00250              .WORD   1160
     00AC  00252              .WORD   172
     0489  00254              .WORD   1161
     00AD  00256              .WORD   173
     048A  00258              .WORD   1162
     00AE  0025A              .WORD   174
     048B  0025C              .WORD   1163
     00AF  0025E              .WORD   175
 0000000B  00260 P.ALV:       .LONG   11
 00000000' 00264              .ADDRESS P.ALW
     0000  00268 P.ALY:       .WORD   0
     009B  0026A              .WORD   155
     0064  0026C              .WORD   100
     009C  0026E              .WORD   156
     0460  00270              .WORD   1120
     00A2  00272              .WORD   162
     046A  00274              .WORD   1130
     00A3  00276              .WORD   163
 00000004  00278 P.ALX:       .LONG   4
 00000000' 0027C              .ADDRESS P.ALY
     0492  00280 P.AMA:       .WORD   1170
     00B0  00282              .WORD   176
     0493  00284              .WORD   1171
     00B1  00286              .WORD   177
     0494  00288              .WORD   1172
     00B2  0028A              .WORD   178
 00000003  0028C P.ALZ:       .LONG   3
 00000000' 00290              .ADDRESS P.AMA
     0064  00294 P.AMC:       .WORD   100
     00B6  00296              .WORD   182
     0136  00298              .WORD   310
     00B9  0029A              .WORD   185
     0A8C  0029C              .WORD   2700
     00C6  0029E              .WORD   198
 00000003  002A0 P.AMB:       .LONG   3
 00000000' 002A4              .ADDRESS P.AMC
     0140  002A8 P.AME:       .WORD   320
     00BA  002AA              .WORD   186
     014A  002AC              .WORD   330
     00BB  002AE              .WORD   187
     014B  002B0              .WORD   331
     00BC  002B2              .WORD   188
     014C  002B4              .WORD   332
     00BE  002B6              .WORD   190
     0154  002B8              .WORD   340
     00BF  002BA              .WORD   191
     015E  002BC             .WORD   350
     00C0  002BE             .WORD   192
     015F  002C0             .WORD   351
     00C1  002C2             .WORD   193
     0160  002C4             .WORD   352
     00C2  002C6             .WORD   194
     0161  002C8             .WORD   353
     00C3  002CA             .WORD   195
     0162  002CC             .WORD   354
     00C4  002CE             .WORD   196
     0163  002D0             .WORD   355
     00C5  002D2             .WORD   197
     0A96  002D4             .WORD   2710
     00C7  002D6             .WORD   199
 0000000C  002D8 P.AMD:      .LONG   12
 00000000' 002DC             .ADDRESS P.AME
     0000  002E0 P.AMG:      .WORD   0
     00C8  002E2             .WORD   200
     0064  002E4             .WORD   100
     00C9  002E6             .WORD   201
     0065  002E8             .WORD   101
     00CA  002EA             .WORD   202
     0066  002EC             .WORD   102
     00CB  002EE             .WORD   203
     0067  002F0             .WORD   103
     00CC  002F2             .WORD   204
     0068  002F4             .WORD   104
     00CD  002F6             .WORD   205
     0069  002F8             .WORD   105
     00CE  002FA             .WORD   206
 00000007  002FC P.AMF:      .LONG   7
 00000000' 00300             .ADDRESS P.AMG
     006E  00304 P.AMI:      .WORD   110
     00D0  00306             .WORD   208
     006F  00308             .WORD   111
     00D1  0030A             .WORD   209
 00000002  0030C P.AMH:      .LONG   2
 00000000' 00310             .ADDRESS P.AMI
     0064  00314 P.AMK:      .WORD   100
     00D2  00316             .WORD   210
     0136  00318             .WORD   310
     00D5  0031A             .WORD   213
     0A8C  0031C             .WORD   2700
     00E2  0031E             .WORD   226
 00000003  00320 P.AMJ:      .LONG   3
 00000000' 00324             .ADDRESS P.AMK
     0140  00328 P.AMM:      .WORD   320
     00D6  0032A             .WORD   214
     014A  0032C             .WORD   330
     00D7  0032E             .WORD   215
     014B  00330             .WORD   331
     00D8  00332             .WORD   216
     014C  00334             .WORD   332
     00DA  00336             .WORD   218
     0154  00338             .WORD   340
     00DB  0033A             .WORD   219
     015E  0033C             .WORD   350
```

```
        00DC  0033E              .WORD   220
        015F  00340              .WORD   351
        00DD  00342              .WORD   221
        0160  00344              .WORD   352
        00DE  00346              .WORD   222
        0161  00348              .WORD   353
        00DF  0034A              .WORD   223
        0162  0034C              .WORD   354
        00E0  0034E              .WORD   224
        0163  00350              .WORD   355
        00E1  00352              .WORD   225
        0A96  00354              .WORD   2710
        00E3  00356              .WORD   227
    0000000C  00358 P.AML:       .LONG   12
    00000000' 0035C              .ADDRESS P.AMM
        0064  00360 P.AMO:       .WORD   100
        00E4  00362              .WORD   228
        006E  00364              .WORD   110
        00E5  00366              .WORD   229
    00000002  00368 P.AMN:       .LONG   2
    00000000' 0036C              .ADDRESS P.AMO
        0212  00370 P.AMQ:       .WORD   530
        00E7  00372              .WORD   231
        0201  00374              .WORD   513
        00E6  00376              .WORD   230
        021C  00378              .WORD   540
        00E8  0037A              .WORD   232
        0226  0037C              .WORD   550
        00E9  0037E              .WORD   233
        0227  00380              .WORD   551
        00EA  00382              .WORD   234
        0228  00384              .WORD   552
        00EB  00386              .WORD   235
        0230  00388              .WORD   560
        00EC  0038A              .WORD   236
    00000007  0038C P.AMP:       .LONG   7
    00000000' 00390              .ADDRESS P.AMQ

                                 .PSECT  NML$PARAMLISTS,NOWRT,NOEXE,0

              00000 $Z:          .BLKB   0
        0000  00000 P.ABU:       .WORD   0
    00000000G 00002              .ADDRESS NML$LISPARAM
        0006  00006              .WORD   6
    00000000G 00008              .ADDRESS NML$LISLOONAM
    00000002  0000C P.ABT:       .LONG   2
    00000000' 00010              .ADDRESS P.ABU
        0002  00014 P.ABW:       .WORD   2
    00000000G 00016              .ADDRESS NML$LISPARAM
        0003  0001A              .WORD   3
    00000000G 0001C              .ADDRESS NML$LISPARAM
        0009  00020              .WORD   9
    00000000G 00022              .ADDRESS NML$LISNODEID
        000B  00026              .WORD   11
    00000000G 00028              .ADDRESS NML$LISPARAM
        000C  0002C              .WORD   12
    00000000G 0002E              .ADDRESS NML$LISPARAM
```

```
      000D  00032          .WORD   13
 00000000G  00034          .ADDRESS NML$LISPARAM
      000E  00038          .WORD   14
 00000000G  0003A          .ADDRESS NML$LISPARAM
      0010  0003E          .WORD   16
 00000000G  00040          .ADDRESS NML$LISPARAM
      0011  00044          .WORD   17
 00000000G  00046          .ADDRESS NML$LISPARAM
      0012  0004A          .WORD   18
 00000000G  0004C          .ADDRESS NML$LISPARAM
      0013  00050          .WORD   19
 00000000G  00052          .ADDRESS NML$LISPARAM
      0014  00056          .WORD   20
 00000000G  00058          .ADDRESS NML$LISPARAM
      0016  0005C          .WORD   22
 00000000G  0005E          .ADDRESS NML$LISOWNER
      0017  00062          .WORD   23
 00000000G  00064          .ADDRESS NML$LISPARAM
      0018  00068          .WORD   24
 00000000G  0006A          .ADDRESS NML$LISPARAM
      0019  0006E          .WORD   25
 00000000G  00070          .ADDRESS NML$LISPARAM
      001A  00074          .WORD   26
 00000000G  00076          .ADDRESS NML$LISPARAM
      001B  0007A          .WORD   27
 00000000G  0007C          .ADDRESS NML$LISPARAM
      001C  00080          .WORD   28
 00000000G  00082          .ADDRESS NML$LISPARAM
      001D  00086          .WORD   29
 00000000G  00088          .ADDRESS NML$LISPARAM
      001E  0008C          .WORD   30
 00000000G  0008E          .ADDRESS NML$LISPARAM
      001F  00092          .WORD   31
 00000000G  00094          .ADDRESS NML$LISPARAM
      0020  00098          .WORD   32
 00000000G  0009A          .ADDRESS NML$LISPARAM
      0021  0009E          .WORD   33
 00000000G  000A0          .ADDRESS NML$LISPARAM
      0022  000A4          .WORD   34
 00000000G  000A6          .ADDRESS NML$LISPARAM
      0023  000AA          .WORD   35
 00000000G  000AC          .ADDRESS NML$LISPARAM
      0024  000B0          .WORD   36
 00000000G  000B2          .ADDRESS NML$LISPARAM
      0025  000B6          .WORD   37
 00000000G  000B8          .ADDRESS NML$LISPARAM
      0026  000BC          .WORD   38
 00000000G  000BE          .ADDRESS NML$LISPARAM
      0027  000C2          .WORD   39
 00000000G  000C4          .ADDRESS NML$LISPARAM
      0028  000C8          .WORD   40
 00000000G  000CA          .ADDRESS NML$LISPARAM
      0029  000CE          .WORD   41
 00000000G  000D0          .ADDRESS NML$LISPARAM
      002A  000D4          .WORD   42
 00000000G  000D6          .ADDRESS NML$LISPARAM
      002B  000DA          .WORD   43
```

```
00000000G 000DC             .ADDRESS NML$LISPARAM                                        ;
     002C 000E0             .WORD    44                                                  ;
00000000G 000E2             .ADDRESS NML$LISPARAM                                        ;
          000E6             .BLKB    2
00000023  000E8 P.ABV:      .LONG    35                                                  ;
00000000' 000EC             .ADDRESS P.ABW                                               ;
     002E 000F0 P.ABY:      .WORD    46                                                  ;
00000000G 000F2             .ADDRESS NML$LISPARAM                                        ;
          000F6             .BLKB    2
00000001  000F8 P.ABX:      .LONG    1                                                   ;
00000000' 000FC             .ADDRESS P.ABY                                               ;
     002E 00100 P.ACA:      .WORD    46                                                  ;
00000000G 00102             .ADDRESS NML$LISPARAM                                        ;
          00106             .BLKB    2
00000001  00108 P.ABZ:      .LONG    1                                                   ;
00000000' 0010C             .ADDRESS P.ACA                                               ;
     0030 00110 P.ACC:      .WORD    48                                                  ;
00000000G 00112             .ADDRESS NML$LISPARAM                                        ;
     0031 00116             .WORD    49                                                  ;
00000000G 00118             .ADDRESS NML$LISPARAM                                        ;
     0032 0011C             .WORD    50                                                  ;
00000000G 0011E             .ADDRESS NML$LISPARAM                                        ;
     0033 00122             .WORD    51                                                  ;
00000000G 00124             .ADDRESS NML$LISPARAM                                        ;
     0034 00128             .WORD    52                                                  ;
00000000G 0012A             .ADDRESS NML$LISPARAM                                        ;
     0035 0012E             .WORD    53                                                  ;
00000000G 00130             .ADDRESS NML$LISPARAM                                        ;
     0036 00134             .WORD    54                                                  ;
00000000G 00136             .ADDRESS NML$LISPARAM                                        ;
     0037 0013A             .WORD    55                                                  ;
00000000G 0013C             .ADDRESS NML$LISPARAM                                        ;
     0038 00140             .WORD    56                                                  ;
00000000G 00142             .ADDRESS NML$LISPARAM                                        ;
     0039 00146             .WORD    57                                                  ;
00000000G 00148             .ADDRESS NML$LISPARAM                                        ;
     003A 0014C             .WORD    58                                                  ;
00000000G 0014E             .ADDRESS NML$LISPARAM                                        ;
     003B 00152             .WORD    59                                                  ;
00000000G 00154             .ADDRESS NML$LISPARAM                                        ;
     003C 00158             .WORD    60                                                  ;
00000000G 0015A             .ADDRESS NML$LISPARAM                                        ;
     003D 0015E             .WORD    61                                                  ;
00000000G 00160             .ADDRESS NML$LISPARAM                                        ;
     003E 00164             .WORD    62                                                  ;
00000000G 00166             .ADDRESS NML$LISPARAM                                        ;
     003F 0016A             .WORD    63                                                  ;
00000000G 0016C             .ADDRESS NML$LISPARAM                                        ;
     0040 00170             .WORD    64                                                  ;
00000000G 00172             .ADDRESS NML$LISPARAM                                        ;
     0041 00176             .WORD    65                                                  ;
00000000G 00178             .ADDRESS NML$LISPARAM                                        ;
     0043 0017C             .WORD    67                                                  ;
00000000G 0017E             .ADDRESS NML$LISPARAM                                        ;
     0044 00182             .WORD    68                                                  ;
00000000G 00184             .ADDRESS NML$LISPARAM                                        ;
     0045 00188             .WORD    69                                                  ;
```

```
00000000G 0018A          .ADDRESS NML$LISPARAM                                  ;
          0018E          .BLKB    2
 00000015 00190 P.ACB:   .LONG    21                                            ;
00000000' 00194          .ADDRESS P.ACC                                         ;
     004F 00198 P.ACE:   .WORD    79                                            ;
00000000G 0019A          .ADDRESS NML$LISPARAM                                  ;
     0050 0019E          .WORD    80                                            ;
00000000G 001A0          .ADDRESS NML$LISPARAM                                  ;
 00000002 001A4 P.ACD:   .LONG    2                                             ;
00000000' 001A8          .ADDRESS P.ACE                                         ;
     004F 001AC P.ACG:   .WORD    79                                            ;
00000000G 001AE          .ADDRESS NML$LISPARAM                                  ;
          001B2          .BLKB    2
 00000001 001B4 P.ACF:   .LONG    1                                             ;
00000000' 001B8          .ADDRESS P.ACG                                         ;
     0051 001BC P.ACI:   .WORD    81                                            ;
00000000G 001BE          .ADDRESS NML$LISPARAM                                  ;
     0052 001C2          .WORD    82                                            ;
00000000G 001C4          .ADDRESS NML$LISNMLVER                                 ;
     006A 001C8          .WORD    106                                           ;
00000000G 001CA          .ADDRESS NML$LISPARAM                                  ;
     0071 001CE          .WORD    113                                           ;
00000000G 001D0          .ADDRESS NML$LISPARAM                                  ;
     0072 001D4          .WORD    114                                           ;
00000000G 001D6          .ADDRESS NML$LISPARAM                                  ;
     0076 001DA          .WORD    118                                           ;
00000000G 001DC          .ADDRESS NML$LISPARAM                                  ;
     0077 001E0          .WORD    119                                           ;
00000000G 001E2          .ADDRESS NML$LISPARAM                                  ;
     0078 001E6          .WORD    120                                           ;
00000000G 001E8          .ADDRESS NML$LISPARAM                                  ;
     0079 001EC          .WORD    121                                           ;
00000000G 001EE          .ADDRESS NML$LISPARAM                                  ;
     007A 001F2          .WORD    122                                           ;
00000000G 001F4          .ADDRESS NML$LISPARAM                                  ;
     0081 001F8          .WORD    129                                           ;
00000000G 001FA          .ADDRESS NML$LISPARAM                                  ;
     0082 001FE          .WORD    130                                           ;
00000000G 00200          .ADDRESS NML$LISPARAM                                  ;
     0083 00204          .WORD    131                                           ;
00000000G 00206          .ADDRESS NML$LISRANGE                                  ;
     0084 0020A          .WORD    132                                           ;
00000000G 0020C          .ADDRESS NML$LISPARAM                                  ;
     0085 00210          .WORD    133                                           ;
00000000G 00212          .ADDRESS NML$LISPARAM                                  ;
     0086 00216          .WORD    134                                           ;
00000000G 00218          .ADDRESS NML$LISPARAM                                  ;
     0087 0021C          .WORD    135                                           ;
00000000G 0021E          .ADDRESS NML$LISPARAM                                  ;
     0088 00222          .WORD    136                                           ;
00000000G 00224          .ADDRESS NML$LISPARAM                                  ;
     0089 00228          .WORD    137                                           ;
00000000G 0022A          .ADDRESS NML$LISPARAM                                  ;
     008A 0022E          .WORD    138                                           ;
00000000G 00230          .ADDRESS NML$LISPARAM                                  ;
     008B 00234          .WORD    139                                           ;
00000000G 00236          .ADDRESS NML$LISPARAM                                  ;
```

```
     008C  0023A             .WORD    140
00000000G  0023C             .ADDRESS NML$LISPARAM
     008D  00240             .WORD    141
00000000G  00242             .ADDRESS NML$LISPARAM
     008E  00246             .WORD    142
00000000G  00248             .ADDRESS NML$LISPARAM
     008F  0024C             .WORD    143
00000000G  0024E             .ADDRESS NML$LISPARAM
     0090  00252             .WORD    144
00000000G  00254             .ADDRESS NML$LISPARAM
     0091  00258             .WORD    145
00000000G  0025A             .ADDRESS NML$LISPARAM
     0092  0025E             .WORD    146
00000000G  00260             .ADDRESS NML$LISPARAM
     0093  00264             .WORD    147
00000000G  00266             .ADDRESS NML$LISPARAM
     0094  0026A             .WORD    148
00000000G  0026C             .ADDRESS NML$LISPASSWORD
     0095  00270             .WORD    149
00000000G  00272             .ADDRESS NML$LISPARAM
     0096  00276             .WORD    150
00000000G  00278             .ADDRESS NML$LISPARAM
     0097  0027C             .WORD    151
00000000G  0027E             .ADDRESS NML$LISPASSWORD
     0098  00282             .WORD    152
00000000G  00284             .ADDRESS NML$LISPASSWORD
     0099  00288             .WORD    153
00000000G  0028A             .ADDRESS NML$LISPASSWORD
     009A  0028E             .WORD    154
00000000G  00290             .ADDRESS NML$LISPARAM
     009B  00294             .WORD    155
00000000G  00296             .ADDRESS NML$LISPARAM
     009C  0029A             .WORD    156
00000000G  0029C             .ADDRESS NML$LISPARAM
     009D  002A0             .WORD    157
00000000G  002A2             .ADDRESS NML$LISPARAM
     009E  002A6             .WORD    158
00000000G  002A8             .ADDRESS NML$LISPARAM
     009F  002AC             .WORD    159
00000000G  002AE             .ADDRESS NML$LISPARAM
           002B2             .BLKB    2
00000029   002B4  P.ACH:     .LONG    41
00000000'  002B8             .ADDRESS P.ACI
     006D  002BC  P.ACK:     .WORD    109
00000000G  002BE             .ADDRESS NML$LISPARAM
     007F  002C2             .WORD    127
00000000G  002C4             .ADDRESS NML$LISNODEID
00000002   002C8  P.ACJ:     .LONG    2
00000000'  002CC             .ADDRESS P.ACK
     006D  002D0  P.ACM:     .WORD    109
00000000G  002D2             .ADDRESS NML$LISPARAM
     007F  002D6             .WORD    127
00000000G  002D8             .ADDRESS NML$LISNODEID
00000002   002DC  P.ACL:     .LONG    2
00000000'  002E0             .ADDRESS P.ACM
     0053  002E4  P.ACO:     .WORD    83
00000000G  002E6             .ADDRESS NML$LISPARAM
```

```
     0054  002EA          .WORD    84                                    ;
00000000G  002EC          .ADDRESS NML$LISPARAM                          ;
     0055  002F0          .WORD    85                                    ;
00000000G  002F2          .ADDRESS NML$LISPARAM                          ;
     0056  002F6          .WORD    86                                    ;
00000000G  002F8          .ADDRESS NML$LISPARAM                          ;
     0057  002FC          .WORD    87                                    ;
00000000G  002FE          .ADDRESS NML$LISPARAM                          ;
     0058  00302          .WORD    88                                    ;
00000000G  00304          .ADDRESS NML$LISPARAM                          ;
     0059  00308          .WORD    89                                    ;
00000000G  0030A          .ADDRESS NML$LISPARAM                          ;
     005A  0030E          .WORD    90                                    ;
00000000G  00310          .ADDRESS NML$LISPARAM                          ;
     005B  00314          .WORD    91                                    ;
00000000G  00316          .ADDRESS NML$LISPARAM                          ;
     005C  0031A          .WORD    92                                    ;
00000000G  0031C          .ADDRESS NML$LISPARAM                          ;
     005D  00320          .WORD    93                                    ;
00000000G  00322          .ADDRESS NML$LISPARAM                          ;
     005E  00326          .WORD    94                                    ;
00000000G  00328          .ADDRESS NML$LISPARAM                          ;
     005F  0032C          .WORD    95                                    ;
00000000G  0032E          .ADDRESS NML$LISPARAM                          ;
     0060  00332          .WORD    96                                    ;
00000000G  00334          .ADDRESS NML$LISPARAM                          ;
     0061  00338          .WORD    97                                    ;
00000000G  0033A          .ADDRESS NML$LISPARAM                          ;
     0062  0033E          .WORD    98                                    ;
00000000G  00340          .ADDRESS NML$LISPARAM                          ;
     0064  00344          .WORD    100                                   ;
00000000G  00346          .ADDRESS NML$LISNODEID                         ;
     006A  0034A          .WORD    106                                   ;
00000000G  0034C          .ADDRESS NML$LISPARAM                          ;
     006D  00350          .WORD    109                                   ;
00000000G  00352          .ADDRESS NML$LISPARAM                          ;
     0092  00356          .WORD    146                                   ;
00000000G  00358          .ADDRESS NML$LISPARAM                          ;
     0093  0035C          .WORD    147                                   ;
00000000G  0035E          .ADDRESS NML$LISPARAM                          ;
     0094  00362          .WORD    148                                   ;
00000000G  00364          .ADDRESS NML$LISPASSWORD                       ;
     0095  00368          .WORD    149                                   ;
00000000G  0036A          .ADDRESS NML$LISPARAM                          ;
     0096  0036E          .WORD    150                                   ;
00000000G  00370          .ADDRESS NML$LISPARAM                          ;
     0097  00374          .WORD    151                                   ;
00000000G  00376          .ADDRESS NML$LISPASSWORD                       ;
     0098  0037A          .WORD    152                                   ;
00000000G  0037C          .ADDRESS NML$LISPASSWORD                       ;
     0099  00380          .WORD    153                                   ;
00000000G  00382          .ADDRESS NML$LISPASSWORD                       ;
     009A  00386          .WORD    154                                   ;
00000000G  00388          .ADDRESS NML$LISPARAM                          ;
     009E  0038C          .WORD    158                                   ;
00000000G  0038E          .ADDRESS NML$LISPARAM                          ;
           00392          .BLKB    2
```

```
0000001D  00394 P.ACN:  .LONG    29                                  ;
00000000' 00398         .ADDRESS P.ACO                               ;
    006D  0039C P.ACQ:  .WORD    109                                 ;
00000000G 0039E         .ADDRESS NML$LISPARAM                        ;
          003A2         .BLKB    2
00000001  003A4 P.ACP:  .LONG    1                                   ;
00000000' 003A8         .ADDRESS P.ACQ                               ;
    00A7  003AC P.ACS:  .WORD    167                                 ;
00000000G 003AE         .ADDRESS NML$LISNODEID                       ;
    00A8  003B2         .WORD    168                                 ;
00000000G 003B4         .ADDRESS NML$LISPARAM                        ;
    00A9  003B8         .WORD    169                                 ;
00000000G 003BA         .ADDRESS NML$LISPWSET                        ;
    00AA  003BE         .WORD    170                                 ;
00000000G 003C0         .ADDRESS NML$LISPARAM                        ;
00000004  003C4 P.ACR:  .LONG    4                                   ;
00000000' 003C8         .ADDRESS P.ACS                               ;
    00B5  003CC P.ACU:  .WORD    181                                 ;
00000000G 003CE         .ADDRESS NML$LISPARAM                        ;
    00B6  003D2         .WORD    182                                 ;
00000000G 003D4         .ADDRESS NML$LISPARAM                        ;
    00B7  003D8         .WORD    183                                 ;
00000000G 003DA         .ADDRESS NML$LISPARAM                        ;
    00B8  003DE         .WORD    184                                 ;
00000000G 003E0         .ADDRESS NML$LISPARAM                        ;
    00B9  003E4         .WORD    185                                 ;
00000000G 003E6         .ADDRESS NML$LISPARAM                        ;
    00BA  003EA         .WORD    186                                 ;
00000000G 003EC         .ADDRESS NML$LISPARAM                        ;
    00BB  003F0         .WORD    187                                 ;
00000000G 003F2         .ADDRESS NML$LISPARAM                        ;
    00BC  003F6         .WORD    188                                 ;
00000000G 003F8         .ADDRESS NML$LISPARAM                        ;
    00BD  003FC         .WORD    189                                 ;
00000000G 003FE         .ADDRESS NML$LISPARAM                        ;
    00BE  00402         .WORD    190                                 ;
00000000G 00404         .ADDRESS NML$LISPARAM                        ;
    00BF  00408         .WORD    191                                 ;
00000000G 0040A         .ADDRESS NML$LISPARAM                        ;
    00C3  0040E         .WORD    195                                 ;
00000000G 00410         .ADDRESS NML$LISPARAM                        ;
0000000C  00414 P.ACT:  .LONG    12                                  ;
00000000' 00418         .ADDRESS P.ACU                               ;
    00AB  0041C P.ACW:  .WORD    171                                 ;
00000000G 0041E         .ADDRESS NML$LISPARAM                        ;
          00422         .BLKB    2
00000001  00424 P.ACV:  .LONG    1                                   ;
00000000' 00428         .ADDRESS P.ACW                               ;
    00AC  0042C P.ACY:  .WORD    172                                 ;
00000000G 0042E         .ADDRESS NML$LISPARAM                        ;
    00B2  00432         .WORD    178                                 ;
00000000G 00434         .ADDRESS NML$LISPARAM                        ;
    00B3  00438         .WORD    179                                 ;
00000000G 0043A         .ADDRESS NML$LISRANGE                        ;
          0043E         .BLKB    2
00000003  00440 P.ACX:  .LONG    3                                   ;
00000000' 00444         .ADDRESS P.ACY                               ;
```

```
     00C0  00448 P.ADA:  .WORD    192                                   ;
00000000G  0044A         .ADDRESS NML$LISPARAM                          ;
     00C1  0044E         .WORD    193                                   ;
00000000G  00450         .ADDRESS NML$LISPARAM                          ;
     00C2  00454         .WORD    194                                   ;
00000000G  00456         .ADDRESS NML$LISPARAM                          ;
           0045A         .BLKB    2
00000003   0045C P.ACZ:  .LONG    3                                     ;
00000000'  00460         .ADDRESS P.ADA                                 ;
     00D7  00464 P.ADC:  .WORD    215                                   ;
00000000G  00466         .ADDRESS NML$LISPARAM                          ;
           0046A         .BLKB    2
00000001   0046C P.ADB:  .LONG    1                                     ;
00000000'  00470         .ADDRESS P.ADC                                 ;
     00C7  00474 P.ADE:  .WORD    199                                   ;
00000000G  00476         .ADDRESS NML$LISPARAM                          ;
     00CA  0047A         .WORD    202                                   ;
00000000G  0047C         .ADDRESS NML$LISPARAM                          ;
00000002   00480 P.ADD:  .LONG    2                                     ;
00000000'  00484         .ADDRESS P.ADE                                 ;
     00CB  00488 P.ADG:  .WORD    203                                   ;
00000000G  0048A         .ADDRESS NML$LISNODEID                         ;
     00CC  0048E         .WORD    204                                   ;
00000000G  00490         .ADDRESS NML$LISPARAM                          ;
     00CD  00494         .WORD    205                                   ;
00000000G  00496         .ADDRESS NML$LISPWSET                          ;
     00CF  0049A         .WORD    207                                   ;
00000000G  0049C         .ADDRESS NML$LISPARAM                          ;
     00D0  004A0         .WORD    208                                   ;
00000000G  004A2         .ADDRESS NML$LISPARAM                          ;
     00D1  004A6         .WORD    209                                   ;
00000000G  004A8         .ADDRESS NML$LISPARAM                          ;
     00D2  004AC         .WORD    210                                   ;
00000000G  004AE         .ADDRESS NML$LISPARAM                          ;
     00D3  004B2         .WORD    211                                   ;
00000000G  004B4         .ADDRESS NML$LISPARAM                          ;
     00D4  004B8         .WORD    212                                   ;
00000000G  004BA         .ADDRESS NML$LISPARAM                          ;
     00D5  004BE         .WORD    213                                   ;
00000000G  004C0         .ADDRESS NML$LISPARAM                          ;
     00D6  004C4         .WORD    214                                   ;
00000000G  004C6         .ADDRESS NML$LISRANGE                          ;
     00D8  004CA         .WORD    216                                   ;
00000000G  004CC         .ADDRESS NML$LISPARAM                          ;
0000000C   004D0 P.ADF:  .LONG    12                                    ;
00000000'  004D4         .ADDRESS P.ADG                                 ;
     00DA  004D8 P.ADI:  .WORD    218                                   ;
00000000G  004DA         .ADDRESS NML$LISPARAM                          ;
     00DD  004DE         .WORD    221                                   ;
00000000G  004E0         .ADDRESS NML$LISPARAM                          ;
00000002   004E4 P.ADH:  .LONG    2                                     ;
00000000'  004E8         .ADDRESS P.ADI                                 ;
     00DB  004EC P.ADK:  .WORD    219                                   ;
00000000G  004EE         .ADDRESS NML$LISPARAM                          ;
     00DC  004F2         .WORD    220                                   ;
00000000G  004F4         .ADDRESS NML$LISPARAM                          ;
     00DD  004F8         .WORD    221                                   ;
```

```
00000000G 004FA          .ADDRESS NML$LISPARAM
     00DE 004FE          .WORD    222
00000000G 00500          .ADDRESS NML$LISPARAM
     00DF 00504          .WORD    223
00000000G 00506          .ADDRESS NML$LISPARAM
     00E0 0050A          .WORD    224
00000000G 0050C          .ADDRESS NML$LISPARAM
 00000006 00510 P.ADJ:   .LONG    6
00000000' 00514          .ADDRESS P.ADK
     00E3 00518 P.ADM:   .WORD    227
00000000G 0051A          .ADDRESS NML$LISPARAM
          0051E          .BLKB    2
 00000001 00520 P.ADL:   .LONG    1
00000000' 00524          .ADDRESS P.ADM
     00E2 00528 P.ADO:   .WORD    226
00000000G 0052A          .ADDRESS NML$LISPARAM
     00E3 0052E          .WORD    227
00000000G 00530          .ADDRESS NML$LISPARAM
 00000002 00534 P.ADN:   .LONG    2
00000000' 00538          .ADDRESS P.ADO
     00F8 0053C P.ADQ:   .WORD    248
00000000G 0053E          .ADDRESS NML$LISPARAM
          00542          .BLKB    2
 00000001 00544 P.ADP:   .LONG    1
00000000' 00548          .ADDRESS P.ADQ
     00F9 0054C P.ADS:   .WORD    249
00000000G 0054E          .ADDRESS NML$LISPARAM
     00FA 00552          .WORD    250
00000000G 00554          .ADDRESS NML$LISPARAM
     00FC 00558          .WORD    252
00000000G 0055A          .ADDRESS NML$LISPARAM
     00FD 0055E          .WORD    253
00000000G 00560          .ADDRESS NML$LISPARAM
     00FE 00564          .WORD    254
00000000G 00566          .ADDRESS NML$LISPARAM
     00FF 0056A          .WORD    255
00000000G 0056C          .ADDRESS NML$LISPASSWORD
 00000006 00570 P.ADR:   .LONG    6
00000000' 00574          .ADDRESS P.ADS
     00F9 00578 P.ADU:   .WORD    249
00000000G 0057A          .ADDRESS NML$LISPARAM
     00FA 0057E          .WORD    250
00000000G 00580          .ADDRESS NML$LISPARAM
     00FC 00584          .WORD    252
00000000G 00586          .ADDRESS NML$LISPARAM
     00FD 0058A          .WORD    253
00000000G 0058C          .ADDRESS NML$LISPARAM
     00FE 00590          .WORD    254
00000000G 00592          .ADDRESS NML$LISPARAM
     00FF 00596          .WORD    255
00000000G 00598          .ADDRESS NML$LISPASSWORD
 00000006 0059C P.ADT:   .LONG    6
00000000' 005A0          .ADDRESS P.ADU
     00F9 005A4 P.ADW:   .WORD    249
00000000G 005A6          .ADDRESS NML$LISPARAM
     00FA 005AA          .WORD    250
00000000G 005AC          .ADDRESS NML$LISPARAM
```

```
      00FC  005B0            .WORD    252                                    ;
 00000000G  005B2            .ADDRESS NML$LISPARAM                           ;
      00FD  005B6            .WORD    253                                    ;
 00000000G  005B8            .ADDRESS NML$LISPARAM                           ;
      00FE  005BC            .WORD    254                                    ;
 00000000G  005BE            .ADDRESS NML$LISPARAM                           ;
      00FF  005C2            .WORD    255                                    ;
 00000000G  005C4            .ADDRESS NML$LISPASSWORD                        ;
      0100  005C8            .WORD    256                                    ;
 00000000G  005CA            .ADDRESS NML$LISPARAM                           ;
            005CE            .BLKB    2
  00000007  005D0 P.ADV:     .LONG    7                                      ;
 00000000'  005D4            .ADDRESS P.ADW                                  ;
      0000  005D8 P.ADY:     .WORD    0                                      ;
 00000000G  005DA            .ADDRESS NML$SHOPARAM                           ;
      0001  005DE            .WORD    1                                      ;
 00000000G  005E0            .ADDRESS NML$SHOPARAM                           ;
      0006  005E4            .WORD    6                                      ;
 00000000G  005E6            .ADDRESS NML$SHOPARAM                           ;
            005EA            .BLKB    2
  00000003  005EC P.ADX:     .LONG    3                                      ;
 00000000'  005F0            .ADDRESS P.ADY                                  ;
      0000  005F4 P.AEA:     .WORD    0                                      ;
 00000000G  005F6            .ADDRESS NML$SHOPARAM                           ;
      0001  005FA            .WORD    1                                      ;
 00000000G  005FC            .ADDRESS NML$SHOPARAM                           ;
      0002  00600            .WORD    2                                      ;
 00000000G  00602            .ADDRESS NML$SHOPARAM                           ;
      0003  00606            .WORD    3                                      ;
 00000000G  00608            .ADDRESS NML$SHOPARAM                           ;
      0006  0060C            .WORD    6                                      ;
 00000000G  0060E            .ADDRESS NML$SHOPARAM                           ;
      0009  00612            .WORD    9                                      ;
 00000000G  00614            .ADDRESS NML$SHONODEID                          ;
      000B  00618            .WORD    11                                     ;
 00000000G  0061A            .ADDRESS NML$SHOPARAM                           ;
      000C  0061E            .WORD    12                                     ;
 00000000G  00620            .ADDRESS NML$SHOPARAM                           ;
      000D  00624            .WORD    13                                     ;
 00000000G  00626            .ADDRESS NML$SHOPARAM                           ;
      000E  0062A            .WORD    14                                     ;
 00000000G  0062C            .ADDRESS NML$SHOPARAM                           ;
      0010  00630            .WORD    16                                     ;
 00000000G  00632            .ADDRESS NML$SHOPARAM                           ;
      0011  00636            .WORD    17                                     ;
 00000000G  00638            .ADDRESS NML$SHOPARAM                           ;
      0012  0063C            .WORD    18                                     ;
 00000000G  0063E            .ADDRESS NML$SHOPARAM                           ;
      0013  00642            .WORD    19                                     ;
 00000000G  00644            .ADDRESS NML$SHOPARAM                           ;
      0014  00648            .WORD    20                                     ;
 00000000G  0064A            .ADDRESS NML$SHOPARAM                           ;
      0015  0064E            .WORD    21                                     ;
 00000000G  00650            .ADDRESS NML$SHOPARAM                           ;
      0016  00654            .WORD    22                                     ;
 00000000G  00656            .ADDRESS NML$SHOOWNER                           ;
      0017  0065A            .WORD    23                                     ;
```

```
00000000G 0065C          .ADDRESS NML$SHOPARAM          ;
     0018 00660          .WORD    24                    ;
00000000G 00662          .ADDRESS NML$SHOPARAM          ;
     0019 00666          .WORD    25                    ;
00000000G 00668          .ADDRESS NML$SHOPARAM          ;
     001A 0066C          .WORD    26                    ;
00000000G 0066E          .ADDRESS NML$SHOPARAM          ;
     001B 00672          .WORD    27                    ;
00000000G 00674          .ADDRESS NML$SHOPARAM          ;
     001C 00678          .WORD    28                    ;
00000000G 0067A          .ADDRESS NML$SHOPARAM          ;
     001D 0067E          .WORD    29                    ;
00000000G 00680          .ADDRESS NML$SHOPARAM          ;
     001E 00684          .WORD    30                    ;
00000000G 00686          .ADDRESS NML$SHOPARAM          ;
     001F 0068A          .WORD    31                    ;
00000000G 0068C          .ADDRESS NML$SHOPARAM          ;
     0020 00690          .WORD    32                    ;
00000000G 00692          .ADDRESS NML$SHOPARAM          ;
     0021 00696          .WORD    33                    ;
00000000G 00698          .ADDRESS NML$SHOPARAM          ;
     0022 0069C          .WORD    34                    ;
00000000G 0069E          .ADDRESS NML$SHOPARAM          ;
     0023 006A2          .WORD    35                    ;
00000000G 006A4          .ADDRESS NML$SHOPARAM          ;
     0024 006A8          .WORD    36                    ;
00000000G 006AA          .ADDRESS NML$SHOPARAM          ;
     0025 006AE          .WORD    37                    ;
00000000G 006B0          .ADDRESS NML$SHOPARAM          ;
     0026 006B4          .WORD    38                    ;
00000000G 006B6          .ADDRESS NML$SHOPARAM          ;
     0027 006BA          .WORD    39                    ;
00000000G 006BC          .ADDRESS NML$SHOPARAM          ;
     0028 006C0          .WORD    40                    ;
00000000G 006C2          .ADDRESS NML$SHOPARAM          ;
     0029 006C6          .WORD    41                    ;
00000000G 006C8          .ADDRESS NML$SHOPARAM          ;
     002A 006CC          .WORD    42                    ;
00000000G 006CE          .ADDRESS NML$SHOPARAM          ;
     002B 006D2          .WORD    43                    ;
00000000G 006D4          .ADDRESS NML$SHOPARAM          ;
     002C 006D8          .WORD    44                    ;
00000000G 006DA          .ADDRESS NML$SHOPARAM          ;
          006DE          .BLKB    2
00000027  006E0 P.ADZ:   .LONG    39                    ;
00000000' 006E4          .ADDRESS P.AEA                 ;
     002D 006E8 P.AEC:   .WORD    45                    ;
00000000G 006EA          .ADDRESS NML$SHOCOUNTERS       ;
          006EE          .BLKB    2
00000001  006F0 P.AEB:   .LONG    1                     ;
00000000' 006F4          .ADDRESS P.AEC                 ;
     0007 006F8 P.AEE:   .WORD    7                     ;
00000000G 006FA          .ADDRESS NML$SHONODEID         ;
          006FE          .BLKB    2
00000001  00700 P.AED:   .LONG    1                     ;
00000000' 00704          .ADDRESS P.AEE                 ;
     0007 00708 P.AEG:   .WORD    7                     ;
```

```
00000000G 0070A          .ADDRESS NML$SHONODEID
     000A 0070E          .WORD    10
00000000G 00710          .ADDRESS NML$SHOPARAM
00000002  00714 P.AEF:   .LONG    2
00000000' 00718          .ADDRESS P.AEG
     0007 0071C P.AEI:   .WORD    7
00000000G 0071E          .ADDRESS NML$SHONODEID
     000F 00722          .WORD    15
00000000G 00724          .ADDRESS NML$SHOPARAM
00000002  00728 P.AEH:   .LONG    2
00000000' 0072C          .ADDRESS P.AEI
     0004 00730 P.AEK:   .WORD    4
00000000G 00732          .ADDRESS NML$SHOPARAM
     0005 00736          .WORD    5
00000000G 00738          .ADDRESS NML$SHOPARAM
00000002  0073C P.AEJ:   .LONG    2
00000000' 00740          .ADDRESS P.AEK
     002E 00744 P.AEM:   .WORD    46
00000000G 00746          .ADDRESS NML$SHOPARAM
     002F 0074A          .WORD    47
00000000G 0074C          .ADDRESS NML$SHOPARAM
00000002  00750 P.AEL:   .LONG    2
00000000' 00754          .ADDRESS P.AEM
     002E 00758 P.AEO:   .WORD    46
00000000G 0075A          .ADDRESS NML$SHOPARAM
     002F 0075E          .WORD    47
00000000G 00760          .ADDRESS NML$SHOPARAM
00000002  00764 P.AEN:   .LONG    2
00000000' 00768          .ADDRESS P.AEO
     0030 0076C P.AEQ:   .WORD    48
00000000G 0076E          .ADDRESS NML$SHOPARAM
     0031 00772          .WORD    49
00000000G 00774          .ADDRESS NML$SHOPARAM
     0032 00778          .WORD    50
00000000G 0077A          .ADDRESS NML$SHOPARAM
     0033 0077E          .WORD    51
00000000G 00780          .ADDRESS NML$SHOPARAM
     0034 00784          .WORD    52
00000000G 00786          .ADDRESS NML$SHOPARAM
     0035 0078A          .WORD    53
00000000G 0078C          .ADDRESS NML$SHOPARAM
     0036 00790          .WORD    54
00000000G 00792          .ADDRESS NML$SHOPARAM
     0037 00796          .WORD    55
00000000G 00798          .ADDRESS NML$SHOPARAM
     0038 0079C          .WORD    56
00000000G 0079E          .ADDRESS NML$SHOPARAM
     0039 007A2          .WORD    57
00000000G 007A4          .ADDRESS NML$SHOPARAM
     003A 007A8          .WORD    58
00000000G 007AA          .ADDRESS NML$SHOPARAM
     003B 007AE          .WORD    59
00000000G 007B0          .ADDRESS NML$SHOPARAM
     003C 007B4          .WORD    60
00000000G 007B6          .ADDRESS NML$SHOPARAM
     003D 007BA          .WORD    61
00000000G 007BC          .ADDRESS NML$SHOPARAM
```

```
     003E  007C0           .WORD   62                                         ;
00000000G  007C2           .ADDRESS NML$SHOPARAM                              ;
     003F  007C6           .WORD   63                                         ;
00000000G  007C8           .ADDRESS NML$SHOPARAM                              ;
     0040  007CC           .WORD   64                                         ;
00000000G  007CE           .ADDRESS NML$SHOPARAM                              ;
     0041  007D2           .WORD   65                                         ;
00000000G  007D4           .ADDRESS NML$SHOPARAM                              ;
     0043  007D8           .WORD   67                                         ;
00000000G  007DA           .ADDRESS NML$SHOPARAM                              ;
     0044  007DE           .WORD   68                                         ;
00000000G  007E0           .ADDRESS NML$SHOPARAM                              ;
     0045  007E4           .WORD   69                                         ;
00000000G  007E6           .ADDRESS NML$SHOPARAM                              ;
           007EA           .BLKB   2
 00000015  007EC  P.AEP:   .LONG   21                                         ;
 00000000' 007F0           .ADDRESS P.AEQ                                     ;
     0047  007F4  P.AES:   .WORD   71                                         ;
00000000G  007F6           .ADDRESS NML$SHOCOUNTERS                           ;
           007FA           .BLKB   2
 00000001  007FC  P.AER:   .LONG   1                                          ;
 00000000' 00800           .ADDRESS P.AES                                     ;
     004F  00804  P.AEU:   .WORD   79                                         ;
00000000G  00806           .ADDRESS NML$SHOEXEPARAM                           ;
     004F  0080A           .WORD   79                                         ;
00000000G  0080C           .ADDRESS NML$SKIPLONG                              ;
     0050  00810           .WORD   80                                         ;
00000000G  00812           .ADDRESS NML$SHOEXEPARAM                           ;
     0073  00816           .WORD   115                                        ;
00000000G  00818           .ADDRESS NML$SHOPARAM                              ;
     0074  0081C           .WORD   116                                        ;
00000000G  0081E           .ADDRESS NML$SHOPARAM                              ;
           00822           .BLKB   2
 00000005  00824  P.AET:   .LONG   5                                          ;
 00000000' 00828           .ADDRESS P.AEU                                     ;
     004F  0082C  P.AEW:   .WORD   79                                         ;
00000000G  0082E           .ADDRESS NML$SHOEXEPARAM                           ;
     0051  00832           .WORD   81                                         ;
00000000G  00834           .ADDRESS NML$SHOEXEPARAM                           ;
     004F  00838           .WORD   79                                         ;
00000000G  0083A           .ADDRESS NML$SKIPLONG                              ;
     006D  0083E           .WORD   109                                        ;
00000000G  00840           .ADDRESS NML$SKIPSTRING                            ;
     0073  00844           .WORD   115                                        ;
00000000G  00846           .ADDRESS NML$SHOPARAM                              ;
           0084A           .BLKB   2
 00000005  0084C  P.AEV:   .LONG   5                                          ;
 00000000' 00850           .ADDRESS P.AEW                                     ;
     0051  00854  P.AEY:   .WORD   81                                         ;
00000000G  00856           .ADDRESS NML$SHOEXEPARAM                           ;
     0052  0085A           .WORD   82                                         ;
00000000G  0085C           .ADDRESS NML$SHONMLVER                             ;
     0053  00860           .WORD   83                                         ;
00000000G  00862           .ADDRESS NML$SKIPSTRING                            ;
     0054  00866           .WORD   84                                         ;
00000000G  00868           .ADDRESS NML$SKIPSTRING                            ;
     0055  0086C           .WORD   85                                         ;
```

```
00000000G 0086E          .ADDRESS NML$SKIPLONG                            ;
     0056 00872          .WORD    86                                      ;
00000000G 00874          .ADDRESS NML$SKIPLONG                            ;
     0057 00878          .WORD    87                                      ;
00000000G 0087A          .ADDRESS NML$SKIPSTRING                          ;
     0058 0087E          .WORD    88                                      ;
00000000G 00880          .ADDRESS NML$SKIPLONG                            ;
     0059 00884          .WORD    89                                      ;
00000000G 00886          .ADDRESS NML$SKIPSTRING                          ;
     005A 0088A          .WORD    90                                      ;
00000000G 0088C          .ADDRESS NML$SKIPSTRING                          ;
     005B 00890          .WORD    91                                      ;
00000000G 00892          .ADDRESS NML$SKIPSTRING                          ;
     005C 00896          .WORD    92                                      ;
00000000G 00898          .ADDRESS NML$SKIPSTRING                          ;
     005D 0089C          .WORD    93                                      ;
00000000G 0089E          .ADDRESS NML$SKIPLONG                            ;
     005E 008A2          .WORD    94                                      ;
00000000G 008A4          .ADDRESS NML$SKIPSTRING                          ;
     005F 008A8          .WORD    95                                      ;
00000000G 008AA          .ADDRESS NML$SKIPSTRING                          ;
     0060 008AE          .WORD    96                                      ;
00000000G 008B0          .ADDRESS NML$SKIPSTRING                          ;
     0061 008B4          .WORD    97                                      ;
00000000G 008B6          .ADDRESS NML$SKIPLONG                            ;
     0062 008BA          .WORD    98                                      ;
00000000G 008BC          .ADDRESS NML$SKIPLONG                            ;
     0063 008C0          .WORD    99                                      ;
00000000G 008C2          .ADDRESS NML$SKIPLONG                            ;
     006A 008C6          .WORD    106                                     ;
00000000G 008C8          .ADDRESS NML$SHOPARAM                            ;
     006D 008CC          .WORD    109                                     ;
00000000G 008CE          .ADDRESS NML$SKIPSTRING                          ;
     0071 008D2          .WORD    113                                     ;
00000000G 008D4          .ADDRESS NML$SHOEXEPARAM                         ;
     0072 008D8          .WORD    114                                     ;
00000000G 008DA          .ADDRESS NML$SHOEXEPARAM                         ;
     0075 008DE          .WORD    117                                     ;
00000000G 008E0          .ADDRESS NML$SHOVERSION                          ;
     0076 008E4          .WORD    118                                     ;
00000000G 008E6          .ADDRESS NML$SHOEXEPARAM                         ;
     0077 008EA          .WORD    119                                     ;
00000000G 008EC          .ADDRESS NML$SHOEXEPARAM                         ;
     0078 008F0          .WORD    120                                     ;
00000000G 008F2          .ADDRESS NML$SHOEXEPARAM                         ;
     0079 008F6          .WORD    121                                     ;
00000000G 008F8          .ADDRESS NML$SHOEXEPARAM                         ;
     007A 008FC          .WORD    122                                     ;
00000000G 008FE          .ADDRESS NML$SHOEXEPARAM                         ;
     0080 00902          .WORD    128                                     ;
00000000G 00904          .ADDRESS NML$SHOVERSION                          ;
     0081 00908          .WORD    129                                     ;
00000000G 0090A          .ADDRESS NML$SHOEXEPARAM                         ;
     0082 0090E          .WORD    130                                     ;
00000000G 00910          .ADDRESS NML$SHOEXEPARAM                         ;
     0083 00914          .WORD    131                                     ;
00000000G 00916          .ADDRESS NML$SHOEXEPARAM                         ;
```

```
     0084  0091A           .WORD    132
00000000G  0091C           .ADDRESS NML$SHOEXEPARAM
     0085  00920           .WORD    133
00000000G  00922           .ADDRESS NML$SHOEXEPARAM
     0086  00926           .WORD    134
00000000G  00928           .ADDRESS NML$SHOEXEPARAM
     0087  0092C           .WORD    135
00000000G  0092E           .ADDRESS NML$SHOEXEPARAM
     0088  00932           .WORD    136
00000000G  00934           .ADDRESS NML$SHOEXEPARAM
     0089  00938           .WORD    137
00000000G  0093A           .ADDRESS NML$SHOEXEPARAM
     008A  0093E           .WORD    138
00000000G  00940           .ADDRESS NML$SHOEXEPARAM
     008B  00944           .WORD    139
00000000G  00946           .ADDRESS NML$SHOEXEPARAM
     008C  0094A           .WORD    140
00000000G  0094C           .ADDRESS NML$SHOEXEPARAM
     008D  00950           .WORD    141
00000000G  00952           .ADDRESS NML$SHOEXEPARAM
     008E  00956           .WORD    142
00000000G  00958           .ADDRESS NML$SHOEXEPARAM
     008F  0095C           .WORD    143
00000000G  0095E           .ADDRESS NML$SHOEXEPARAM
     0091  00962           .WORD    145
00000000G  00964           .ADDRESS NML$SHOEXEPARAM
     0090  00968           .WORD    144
00000000G  0096A           .ADDRESS NML$SHOEXEPARAM
     0092  0096E           .WORD    146
00000000G  00970           .ADDRESS NML$SHOPARAM
     0093  00974           .WORD    147
00000000G  00976           .ADDRESS NML$SHOPARAM
     0094  0097A           .WORD    148
00000000G  0097C           .ADDRESS NML$SHOPARAM
     0095  00980           .WORD    149
00000000G  00982           .ADDRESS NML$SHOPARAM
     0096  00986           .WORD    150
00000000G  00988           .ADDRESS NML$SHOPARAM
     0097  0098C           .WORD    151
00000000G  0098E           .ADDRESS NML$SHOPARAM
     0098  00992           .WORD    152
00000000G  00994           .ADDRESS NML$SHOPARAM
     0099  00998           .WORD    153
00000000G  0099A           .ADDRESS NML$SHOPARAM
     009A  0099E           .WORD    154
00000000G  009A0           .ADDRESS NML$SHOPARAM
     009B  009A4           .WORD    155
00000000G  009A6           .ADDRESS NML$SHOEXEPARAM
     009C  009AA           .WORD    156
00000000G  009AC           .ADDRESS NML$SHOEXEPARAM
     009D  009B0           .WORD    157
00000000G  009B2           .ADDRESS NML$SHOEXEPARAM
     009F  009B6           .WORD    159
00000000G  009B8           .ADDRESS NML$SHOEXEPARAM
0000003C   009BC  P.AEX:   .LONG    60
00000000'  009C0           .ADDRESS P.AEY
     004F  009C4  P.AFA:   .WORD    79
```

```
00000000G 009C6             .ADDRESS NML$SHOREMSTA                                 ;
     0073  009CA            .WORD    115                                           ;
00000000G 009CC             .ADDRESS NML$SHOPARAM                                  ;
     0074  009D0            .WORD    116                                           ;
00000000G 009D2             .ADDRESS NML$SHOPARAM                                  ;
     007B  009D6            .WORD    123                                           ;
00000000G 009D8             .ADDRESS NML$SHOPARAM                                  ;
     007C  009DC            .WORD    124                                           ;
00000000G 009DE             .ADDRESS NML$SHOPARAM                                  ;
     007D  009E2            .WORD    125                                           ;
00000000G 009E4             .ADDRESS NML$SHOPARAM                                  ;
     007E  009E8            .WORD    126                                           ;
00000000G 009EA             .ADDRESS NML$SHOPARAM                                  ;
     007F  009EE            .WORD    127                                           ;
00000000G 009F0             .ADDRESS NML$SHONODEID                                 ;
00000008  009F4 P.AEZ:      .LONG    8                                             ;
00000000' 009F8             .ADDRESS P.AFA                                         ;
     004F  009FC P.AFC:     .WORD    79                                            ;
00000000G 009FE             .ADDRESS NML$SHOREMSTA                                 ;
     006D  00A02            .WORD    109                                           ;
00000000G 00A04             .ADDRESS NML$SHOPARAM                                  ;
     0073  00A08            .WORD    115                                           ;
00000000G 00A0A             .ADDRESS NML$SHOPARAM                                  ;
     0074  00A0E            .WORD    116                                           ;
00000000G 00A10             .ADDRESS NML$SHOPARAM                                  ;
     007E  00A14            .WORD    126                                           ;
00000000G 00A16             .ADDRESS NML$SHOPARAM                                  ;
     007F  00A1A            .WORD    127                                           ;
00000000G 00A1C             .ADDRESS NML$SHONODEID                                 ;
00000006  00A20 P.AFB:      .LONG    6                                             ;
00000000' 00A24             .ADDRESS P.AFC                                         ;
     0053  00A28 P.AFE:     .WORD    83                                            ;
00000000G 00A2A             .ADDRESS NML$SHOPARAM                                  ;
     0054  00A2E            .WORD    84                                            ;
00000000G 00A30             .ADDRESS NML$SHOSERVPASS                               ;
     0055  00A34            .WORD    85                                            ;
00000000G 00A36             .ADDRESS NML$SHOPARAM                                  ;
     0056  00A3A            .WORD    86                                            ;
00000000G 00A3C             .ADDRESS NML$SHOPARAM                                  ;
     0057  00A40            .WORD    87                                            ;
00000000G 00A42             .ADDRESS NML$SHOPARAM                                  ;
     0058  00A46            .WORD    88                                            ;
00000000G 00A48             .ADDRESS NML$SHOPARAM                                  ;
     0059  00A4C            .WORD    89                                            ;
00000000G 00A4E             .ADDRESS NML$SHOPARAM                                  ;
     005A  00A52            .WORD    90                                            ;
00000000G 00A54             .ADDRESS NML$SHOPARAM                                  ;
     005B  00A58            .WORD    91                                            ;
00000000G 00A5A             .ADDRESS NML$SHOPARAM                                  ;
     005C  00A5E            .WORD    92                                            ;
00000000G 00A60             .ADDRESS NML$SHOPARAM                                  ;
     005D  00A64            .WORD    93                                            ;
00000000G 00A66             .ADDRESS NML$SHOPARAM                                  ;
     005E  00A6A            .WORD    94                                            ;
00000000G 00A6C             .ADDRESS NML$SHOPARAM                                  ;
     005F  00A70            .WORD    95                                            ;
00000000G 00A72             .ADDRESS NML$SHOPARAM                                  ;
```

```
     0060 00A76          .WORD    96                                              ;
00000000G 00A78          .ADDRESS NML$SHOPARAM                                    ;
     0061 00A7C          .WORD    97                                              ;
00000000G 00A7E          .ADDRESS NML$SHOPARAM                                    ;
     0062 00A82          .WORD    98                                              ;
00000000G 00A84          .ADDRESS NML$SHOPARAM                                    ;
     0063 00A88          .WORD    99                                              ;
00000000G 00A8A          .ADDRESS NML$SHONODEID                                   ;
     006A 00A8E          .WORD    106                                             ;
00000000G 00A90          .ADDRESS NML$SHOPARAM                                    ;
     006D 00A94          .WORD    109                                             ;
00000000G 00A96          .ADDRESS NML$SHOPARAM                                    ;
     0092 00A9A          .WORD    146                                             ;
00000000G 00A9C          .ADDRESS NML$SHOPARAM                                    ;
     0093 00AA0          .WORD    147                                             ;
00000000G 00AA2          .ADDRESS NML$SHOPARAM                                    ;
     0094 00AA6          .WORD    148                                             ;
00000000G 00AA8          .ADDRESS NML$SHOPARAM                                    ;
     0095 00AAC          .WORD    149                                             ;
00000000G 00AAE          .ADDRESS NML$SHOPARAM                                    ;
     0096 00AB2          .WORD    150                                             ;
00000000G 00AB4          .ADDRESS NML$SHOPARAM                                    ;
     0097 00AB8          .WORD    151                                             ;
00000000G 00ABA          .ADDRESS NML$SHOPARAM                                    ;
     0098 00ABE          .WORD    152                                             ;
00000000G 00AC0          .ADDRESS NML$SHOPARAM                                    ;
     0099 00AC4          .WORD    153                                             ;
00000000G 00AC6          .ADDRESS NML$SHOPARAM                                    ;
     009A 00ACA          .WORD    154                                             ;
00000000G 00ACC          .ADDRESS NML$SHOPARAM                                    ;
0000001C  00AD0 P.AFD:   .LONG    28                                              ;
00000000' 00AD4          .ADDRESS P.AFE                                           ;
     00A0 00AD8 P.AFG:   .WORD    160                                             ;
00000000G 00ADA          .ADDRESS NML$SHOCOUNTERS                                 ;
          00ADE          .BLKB    2
00000001  00AE0 P.AFF:   .LONG    1                                               ;
00000000' 00AE4          .ADDRESS P.AFG                                           ;
     006D 00AE8 P.AFI:   .WORD    109                                             ;
00000000G 00AEA          .ADDRESS NML$SHOPARAM                                    ;
          00AEE          .BLKB    2
00000001  00AF0 P.AFH:   .LONG    1                                               ;
00000000' 00AF4          .ADDRESS P.AFI                                           ;
     00A1 00AF8 P.AFK:   .WORD    161                                             ;
00000000G 00AFA          .ADDRESS NML$SHOREMSTA                                   ;
     00A4 00AFE          .WORD    164                                             ;
00000000G 00B00          .ADDRESS NML$SHOPARAM                                    ;
     00A5 00B04          .WORD    165                                             ;
00000000G 00B06          .ADDRESS NML$SHONODEID                                   ;
          00B0A          .BLKB    2
00000003  00B0C P.AFJ:   .LONG    3                                               ;
00000000' 00B10          .ADDRESS P.AFK                                           ;
     00A1 00B14 P.AFM:   .WORD    161                                             ;
00000000G 00B16          .ADDRESS NML$SHOREMSTA                                   ;
     00A2 00B1A          .WORD    162                                             ;
00000000G 00B1C          .ADDRESS NML$SHOPARAM                                    ;
     00A3 00B20          .WORD    163                                             ;
00000000G 00B22          .ADDRESS NML$SHOPARAM                                    ;
```

```
     00A4  00B26            .WORD    164                                             ;
00000000G  00B28            .ADDRESS NML$SHOPARAM                                    ;
     00A5  00B2C            .WORD    165                                             ;
00000000G  00B2E            .ADDRESS NML$SHONODEID                                   ;
           00B32            .BLKB    2
00000005   00B34 P.AFL:     .LONG    5                                               ;
00000000'  00B38            .ADDRESS P.AFM                                           ;
     00A6  00B3C P.AFO:     .WORD    166                                             ;
00000000G  00B3E            .ADDRESS NML$SHOPARAM                                    ;
     00A7  00B42            .WORD    167                                             ;
00000000G  00B44            .ADDRESS NML$SHONODEID                                   ;
     00A8  00B48            .WORD    168                                             ;
00000000G  00B4A            .ADDRESS NML$SHOPARAM                                    ;
     00A9  00B4E            .WORD    169                                             ;
00000000G  00B50            .ADDRESS NML$SHOPWSET                                    ;
     00AA  00B54            .WORD    170                                             ;
00000000G  00B56            .ADDRESS NML$SHOPARAM                                    ;
           00B5A            .BLKB    2
00000005   00B5C P.AFN:     .LONG    5                                               ;
00000000'  00B60            .ADDRESS P.AFO                                           ;
     00B1  00B64 P.AFQ:     .WORD    177                                             ;
00000000G  00B66            .ADDRESS NML$SHOPARAM                                    ;
     00B5  00B6A            .WORD    181                                             ;
00000000G  00B6C            .ADDRESS NML$SHOPARAM                                    ;
     00B6  00B70            .WORD    182                                             ;
00000000G  00B72            .ADDRESS NML$SHOPARAM                                    ;
     00B7  00B76            .WORD    183                                             ;
00000000G  00B78            .ADDRESS NML$SHOPARAM                                    ;
     00B8  00B7C            .WORD    184                                             ;
00000000G  00B7E            .ADDRESS NML$SHOPARAM                                    ;
     00B9  00B82            .WORD    185                                             ;
00000000G  00B84            .ADDRESS NML$SHOPARAM                                    ;
     00BA  00B88            .WORD    186                                             ;
00000000G  00B8A            .ADDRESS NML$SHOPARAM                                    ;
     00BB  00B8E            .WORD    187                                             ;
00000000G  00B90            .ADDRESS NML$SHOPARAM                                    ;
     00BC  00B94            .WORD    188                                             ;
00000000G  00B96            .ADDRESS NML$SHOPARAM                                    ;
     00BD  00B9A            .WORD    189                                             ;
00000000G  00B9C            .ADDRESS NML$SHOPARAM                                    ;
     00BE  00BA0            .WORD    190                                             ;
00000000G  00BA2            .ADDRESS NML$SHOPARAM                                    ;
     00BF  00BA6            .WORD    191                                             ;
00000000G  00BA8            .ADDRESS NML$SHOPARAM                                    ;
     00C3  00BAC            .WORD    195                                             ;
00000000G  00BAE            .ADDRESS NML$SHOPARAM                                    ;
           00BB2            .BLKB    2
0000000D   00BB4 P.AFP:     .LONG    13                                              ;
00000000'  00BB8            .ADDRESS P.AFQ                                           ;
     00AF  00BBC P.AFS:     .WORD    175                                             ;
00000000G  00BBE            .ADDRESS NML$SHOPARAM                                    ;
     00AB  00BC2            .WORD    171                                             ;
00000000G  00BC4            .ADDRESS NML$SHOPARAM                                    ;
     00AD  00BC8            .WORD    173                                             ;
00000000G  00BCA            .ADDRESS NML$SHOPARAM                                    ;
     00AE  00BCE            .WORD    174                                             ;
00000000G  00BD0            .ADDRESS NML$SHOPARAM                                    ;
```

```
     00C5  00BD4          .WORD    197
00000000G  00BD6          .ADDRESS NML$SHOPARAM
           00BDA          .BLKB    2
00000005   00BDC P.AFR:   .LONG    5
00000000'  00BE0          .ADDRESS P.AFS
     00AF  00BE4 P.AFU:   .WORD    175
00000000G  00BE6          .ADDRESS NML$SHOPARAM
     00AC  00BEA          .WORD    172
00000000G  00BEC          .ADDRESS NML$SHOPARAM
     00B2  00BF0          .WORD    178
00000000G  00BF2          .ADDRESS NML$SHOPARAM
     00B3  00BF6          .WORD    179
00000000G  00BF8          .ADDRESS NML$SHOCHANNELS
     00B4  00BFC          .WORD    180
00000000G  00BFE          .ADDRESS NML$SHOPARAM
     00C4  00C02          .WORD    196
00000000G  00C04          .ADDRESS NML$SHOPARAM
00000006   00C08 P.AFT:   .LONG    6
00000000'  00C0C          .ADDRESS P.AFU
     00AF  00C10 P.AFW:   .WORD    175
00000000G  00C12          .ADDRESS NML$SHOPARAM
     00C6  00C16          .WORD    198
00000000G  00C18          .ADDRESS NML$SHOCOUNTERS
00000002   00C1C P.AFV:   .LONG    2
00000000'  00C20          .ADDRESS P.AFW
     00B0  00C24 P.AFY:   .WORD    176
00000000G  00C26          .ADDRESS NML$SHOPARAM
     00C0  00C2A          .WORD    192
00000000G  00C2C          .ADDRESS NML$SHOPARAM
     00C1  00C30          .WORD    193
00000000G  00C32          .ADDRESS NML$SHOPARAM
     00C2  00C36          .WORD    194
00000000G  00C38          .ADDRESS NML$SHOPARAM
00000004   00C3C P.AFX:   .LONG    4
00000000'  00C40          .ADDRESS P.AFY
     00C8  00C44 P.AGA:   .WORD    200
00000000G  00C46          .ADDRESS NML$SHOPARAM
     00D7  00C4A          .WORD    215
00000000G  00C4C          .ADDRESS NML$SHOPARAM
00000002   00C50 P.AFZ:   .LONG    2
00000000'  00C54          .ADDRESS P.AGA
     00C7  00C58 P.AGC:   .WORD    199
00000000G  00C5A          .ADDRESS NML$SHOPARAM
     00CA  00C5E          .WORD    202
00000000G  00C60          .ADDRESS NML$SHOPARAM
00000002   00C64 P.AGB:   .LONG    2
00000000'  00C68          .ADDRESS P.AGC
     00D9  00C6C P.AGE:   .WORD    217
00000000G  00C6E          .ADDRESS NML$SHOCOUNTERS
           00C72          .BLKB    2
00000001   00C74 P.AGD:   .LONG    1
00000000'  00C78          .ADDRESS P.AGE
     00C9  00C7C P.AGG:   .WORD    201
00000000G  00C7E          .ADDRESS NML$SHOPARAM
     00CB  00C82          .WORD    203
00000000G  00C84          .ADDRESS NML$SHONODEID
     00CC  00C88          .WORD    204
```

```
00000000G 00C8A          .ADDRESS NML$SHOPARAM              :
     00CE 00C8E          .WORD    206                       :
00000000G 00C90          .ADDRESS NML$SHOPWSET              :
     00CF 00C94          .WORD    207                       :
00000000G 00C96          .ADDRESS NML$SHOPARAM              :
     00D0 00C9A          .WORD    208                       :
00000000G 00C9C          .ADDRESS NML$SHOPARAM              :
     00D1 00CA0          .WORD    209                       :
00000000G 00CA2          .ADDRESS NML$SHOPARAM              :
     00D2 00CA6          .WORD    210                       :
00000000G 00CA8          .ADDRESS NML$SHOPARAM              :
     00D3 00CAC          .WORD    211                       :
00000000G 00CAE          .ADDRESS NML$SHOPARAM              :
     00D4 00CB2          .WORD    212                       :
00000000G 00CB4          .ADDRESS NML$SHOPARAM              :
     00D5 00CB8          .WORD    213                       :
00000000G 00CBA          .ADDRESS NML$SHOPARAM              :
     00D6 00CBE          .WORD    214                       :
00000000G 00CC0          .ADDRESS NML$SHORANGE              :
     00D8 00CC4          .WORD    216                       :
00000000G 00CC6          .ADDRESS NML$SHOPARAM              :
          00CCA          .BLKB    2
0000000D  00CCC P.AGF:   .LONG    13                        :
00000000' 00CD0          .ADDRESS P.AGG                     :
     00DA 00CD4 P.AGI:   .WORD    218                       :
00000000G 00CD6          .ADDRESS NML$SHOPARAM              :
     00DD 00CDA          .WORD    221                       :
00000000G 00CDC          .ADDRESS NML$SHOPARAM              :
00000002  00CE0 P.AGH:   .LONG    2                         :
00000000' 00CE4          .ADDRESS P.AGI                     :
     00DB 00CE8 P.AGK:   .WORD    219                       :
00000000G 00CEA          .ADDRESS NML$SHOPARAM              :
     00DC 00CEE          .WORD    220                       :
00000000G 00CF0          .ADDRESS NML$SHOPARAM              :
     00DD 00CF4          .WORD    221                       :
00000000G 00CF6          .ADDRESS NML$SHOPARAM              :
     00DE 00CFA          .WORD    222                       :
00000000G 00CFC          .ADDRESS NML$SHOPARAM              :
     00DF 00D00          .WORD    223                       :
00000000G 00D02          .ADDRESS NML$SHOPARAM              :
     00E0 00D06          .WORD    224                       :
00000000G 00D08          .ADDRESS NML$SHOPARAM              :
00000006  00D0C P.AGJ:   .LONG    6                         :
00000000' 00D10          .ADDRESS P.AGK                     :
     00E1 00D14 P.AGM:   .WORD    225                       :
00000000G 00D16          .ADDRESS NML$SHOPARAM              :
     00E3 00D1A          .WORD    227                       :
00000000G 00D1C          .ADDRESS NML$SHOPARAM              :
00000002  00D20 P.AGL:   .LONG    2                         :
00000000' 00D24          .ADDRESS P.AGM                     :
     00E1 00D28 P.AGO:   .WORD    225                       :
00000000G 00D2A          .ADDRESS NML$SHOPARAM              :
     00E2 00D2E          .WORD    226                       :
00000000G 00D30          .ADDRESS NML$SHOPARAM              :
     00E3 00D34          .WORD    227                       :
00000000G 00D36          .ADDRESS NML$SHOPARAM              :
          00D3A          .BLKB    2
```

```
00000003  00D3C P.AGN:  .LONG    3
00000000' 00D40         .ADDRESS P.AGO
     00F9 00D44 P.AGQ:  .WORD    249
00000000G 00D46         .ADDRESS NML$SHOPARAM
     00FA 00D4A         .WORD    250
00000000G 00D4C         .ADDRESS NML$SHOPARAM
     00FB 00D50         .WORD    251
00000000G 00D52         .ADDRESS NML$SHOPARAM
     00FD 00D56         .WORD    253
00000000G 00D58         .ADDRESS NML$SHOPARAM
     00FF 00D5C         .WORD    255
00000000G 00D5E         .ADDRESS NML$SHOPARAM
          00D62         .BLKB    2
00000005  00D64 P.AGP:  .LONG    5
00000000' 00D68         .ADDRESS P.AGQ
     00F9 00D6C P.AGS:  .WORD    249
00000000G 00D6E         .ADDRESS NML$SHOPARAM
     00FA 00D72         .WORD    250
00000000G 00D74         .ADDRESS NML$SHOPARAM
     00FB 00D78         .WORD    251
00000000G 00D7A         .ADDRESS NML$SHOPARAM
     00FD 00D7E         .WORD    253
00000000G 00D80         .ADDRESS NML$SHOPARAM
     00FF 00D84         .WORD    255
00000000G 00D86         .ADDRESS NML$SHOPARAM
          00D8A         .BLKB    2
00000005  00D8C P.AGR:  .LONG    5
00000000' 00D90         .ADDRESS P.AGS
     00F9 00D94 P.AGU:  .WORD    249
00000000G 00D96         .ADDRESS NML$SHOPARAM
     00FA 00D9A         .WORD    250
00000000G 00D9C         .ADDRESS NML$SHOPARAM
     00FB 00DA0         .WORD    251
00000000G 00DA2         .ADDRESS NML$SHOPARAM
     00FC 00DA6         .WORD    252
00000000G 00DA8         .ADDRESS NML$SHOOBJPRV
     00FD 00DAC         .WORD    253
00000000G 00DAE         .ADDRESS NML$SHOPARAM
     00FE 00DB2         .WORD    254
00000000G 00DB4         .ADDRESS NML$SHOPARAM
     00FF 00DB8         .WORD    255
00000000G 00DBA         .ADDRESS NML$SHOPARAM
     0100 00DBE         .WORD    256
00000000G 00DC0         .ADDRESS NML$SHOPARAM
00000008  00DC4 P.AGT:  .LONG    8
00000000' 00DC8         .ADDRESS P.AGU
     0101 00DCC P.AGW:  .WORD    257
00000000G 00DCE         .ADDRESS NML$SHOPARAM
     0102 00DD2         .WORD    258
00000000G 00DD4         .ADDRESS NML$SHOPARAM
     0103 00DD8         .WORD    259
00000000G 00DDA         .ADDRESS NML$SHONODEID
     0106 00DDE         .WORD    262
00000000G 00DE0         .ADDRESS NML$SHOPARAM
     0109 00DE4         .WORD    265
00000000G 00DE6         .ADDRESS NML$SHOPARAM
          00DEA         .BLKB    2
```

```
 00000005  00DEC P.AGV:   .LONG    5                                                    ;
 00000000' 00DF0          .ADDRESS P.AGW                                                ;
     0102  00DF4 P.AGY:   .WORD    258                                                  ;
 00000000G 00DF6          .ADDRESS NML$SHOPARAM                                         ;
     0103  00DFA          .WORD    259                                                  ;
 00000000G 00DFC          .ADDRESS NML$SHONODEID                                        ;
     0106  00E00          .WORD    262                                                  ;
 00000000G 00E02          .ADDRESS NML$SHOPARAM                                         ;
     0107  00E06          .WORD    263                                                  ;
 00000000G 00E08          .ADDRESS NML$SHOPARAM                                         ;
     0109  00E0C          .WORD    265                                                  ;
 00000000G 00E0E          .ADDRESS NML$SHOPARAM                                         ;
           00E12          .BLKB    2
 00000005  00E14 P.AGX:   .LONG    5                                                    ;
 00000000' 00E18          .ADDRESS P.AGY                                                ;
     0101  00E1C P.AHA:   .WORD    257                                                  ;
 00000000G 00E1E          .ADDRESS NML$SHOPARAM                                         ;
     0102  00E22          .WORD    258                                                  ;
 00000000G 00E24          .ADDRESS NML$SHOPARAM                                         ;
     0103  00E28          .WORD    259                                                  ;
 00000000G 00E2A          .ADDRESS NML$SHONODEID                                        ;
     0105  00E2E          .WORD    261                                                  ;
 00000000G 00E30          .ADDRESS NML$SHOPARAM                                         ;
     0106  00E34          .WORD    262                                                  ;
 00000000G 00E36          .ADDRESS NML$SHOPARAM                                         ;
     0107  00E3A          .WORD    263                                                  ;
 00000000G 00E3C          .ADDRESS NML$SHOPARAM                                         ;
     0108  00E40          .WORD    264                                                  ;
 00000000G 00E42          .ADDRESS NML$SHOPARAM                                         ;
     0109  00E46          .WORD    265                                                  ;
 00000000G 00E48          .ADDRESS NML$SHOPARAM                                         ;
 00000008  00E4C P.AGZ:   .LONG    8                                                    ;
 00000000' 00E50          .ADDRESS P.AHA                                                ;

                          .PSECT   NML$CPTDATA,NOWRT,NOEXE,0

           00000 NML$AB_CPTABLE::
                          .BLKB    0
     0000  00000 ;ENTRY
                 U.268:   .WORD    0                                                    ;
 00000000G 00002          .ADDRESS NML$DEFPARAM                                         ;
 00000000G 00006          .ADDRESS NML$PURPARAM                                         ;
     0002  0000A ;ENTRY
                 U.269:   .WORD    2                                                    ;
 00000000G 0000C          .ADDRESS NML$DEFPARAM                                         ;
 00000000G 00010          .ADDRESS NML$PURPARAM                                         ;
     0003  00014 ;ENTRY
                 U.270:   .WORD    3                                                    ;
 00000000G 00016          .ADDRESS NML$DEFPARAM                                         ;
 00000000G 0001A          .ADDRESS NML$PURPARAM                                         ;
     0004  0001E ;ENTRY
                 U.271:   .WORD    4                                                    ;
 00000000  00020          .LONG    0                                                    ;
 00000000  00024          .LONG    0                                                    ;
     0005  00028 ;ENTRY
                 U.272:   .WORD    5                                                    ;
 00000000  0002A          .LONG    0                                                    ;
```

```
00000000  0002E                .LONG    0                                             ;
    0007  00032  ;ENTRY
                 U.273:        .WORD    7                                             ;
00000000  00034                .LONG    0                                             ;
00000000  00038                .LONG    0                                             ;
    0008  0003C  ;ENTRY
                 U.274:        .WORD    8                                             ;
00000000  0003E                .LONG    0                                             ;
00000000  00042                .LONG    0                                             ;
    0009  00046  ;ENTRY
                 U.275:        .WORD    9                                             ;
00000000G 00048                .ADDRESS NML$DEFPARAM                                  ;
00000000G 0004C                .ADDRESS NML$PURPARAM                                  ;
    000A  00050  ;ENTRY
                 U.276:        .WORD    10                                            ;
00000000G 00052                .ADDRESS NML$DEFPARAM                                  ;
00000000G 00056                .ADDRESS NML$PURPARAM                                  ;
    000B  0005A  ;ENTRY
                 U.277:        .WORD    11                                            ;
00000000G 0005C                .ADDRESS NML$DEFPARAM                                  ;
00000000G 00060                .ADDRESS NML$PURPARAM                                  ;
    000C  00064  ;ENTRY
                 U.278:        .WORD    12                                            ;
00000000G 00066                .ADDRESS NML$DEFPARAM                                  ;
00000000G 0006A                .ADDRESS NML$PURPARAM                                  ;
    000D  0006E  ;ENTRY
                 U.279:        .WORD    13                                            ;
00000000G 00070                .ADDRESS NML$DEFPARAM                                  ;
00000000G 00074                .ADDRESS NML$PURPARAM                                  ;
    000E  00078  ;ENTRY
                 U.280:        .WORD    14                                            ;
00000000G 0007A                .ADDRESS NML$DEFPARAM                                  ;
00000000G 0007E                .ADDRESS NML$PURPARAM                                  ;
    000F  00082  ;ENTRY
                 U.281:        .WORD    15                                            ;
00000000G 00084                .ADDRESS NML$DEFPARAM                                  ;
00000000G 00088                .ADDRESS NML$PURPARAM                                  ;
    0010  0008C  ;ENTRY
                 U.282:        .WORD    16                                            ;
00000000G 0008E                .ADDRESS NML$DEFPARAM                                  ;
00000000G 00092                .ADDRESS NML$PURPARAM                                  ;
    0011  00096  ;ENTRY
                 U.283:        .WORD    17                                            ;
00000000G 00098                .ADDRESS NML$DEFPARAM                                  ;
00000000G 0009C                .ADDRESS NML$PURPARAM                                  ;
    0012  000A0  ;ENTRY
                 U.284:        .WORD    18                                            ;
00000000G 000A2                .ADDRESS NML$DEFPARAM                                  ;
00000000G 000A6                .ADDRESS NML$PURPARAM                                  ;
    0013  000AA  ;ENTRY
                 U.285:        .WORD    19                                            ;
00000000G 000AC                .ADDRESS NML$DEFPARAM                                  ;
00000000G 000B0                .ADDRESS NML$PURPARAM                                  ;
    0014  000B4  ;ENTRY
                 U.286:        .WORD    20                                            ;
00000000G 000B6                .ADDRESS NML$DEFPARAM                                  ;
00000000G 000BA                .ADDRESS NML$PURPARAM                                  ;
```

```
                 0016  000BE ;ENTRY
                             U.287:   .WORD    22                      ;
            00000000G  000C0          .ADDRESS NML$DEFPARAM            ;
            00000000G  000C4          .ADDRESS NML$PURPARAM            ;
                 0017  000C8 ;ENTRY
                             U.288:   .WORD    23                      ;
            00000000G  000CA          .ADDRESS NML$DEFPARAM            ;
            00000000G  000CE          .ADDRESS NML$PURPARAM            ;
                 0018  000D2 ;ENTRY
                             U.289:   .WORD    24                      ;
            00000000G  000D4          .ADDRESS NML$DEFLINLTY           ;
            00000000G  000D8          .ADDRESS NML$PURPARAM            ;
                 0019  000DC ;ENTRY
                             U.290:   .WORD    25                      ;
            00000000G  000DE          .ADDRESS NML$DEFPARAM            ;
            00000000G  000E2          .ADDRESS NML$PURPARAM            ;
                 001A  000E6 ;ENTRY
                             U.291:   .WORD    26                      ;
            00000000G  000E8          .ADDRESS NML$DEFPARAM            ;
            00000000G  000EC          .ADDRESS NML$PURPARAM            ;
                 001B  000F0 ;ENTRY
                             U.292:   .WORD    27                      ;
            00000000G  000F2          .ADDRESS NML$DEFPARAM            ;
            00000000G  000F6          .ADDRESS NML$PURPARAM            ;
                 001C  000FA ;ENTRY
                             U.293:   .WORD    28                      ;
            00000000G  000FC          .ADDRESS NML$DEFPARAM            ;
            00000000G  00100          .ADDRESS NML$PURPARAM            ;
                 001D  00104 ;ENTRY
                             U.294:   .WORD    29                      ;
            00000000G  00106          .ADDRESS NML$DEFPARAM            ;
            00000000G  0010A          .ADDRESS NML$PURPARAM            ;
                 001E  0010E ;ENTRY
                             U.295:   .WORD    30                      ;
            00000000G  00110          .ADDRESS NML$DEFPARAM            ;
            00000000G  00114          .ADDRESS NML$PURPARAM            ;
                 001F  00118 ;ENTRY
                             U.296:   .WORD    31                      ;
            00000000G  0011A          .ADDRESS NML$DEFPARAM            ;
            00000000G  0011E          .ADDRESS NML$PURPARAM            ;
                 0020  00122 ;ENTRY
                             U.297:   .WORD    32                      ;
            00000000G  00124          .ADDRESS NML$DEFPARAM            ;
            00000000G  00128          .ADDRESS NML$PURPARAM            ;
                 0021  0012C ;ENTRY
                             U.298:   .WORD    33                      ;
            00000000G  0012E          .ADDRESS NML$DEFPARAM            ;
            00000000G  00132          .ADDRESS NML$PURPARAM            ;
                 0022  00136 ;ENTRY
                             U.299:   .WORD    34                      ;
            00000000G  00138          .ADDRESS NML$DEFPARAM            ;
            00000000G  0013C          .ADDRESS NML$PURPARAM            ;
                 0023  00140 ;ENTRY
                             U.300:   .WORD    35                      ;
            00000000G  00142          .ADDRESS NML$DEFPARAM            ;
            00000000G  00146          .ADDRESS NML$PURPARAM            ;
                 0024  0014A ;ENTRY
```

```
                              U.301:   .WORD    36                                                ;
          00000000G 0014C              .ADDRESS NML$DEFPARAM                                      ;
          00000000G 00150              .ADDRESS NML$PURPARAM                                      ;
               0025 00154     ;ENTRY
                              U.302:   .WORD    37                                                ;
          00000000G 00156              .ADDRESS NML$DEFPARAM                                      ;
          00000000G 0015A              .ADDRESS NML$PURPARAM                                      ;
               0026 0015E     ;ENTRY
                              U.303:   .WORD    38                                                ;
          00000000G 00160              .ADDRESS NML$DEFPARAM                                      ;
          00000000G 00164              .ADDRESS NML$PURPARAM                                      ;
               0027 00168     ;ENTRY
                              U.304:   .WORD    39                                                ;
          00000000G 0016A              .ADDRESS NML$DEFPARAM                                      ;
          00000000G 0016E              .ADDRESS NML$PURPARAM                                      ;
               0028 00172     ;ENTRY
                              U.305:   .WORD    40                                                ;
          00000000G 00174              .ADDRESS NML$DEFPARAM                                      ;
          00000000G 00178              .ADDRESS NML$PURPARAM                                      ;
               0029 0017C     ;ENTRY
                              U.306:   .WORD    41                                                ;
          00000000G 0017E              .ADDRESS NML$DEFPARAM                                      ;
          00000000G 00182              .ADDRESS NML$PURPARAM                                      ;
               002A 00186     ;ENTRY
                              U.307:   .WORD    42                                                ;
          00000000G 00188              .ADDRESS NML$DEFPARAM                                      ;
          00000000G 0018C              .ADDRESS NML$PURPARAM                                      ;
               002B 00190     ;ENTRY
                              U.308:   .WORD    43                                                ;
          00000000G 00192              .ADDRESS NML$DEFPARAM                                      ;
          00000000G 00196              .ADDRESS NML$PURPARAM                                      ;
               002C 0019A     ;ENTRY
                              U.309:   .WORD    44                                                ;
          00000000G 0019C              .ADDRESS NML$DEFPARAM                                      ;
          00000000G 001A0              .ADDRESS NML$PURPARAM                                      ;
               002E 001A4     ;ENTRY
                              U.310:   .WORD    46                                                ;
          00000000G 001A6              .ADDRESS NML$DEFPARAM                                      ;
          00000000G 001AA              .ADDRESS NML$PURPARAM                                      ;
               0030 001AE     ;ENTRY
                              U.311:   .WORD    48                                                ;
          00000000G 001B0              .ADDRESS NML$DEFPARAM                                      ;
          00000000G 001B4              .ADDRESS NML$PURPARAM                                      ;
               0031 001B8     ;ENTRY
                              U.312:   .WORD    49                                                ;
          00000000G 001BA              .ADDRESS NML$DEFPARAM                                      ;
          00000000G 001BE              .ADDRESS NML$PURPARAM                                      ;
               0032 001C2     ;ENTRY
                              U.313:   .WORD    50                                                ;
          00000000G 001C4              .ADDRESS NML$DEFPARAM                                      ;
          00000000G 001C8              .ADDRESS NML$PURPARAM                                      ;
               0033 001CC     ;ENTRY
                              U.314:   .WORD    51                                                ;
          00000000G 001CE              .ADDRESS NML$DEFPARAM                                      ;
          00000000G 001D2              .ADDRESS NML$PURPARAM                                      ;
               0034 001D6     ;ENTRY
                              U.315:   .WORD    52                                                ;
```

```
00000000G 001D8            .ADDRESS NML$DEFPARAM                                          ;
00000000G 001DC            .ADDRESS NML$PURPARAM                                          ;
     0035 001E0 ;ENTRY
                U.316:     .WORD    53                                                    ;
00000000G 001E2            .ADDRESS NML$DEFLINLTY                                         ;
00000000G 001E6            .ADDRESS NML$PURPARAM                                          ;
     0036 001EA ;ENTRY
                U.317:     .WORD    54                                                    ;
00000000G 001EC            .ADDRESS NML$DEFPARAM                                          ;
00000000G 001F0            .ADDRESS NML$PURPARAM                                          ;
     0037 001F4 ;ENTRY
                U.318:     .WORD    55                                                    ;
00000000G 001F6            .ADDRESS NML$DEFPARAM                                          ;
00000000G 001FA            .ADDRESS NML$PURPARAM                                          ;
     0038 001FE ;ENTRY
                U.319:     .WORD    56                                                    ;
00000000G 00200            .ADDRESS NML$DEFPARAM                                          ;
00000000G 00204            .ADDRESS NML$PURPARAM                                          ;
     0039 00208 ;ENTRY
                U.320:     .WORD    57                                                    ;
00000000G 0020A            .ADDRESS NML$DEFPARAM                                          ;
00000000G 0020E            .ADDRESS NML$PURPARAM                                          ;
     003A 00212 ;ENTRY
                U.321:     .WORD    58                                                    ;
00000000G 00214            .ADDRESS NML$DEFPARAM                                          ;
00000000G 00218            .ADDRESS NML$PURPARAM                                          ;
     003B 0021C ;ENTRY
                U.322:     .WORD    59                                                    ;
00000000G 0021E            .ADDRESS NML$DEFPARAM                                          ;
00000000G 00222            .ADDRESS NML$PURPARAM                                          ;
     003C 00226 ;ENTRY
                U.323:     .WORD    60                                                    ;
00000000G 00228            .ADDRESS NML$DEFPARAM                                          ;
00000000G 0022C            .ADDRESS NML$PURPARAM                                          ;
     003D 00230 ;ENTRY
                U.324:     .WORD    61                                                    ;
00000000G 00232            .ADDRESS NML$DEFPARAM                                          ;
00000000G 00236            .ADDRESS NML$PURPARAM                                          ;
     003E 0023A ;ENTRY
                U.325:     .WORD    62                                                    ;
00000000G 0023C            .ADDRESS NML$DEFPARAM                                          ;
00000000G 00240            .ADDRESS NML$PURPARAM                                          ;
     003F 00244 ;ENTRY
                U.326:     .WORD    63                                                    ;
00000000G 00246            .ADDRESS NML$DEFPARAM                                          ;
00000000G 0024A            .ADDRESS NML$PURPARAM                                          ;
     0040 0024E ;ENTRY
                U.327:     .WORD    64                                                    ;
00000000G 00250            .ADDRESS NML$DEFPARAM                                          ;
00000000G 00254            .ADDRESS NML$PURPARAM                                          ;
     0041 00258 ;ENTRY
                U.328:     .WORD    65                                                    ;
00000000G 0025A            .ADDRESS NML$DEFPARAM                                          ;
00000000G 0025E            .ADDRESS NML$PURPARAM                                          ;
     0042 00262 ;ENTRY
                U.329:     .WORD    66                                                    ;
 00000000 00264            .LONG    0                                                     ;
```

```
00000000  00268           .LONG    0                                          ;
    0043  0026C ;ENTRY
                U.330:    .WORD    67                                         ;
00000000G 0026E           .ADDRESS NML$DEFPARAM                               ;
00000000G 00272           .ADDRESS NML$PURPARAM                               ;
    0044  00276 ;ENTRY
                U.331:    .WORD    68                                         ;
00000000G 00278           .ADDRESS NML$DEFPARAM                               ;
00000000G 0027C           .ADDRESS NML$PURPARAM                               ;
    0045  00280 ;ENTRY
                U.332:    .WORD    69                                         ;
00000000G 00282           .ADDRESS NML$DEFPARAM                               ;
00000000G 00286           .ADDRESS NML$PURPARAM                               ;
    0046  0028A ;ENTRY
                U.333:    .WORD    70                                         ;
00000000  0028C           .LONG    0                                          ;
00000000  00290           .LONG    0                                          ;
    0048  00294 ;ENTRY
                U.334:    .WORD    72                                         ;
00000000  00296           .LONG    0                                          ;
00000000  0029A           .LONG    0                                          ;
    0049  0029E ;ENTRY
                U.335:    .WORD    73                                         ;
00000000  002A0           .LONG    0                                          ;
00000000  002A4           .LONG    0                                          ;
    004A  002A8 ;ENTRY
                U.336:    .WORD    74                                         ;
00000000  002AA           .LONG    0                                          ;
00000000  002AE           .LONG    0                                          ;
    004B  002B2 ;ENTRY
                U.337:    .WORD    75                                         ;
00000000G 002B4           .ADDRESS NML$DEFPARAM                               ;
00000000G 002B8           .ADDRESS NML$PURPARAM                               ;
    004C  002BC ;ENTRY
                U.338:    .WORD    76                                         ;
00000000G 002BE           .ADDRESS NML$DEFPARAM                               ;
00000000G 002C2           .ADDRESS NML$PURPARAM                               ;
    004D  002C6 ;ENTRY
                U.339:    .WORD    77                                         ;
00000000  002C8           .LONG    0                                          ;
00000000  002CC           .LONG    0                                          ;
    004E  002D0 ;ENTRY
                U.340:    .WORD    78                                         ;
00000000  002D2           .LONG    0                                          ;
00000000  002D6           .LONG    0                                          ;
    004F  002DA ;ENTRY
                U.341:    .WORD    79                                         ;
00000000G 002DC           .ADDRESS NML$DEFPARAM                               ;
00000000G 002E0           .ADDRESS NML$PURPARAM                               ;
    0050  002E4 ;ENTRY
                U.342:    .WORD    80                                         ;
00000000G 002E6           .ADDRESS NML$DEFPARAM                               ;
00000000G 002EA           .ADDRESS NML$PURPARAM                               ;
    0051  002EE ;ENTRY
                U.343:    .WORD    81                                         ;
00000000G 002F0           .ADDRESS NML$DEFPARAM                               ;
00000000G 002F4           .ADDRESS NML$PURPARAM                               ;
```

```
             0053  002F8 ;ENTRY
                         U.344:  .WORD    83                                    ;
        00000000G  002FA         .ADDRESS NML$DEFPARAM                          ;
        00000000G  002FE         .ADDRESS NML$PURPARAM                          ;
             0054  00302 ;ENTRY
                         U.345:  .WORD    84                                    ;
        00000000G  00304         .ADDRESS NML$DEFPARAM                          ;
        00000000G  00308         .ADDRESS NML$PURPARAM                          ;
             0055  0030C ;ENTRY
                         U.346:  .WORD    85                                    ;
        00000000G  0030E         .ADDRESS NML$DEFPARAM                          ;
        00000000G  00312         .ADDRESS NML$PURPARAM                          ;
             0056  00316 ;ENTRY
                         U.347:  .WORD    86                                    ;
        00000000G  00318         .ADDRESS NML$DEFPARAM                          ;
        00000000G  0031C         .ADDRESS NML$PURPARAM                          ;
             0057  00320 ;ENTRY
                         U.348:  .WORD    87                                    ;
        00000000G  00322         .ADDRESS NML$DEFPARAM                          ;
        00000000G  00326         .ADDRESS NML$PURPARAM                          ;
             0058  0032A ;ENTRY
                         U.349:  .WORD    88                                    ;
        00000000G  0032C         .ADDRESS NML$DEFPARAM                          ;
        00000000G  00330         .ADDRESS NML$PURPARAM                          ;
             0059  00334 ;ENTRY
                         U.350:  .WORD    89                                    ;
        00000000G  00336         .ADDRESS NML$DEFPARAM                          ;
        00000000G  0033A         .ADDRESS NML$PURPARAM                          ;
             005A  0033E ;ENTRY
                         U.351:  .WORD    90                                    ;
        00000000G  00340         .ADDRESS NML$DEFPARAM                          ;
        00000000G  00344         .ADDRESS NML$PURPARAM                          ;
             005B  00348 ;ENTRY
                         U.352:  .WORD    91                                    ;
        00000000G  0034A         .ADDRESS NML$DEFPARAM                          ;
        00000000G  0034E         .ADDRESS NML$PURPARAM                          ;
             005C  00352 ;ENTRY
                         U.353:  .WORD    92                                    ;
        00000000G  00354         .ADDRESS NML$DEFPARAM                          ;
        00000000G  00358         .ADDRESS NML$PURPARAM                          ;
             005D  0035C ;ENTRY
                         U.354:  .WORD    93                                    ;
        00000000G  0035E         .ADDRESS NML$DEFPARAM                          ;
        00000000G  00362         .ADDRESS NML$PURPARAM                          ;
             005E  00366 ;ENTRY
                         U.355:  .WORD    94                                    ;
        00000000G  00368         .ADDRESS NML$DEFPARAM                          ;
        00000000G  0036C         .ADDRESS NML$PURPARAM                          ;
             005F  00370 ;ENTRY
                         U.356:  .WORD    95                                    ;
        00000000G  00372         .ADDRESS NML$DEFPARAM                          ;
        00000000G  00376         .ADDRESS NML$PURPARAM                          ;
             0060  0037A ;ENTRY
                         U.357:  .WORD    96                                    ;
        00000000G  0037C         .ADDRESS NML$DEFPARAM                          ;
        00000000G  00380         .ADDRESS NML$PURPARAM                          ;
             0061  00384 ;ENTRY
```

```
                          U.358:  .WORD     97                                 ;
           00000000G 00386        .ADDRESS NML$DEFPARAM                        ;
           00000000G 0038A        .ADDRESS NML$PURPARAM                        ;
                0062  0038E ;ENTRY
                          U.359:  .WORD     98                                 ;
           00000000G 00390        .ADDRESS NML$DEFPARAM                        ;
           00000000G 00394        .ADDRESS NML$PURPARAM                        ;
                0064  00398 ;ENTRY
                          U.360:  .WORD     100                                ;
           00000000G 0039A        .ADDRESS NML$DEFPARAM                        ;
           00000000G 0039E        .ADDRESS NML$PURPARAM                        ;
                0065  003A2 ;ENTRY
                          U.361:  .WORD     101                                ;
           00000000  003A4        .LONG     0                                  ;
           00000000  003A8        .LONG     0                                  ;
                0066  003AC ;ENTRY
                          U.362:  .WORD     102                                ;
           00000000  003AE        .LONG     0                                  ;
           00000000  003B2        .LONG     0                                  ;
                0067  003B6 ;ENTRY
                          U.363:  .WORD     103                                ;
           00000000  003B8        .LONG     0                                  ;
           00000000  003BC        .LONG     0                                  ;
                0068  003C0 ;ENTRY
                          U.364:  .WORD     104                                ;
           00000000  003C2        .LONG     0                                  ;
           00000000  003C6        .LONG     0                                  ;
                0069  003CA ;ENTRY
                          U.365:  .WORD     105                                ;
           00000000  003CC        .LONG     0                                  ;
           00000000  003D0        .LONG     0                                  ;
                006A  003D4 ;ENTRY
                          U.366:  .WORD     106                                ;
           00000000G 003D6        .ADDRESS NML$DEFPARAM                        ;
           00000000G 003DA        .ADDRESS NML$PURPARAM                        ;
                006B  003DE ;ENTRY
                          U.367:  .WORD     107                                ;
           00000000G 003E0        .ADDRESS NML$DEFPARAM                        ;
           00000000G 003E4        .ADDRESS NML$PURNODNNA                       ;
                006C  003E8 ;ENTRY
                          U.368:  .WORD     108                                ;
           00000000G 003EA        .ADDRESS NML$DEF_EXEC_ID                     ;
           00000000G 003EE        .ADDRESS NML$PURNODNNA                       ;
                006D  003F2 ;ENTRY
                          U.369:  .WORD     109                                ;
           00000000G 003F4        .ADDRESS NML$DEFNODNLI                       ;
           00000000  003F8        .LONG     0                                  ;
                006E  003FC ;ENTRY
                          U.370:  .WORD     110                                ;
           00000000G 003FE        .ADDRESS NML$DEF_NODE_ADDR                   ;
           00000000  00402        .LONG     0                                  ;
                006F  00406 ;ENTRY
                          U.371:  .WORD     111                                ;
           00000000G 00408        .ADDRESS NML$DEF_EXEC_ID                     ;
           00000000G 0040C        .ADDRESS NML$PURPARAM                        ;
                0070  00410 ;ENTRY
                          U.372:  .WORD     112                                ;
```

```
00000000G 00412          .ADDRESS NML$DEFPARAM                                  ;
00000000  00416          .LONG    0                                             ;
     0071 0041A ;ENTRY
                U.373:   .WORD    113                                           ;
00000000G 0041C          .ADDRESS NML$DEFPARAM                                  ;
00000000G 00420          .ADDRESS NML$PURPARAM                                  ;
     0072 00424 ;ENTRY
                U.374:   .WORD    114                                           ;
00000000G 00426          .ADDRESS NML$DEFPARAM                                  ;
00000000G 0042A          .ADDRESS NML$PURPARAM                                  ;
     0076 0042E ;ENTRY
                U.375:   .WORD    118                                           ;
00000000G 00430          .ADDRESS NML$DEFPARAM                                  ;
00000000G 00434          .ADDRESS NML$PURPARAM                                  ;
     0077 00438 ;ENTRY
                U.376:   .WORD    119                                           ;
00000000G 0043A          .ADDRESS NML$DEFPARAM                                  ;
00000000G 0043E          .ADDRESS NML$PURPARAM                                  ;
     0078 00442 ;ENTRY
                U.377:   .WORD    120                                           ;
00000000G 00444          .ADDRESS NML$DEFPARAM                                  ;
00000000G 00448          .ADDRESS NML$PURPARAM                                  ;
     0079 0044C ;ENTRY
                U.378:   .WORD    121                                           ;
00000000G 0044E          .ADDRESS NML$DEFPARAM                                  ;
00000000G 00452          .ADDRESS NML$PURPARAM                                  ;
     007A 00456 ;ENTRY
                U.379:   .WORD    122                                           ;
00000000G 00458          .ADDRESS NML$DEFPARAM                                  ;
00000000G 0045C          .ADDRESS NML$PURPARAM                                  ;
     007E 00460 ;ENTRY
                U.380:   .WORD    126                                           ;
00000000  00462          .LONG    0                                             ;
00000000  00466          .LONG    0                                             ;
     007F 0046A ;ENTRY
                U.381:   .WORD    127                                           ;
00000000G 0046C          .ADDRESS NML$DEFPARAM                                  ;
00000000G 00470          .ADDRESS NML$PURPARAM                                  ;
     0081 00474 ;ENTRY
                U.382:   .WORD    129                                           ;
00000000G 00476          .ADDRESS NML$DEFPARAM                                  ;
00000000G 0047A          .ADDRESS NML$PURPARAM                                  ;
     0082 0047E ;ENTRY
                U.383:   .WORD    130                                           ;
00000000G 00480          .ADDRESS NML$DEFPARAM                                  ;
00000000G 00484          .ADDRESS NML$PURPARAM                                  ;
     0083 00488 ;ENTRY
                U.384:   .WORD    131                                           ;
00000000G 0048A          .ADDRESS NML$DEFPARAM                                  ;
00000000G 0048E          .ADDRESS NML$PURPARAM                                  ;
     0084 00492 ;ENTRY
                U.385:   .WORD    132                                           ;
00000000G 00494          .ADDRESS NML$DEFPARAM                                  ;
00000000G 00498          .ADDRESS NML$PURPARAM                                  ;
     0085 0049C ;ENTRY
                U.386:   .WORD    133                                           ;
00000000G 0049E          .ADDRESS NML$DEFPARAM                                  ;
```

```
00000000G 004A2          .ADDRESS NML$PURPARAM                                    ;
     0086 004A6 ;ENTRY
                U.387:   .WORD    134                                             ;
00000000G 004A8          .ADDRESS NML$DEFPARAM                                    ;
00000000G 004AC          .ADDRESS NML$PURPARAM                                    ;
     0087 004B0 ;ENTRY
                U.388:   .WORD    135                                             ;
00000000G 004B2          .ADDRESS NML$DEFPARAM                                    ;
00000000G 004B6          .ADDRESS NML$PURPARAM                                    ;
     0088 004BA ;ENTRY
                U.389:   .WORD    136                                             ;
00000000G 004BC          .ADDRESS NML$DEFPARAM                                    ;
00000000G 004C0          .ADDRESS NML$PURPARAM                                    ;
     0089 004C4 ;ENTRY
                U.390:   .WORD    137                                             ;
00000000G 004C6          .ADDRESS NML$DEFPARAM                                    ;
00000000G 004CA          .ADDRESS NML$PURPARAM                                    ;
     008A 004CE ;ENTRY
                U.391:   .WORD    138                                             ;
00000000G 004D0          .ADDRESS NML$DEFPARAM                                    ;
00000000G 004D4          .ADDRESS NML$PURPARAM                                    ;
     008B 004D8 ;ENTRY
                U.392:   .WORD    139                                             ;
00000000G 004DA          .ADDRESS NML$DEFPARAM                                    ;
00000000G 004DE          .ADDRESS NML$PURPARAM                                    ;
     008C 004E2 ;ENTRY
                U.393:   .WORD    140                                             ;
00000000G 004E4          .ADDRESS NML$DEFPARAM                                    ;
00000000G 004E8          .ADDRESS NML$PURPARAM                                    ;
     008D 004EC ;ENTRY
                U.394:   .WORD    141                                             ;
00000000G 004EE          .ADDRESS NML$DEFPARAM                                    ;
00000000G 004F2          .ADDRESS NML$PURPARAM                                    ;
     008E 004F6 ;ENTRY
                U.395:   .WORD    142                                             ;
00000000G 004F8          .ADDRESS NML$DEFPARAM                                    ;
00000000G 004FC          .ADDRESS NML$PURPARAM                                    ;
     008F 00500 ;ENTRY
                U.396:   .WORD    143                                             ;
00000000G 00502          .ADDRESS NML$DEFPARAM                                    ;
00000000G 00506          .ADDRESS NML$PURPARAM                                    ;
     0090 0050A ;ENTRY
                U.397:   .WORD    144                                             ;
00000000G 0050C          .ADDRESS NML$DEFPARAM                                    ;
00000000G 00510          .ADDRESS NML$PURPARAM                                    ;
     0091 00514 ;ENTRY
                U.398:   .WORD    145                                             ;
00000000G 00516          .ADDRESS NML$DEFPARAM                                    ;
00000000G 0051A          .ADDRESS NML$PURPARAM                                    ;
     0092 0051E ;ENTRY
                U.399:   .WORD    146                                             ;
00000000G 00520          .ADDRESS NML$DEFPARAM                                    ;
00000000G 00524          .ADDRESS NML$PURPARAM                                    ;
     0093 00528 ;ENTRY
                U.400:   .WORD    147                                             ;
00000000G 0052A          .ADDRESS NML$DEFPARAM                                    ;
00000000G 0052E          .ADDRESS NML$PURPARAM                                    ;
```

```
     0094  00532 ;ENTRY
                 U.401:  .WORD    148                                                  ;
00000000G  00534         .ADDRESS NML$DEFPARAM                                         ;
00000000G  00538         .ADDRESS NML$PURPARAM                                         ;
     0095  0053C ;ENTRY
                 U.402:  .WORD    149                                                  ;
00000000G  0053E         .ADDRESS NML$DEFPARAM                                         ;
00000000G  00542         .ADDRESS NML$PURPARAM                                         ;
     0096  00546 ;ENTRY
                 U.403:  .WORD    150                                                  ;
00000000G  00548         .ADDRESS NML$DEFPARAM                                         ;
00000000G  0054C         .ADDRESS NML$PURPARAM                                         ;
     0097  00550 ;ENTRY
                 U.404:  .WORD    151                                                  ;
00000000G  00552         .ADDRESS NML$DEFPARAM                                         ;
00000000G  00556         .ADDRESS NML$PURPARAM                                         ;
     0098  0055A ;ENTRY
                 U.405:  .WORD    152                                                  ;
00000000G  0055C         .ADDRESS NML$DEFPARAM                                         ;
00000000G  00560         .ADDRESS NML$PURPARAM                                         ;
     0099  00564 ;ENTRY
                 U.406:  .WORD    153                                                  ;
00000000G  00566         .ADDRESS NML$DEFPARAM                                         ;
00000000G  0056A         .ADDRESS NML$PURPARAM                                         ;
     009A  0056E ;ENTRY
                 U.407:  .WORD    154                                                  ;
00000000G  00570         .ADDRESS NML$DEFPARAM                                         ;
00000000G  00574         .ADDRESS NML$PURPARAM                                         ;
     009B  00578 ;ENTRY
                 U.408:  .WORD    155                                                  ;
00000000G  0057A         .ADDRESS NML$DEFPARAM                                         ;
00000000G  0057E         .ADDRESS NML$PURPARAM                                         ;
     009C  00582 ;ENTRY
                 U.409:  .WORD    156                                                  ;
00000000G  00584         .ADDRESS NML$DEFPARAM                                         ;
00000000G  00588         .ADDRESS NML$PURPARAM                                         ;
     009D  0058C ;ENTRY
                 U.410:  .WORD    157                                                  ;
00000000G  0058E         .ADDRESS NML$DEFPARAM                                         ;
00000000G  00592         .ADDRESS NML$PURPARAM                                         ;
     009E  00596 ;ENTRY
                 U.411:  .WORD    158                                                  ;
00000000   00598         .LONG    0                                                    ;
00000000G  0059C         .ADDRESS NML$PURPARAM                                         ;
     009F  005A0 ;ENTRY
                 U.412:  .WORD    159                                                  ;
00000000G  005A2         .ADDRESS NML$DEFPARAM                                         ;
00000000G  005A6         .ADDRESS NML$PURPARAM                                         ;
     00A1  005AA ;ENTRY
                 U.413:  .WORD    161                                                  ;
00000000   005AC         .LONG    0                                                    ;
00000000   005B0         .LONG    0                                                    ;
     00A2  005B4 ;ENTRY
                 U.414:  .WORD    162                                                  ;
00000000   005B6         .LONG    0                                                    ;
00000000   005BA         .LONG    0                                                    ;
     00A3  005BE ;ENTRY
```

```
                               U.415:   .WORD    163                                   ;
       00000000   005C0                 .LONG    0                                     ;
       00000000   005C4                 .LONG    0                                     ;
           00A4   005C8       ;ENTRY
                               U.416:   .WORD    164                                   ;
       00000000   005CA                 .LONG    0                                     ;
       00000000   005CE                 .LONG    0                                     ;
           00A5   005D2       ;ENTRY
                               U.417:   .WORD    165                                   ;
       00000000   005D4                 .LONG    0                                     ;
       00000000   005D8                 .LONG    0                                     ;
           00A6   005DC       ;ENTRY
                               U.418:   .WORD    166                                   ;
      00000000G   005DE                 .ADDRESS NML$DEFPARAM                          ;
      00000000G   005E2                 .ADDRESS NML$PURPARAM                          ;
           00A7   005E6       ;ENTRY
                               U.419:   .WORD    167                                   ;
      00000000G   005E8                 .ADDRESS NML$DEFPARAM                          ;
      00000000G   005EC                 .ADDRESS NML$PURPARAM                          ;
           00A8   005F0       ;ENTRY
                               U.420:   .WORD    168                                   ;
      00000000G   005F2                 .ADDRESS NML$DEFPARAM                          ;
      00000000G   005F6                 .ADDRESS NML$PURPARAM                          ;
           00A9   005FA       ;ENTRY
                               U.421:   .WORD    169                                   ;
      00000000G   005FC                 .ADDRESS NML$DEFPARAM                          ;
      00000000G   00600                 .ADDRESS NML$PURPARAM                          ;
           00AA   00604       ;ENTRY
                               U.422:   .WORD    170                                   ;
      00000000G   00606                 .ADDRESS NML$DEFPARAM                          ;
      00000000G   0060A                 .ADDRESS NML$PURPARAM                          ;
           00AB   0060E       ;ENTRY
                               U.423:   .WORD    171                                   ;
      00000000G   00610                 .ADDRESS NML$DEFPARAM                          ;
      00000000G   00614                 .ADDRESS NML$PURPARAM                          ;
           00AC   00618       ;ENTRY
                               U.424:   .WORD    172                                   ;
      00000000G   0061A                 .ADDRESS NML$DEFPARAM                          ;
      00000000G   0061E                 .ADDRESS NML$PURPARAM                          ;
           00AD   00622       ;ENTRY
                               U.425:   .WORD    173                                   ;
      00000000G   00624                 .ADDRESS NML$DEFPARAM                          ;
      00000000G   00628                 .ADDRESS NML$PURPARAM                          ;
           00AE   0062C       ;ENTRY
                               U.426:   .WORD    174                                   ;
      00000000G   0062E                 .ADDRESS NML$DEFPARAM                          ;
      00000000G   00632                 .ADDRESS NML$PURPARAM                          ;
           00AF   00636       ;ENTRY
                               U.427:   .WORD    175                                   ;
      00000000G   00638                 .ADDRESS NML$DEFPARAM                          ;
      00000000G   0063C                 .ADDRESS NML$PURPARAM                          ;
           00B0   00640       ;ENTRY
                               U.428:   .WORD    176                                   ;
      00000000G   00642                 .ADDRESS NML$DEFPARAM                          ;
      00000000G   00646                 .ADDRESS NML$PURPARAM                          ;
           00B1   0064A       ;ENTRY
                               U.429:   .WORD    177                                   ;
```

```
00000000G 0064C               .ADDRESS NML$DEFPARAM                          ;
00000000G 00650               .ADDRESS NML$PURPARAM                          ;
     00B2 00654 ;ENTRY
                U.430:        .WORD    178                                   ;
00000000G 00656               .ADDRESS NML$DEFPARAM                          ;
00000000G 0065A               .ADDRESS NML$PURPARAM                          ;
     00B3 0065E ;ENTRY
                U.431:        .WORD    179                                   ;
00000000G 00660               .ADDRESS NML$DEFPARAM                          ;
00000000G 00664               .ADDRESS NML$PURPARAM                          ;
     00B4 00668 ;ENTRY
                U.432:        .WORD    180                                   ;
00000000G 0066A               .ADDRESS NML$DEFPARAM                          ;
00000000G 0066E               .ADDRESS NML$PURPARAM                          ;
     00B5 00672 ;ENTRY
                U.433:        .WORD    181                                   ;
00000000G 00674               .ADDRESS NML$DEFPARAM                          ;
00000000G 00678               .ADDRESS NML$PURPARAM                          ;
     00B6 0067C ;ENTRY
                U.434:        .WORD    182                                   ;
00000000G 0067E               .ADDRESS NML$DEFPARAM                          ;
00000000G 00682               .ADDRESS NML$PURPARAM                          ;
     00B7 00686 ;ENTRY
                U.435:        .WORD    183                                   ;
00000000G 00688               .ADDRESS NML$DEFPARAM                          ;
00000000G 0068C               .ADDRESS NML$PURPARAM                          ;
     00B8 00690 ;ENTRY
                U.436:        .WORD    184                                   ;
00000000G 00692               .ADDRESS NML$DEFPARAM                          ;
00000000G 00696               .ADDRESS NML$PURPARAM                          ;
     00B9 0069A ;ENTRY
                U.437:        .WORD    185                                   ;
00000000G 0069C               .ADDRESS NML$DEFPARAM                          ;
00000000G 006A0               .ADDRESS NML$PURPARAM                          ;
     00BA 006A4 ;ENTRY
                U.438:        .WORD    186                                   ;
00000000G 006A6               .ADDRESS NML$DEFPARAM                          ;
00000000G 006AA               .ADDRESS NML$PURPARAM                          ;
     00BB 006AE ;ENTRY
                U.439:        .WORD    187                                   ;
00000000G 006B0               .ADDRESS NML$DEFPARAM                          ;
00000000G 006B4               .ADDRESS NML$PURPARAM                          ;
     00BC 006B8 ;ENTRY
                U.440:        .WORD    188                                   ;
00000000G 006BA               .ADDRESS NML$DEFPARAM                          ;
00000000G 006BE               .ADDRESS NML$PURPARAM                          ;
     00BD 006C2 ;ENTRY
                U.441:        .WORD    189                                   ;
00000000G 006C4               .ADDRESS NML$DEFPARAM                          ;
00000000G 006C8               .ADDRESS NML$PURPARAM                          ;
     00BE 006CC ;ENTRY
                U.442:        .WORD    190                                   ;
00000000G 006CE               .ADDRESS NML$DEFPARAM                          ;
00000000G 006D2               .ADDRESS NML$PURPARAM                          ;
     00BF 006D6 ;ENTRY
                U.443:        .WORD    191                                   ;
00000000G 006D8               .ADDRESS NML$DEFPARAM                          ;
```

```
00000000G 006DC           .ADDRESS NML$PURPARAM                                        ;
     00C0 006E0 ;ENTRY
                U.444:    .WORD    192                                                 ;
00000000G 006E2           .ADDRESS NML$DEFPARAM                                        ;
00000000G 006E6           .ADDRESS NML$PURPARAM                                        ;
     00C1 006EA ;ENTRY
                U.445:    .WORD    193                                                 ;
00000000G 006EC           .ADDRESS NML$DEFPARAM                                        ;
00000000G 006F0           .ADDRESS NML$PURPARAM                                        ;
     00C2 006F4 ;ENTRY
                U.446:    .WORD    194                                                 ;
00000000G 006F6           .ADDRESS NML$DEFPARAM                                        ;
00000000G 006FA           .ADDRESS NML$PURPARAM                                        ;
     00C3 006FE ;ENTRY
                U.447:    .WORD    195                                                 ;
00000000G 00700           .ADDRESS NML$DEFPARAM                                        ;
00000000G 00704           .ADDRESS NML$PURPARAM                                        ;
     00C4 00708 ;ENTRY
                U.448:    .WORD    196                                                 ;
00000000G 0070A           .ADDRESS NML$DEFPARAM                                        ;
00000000G 0070E           .ADDRESS NML$PURPARAM                                        ;
     00C5 00712 ;ENTRY
                U.449:    .WORD    197                                                 ;
00000000G 00714           .ADDRESS NML$DEFPARAM                                        ;
00000000G 00718           .ADDRESS NML$PURPARAM                                        ;
     00C7 0071C ;ENTRY
                U.450:    .WORD    199                                                 ;
00000000G 0071E           .ADDRESS NML$DEFPARAM                                        ;
00000000G 00722           .ADDRESS NML$PURPARAM                                        ;
     00C8 00726 ;ENTRY
                U.451:    .WORD    200                                                 ;
 00000000 00728           .LONG    0                                                   ;
 00000000 0072C           .LONG    0                                                   ;
     00C9 00730 ;ENTRY
                U.452:    .WORD    201                                                 ;
00000000G 00732           .ADDRESS NML$DEFPARAM                                        ;
00000000G 00736           .ADDRESS NML$PURPARAM                                        ;
     00CA 0073A ;ENTRY
                U.453:    .WORD    202                                                 ;
00000000G 0073C           .ADDRESS NML$DEFPARAM                                        ;
00000000G 00740           .ADDRESS NML$PURPARAM                                        ;
     00CB 00744 ;ENTRY
                U.454:    .WORD    203                                                 ;
00000000G 00746           .ADDRESS NML$DEFPARAM                                        ;
00000000G 0074A           .ADDRESS NML$PURPARAM                                        ;
     00CC 0074E ;ENTRY
                U.455:    .WORD    204                                                 ;
00000000G 00750           .ADDRESS NML$DEFPARAM                                        ;
00000000G 00754           .ADDRESS NML$PURPARAM                                        ;
     00CD 00758 ;ENTRY
                U.456:    .WORD    205                                                 ;
00000000G 0075A           .ADDRESS NML$DEFPARAM                                        ;
00000000G 0075E           .ADDRESS NML$PURPARAM                                        ;
     00CE 00762 ;ENTRY
                U.457:    .WORD    206                                                 ;
 00000000 00764           .LONG    0                                                   ;
 00000000 00768           .LONG    0                                                   ;
```

```
                    00CF  0076C ;ENTRY
                                U.458:   .WORD    207                                      ;
              00000000G  0076E           .ADDRESS NML$DEFPARAM                             ;
              00000000G  00772           .ADDRESS NML$PURPARAM                             ;
                    00D0  00776 ;ENTRY
                                U.459:   .WORD    208                                      ;
              00000000G  00778           .ADDRESS NML$DEFPARAM                             ;
              00000000G  0077C           .ADDRESS NML$PURPARAM                             ;
                    00D1  00780 ;ENTRY
                                U.460:   .WORD    209                                      ;
              00000000G  00782           .ADDRESS NML$DEFPARAM                             ;
              00000000G  00786           .ADDRESS NML$PURPARAM                             ;
                    00D2  0078A ;ENTRY
                                U.461:   .WORD    210                                      ;
              00000000G  0078C           .ADDRESS NML$DEFPARAM                             ;
              00000000G  00790           .ADDRESS NML$PURPARAM                             ;
                    00D3  00794 ;ENTRY
                                U.462:   .WORD    211                                      ;
              00000000G  00796           .ADDRESS NML$DEFPARAM                             ;
              00000000G  0079A           .ADDRESS NML$PURPARAM                             ;
                    00D4  0079E ;ENTRY
                                U.463:   .WORD    212                                      ;
              00000000G  007A0           .ADDRESS NML$DEFPARAM                             ;
              00000000G  007A4           .ADDRESS NML$PURPARAM                             ;
                    00D5  007A8 ;ENTRY
                                U.464:   .WORD    213                                      ;
              00000000G  007AA           .ADDRESS NML$DEFPARAM                             ;
              00000000G  007AE           .ADDRESS NML$PURPARAM                             ;
                    00D6  007B2 ;ENTRY
                                U.465:   .WORD    214                                      ;
              00000000G  007B4           .ADDRESS NML$DEFPARAM                             ;
              00000000G  007B8           .ADDRESS NML$PURPARAM                             ;
                    00D7  007BC ;ENTRY
                                U.466:   .WORD    215                                      ;
              00000000G  007BE           .ADDRESS NML$DEFPARAM                             ;
              00000000G  007C2           .ADDRESS NML$PURPARAM                             ;
                    00D8  007C6 ;ENTRY
                                U.467:   .WORD    216                                      ;
              00000000G  007C8           .ADDRESS NML$DEFPARAM                             ;
              00000000G  007CC           .ADDRESS NML$PURPARAM                             ;
                    00DA  007D0 ;ENTRY
                                U.468:   .WORD    218                                      ;
              00000000G  007D2           .ADDRESS NML$DEFPARAM                             ;
              00000000G  007D6           .ADDRESS NML$PURPARAM                             ;
                    00DB  007DA ;ENTRY
                                U.469:   .WORD    219                                      ;
              00000000G  007DC           .ADDRESS NML$DEFPARAM                             ;
              00000000G  007E0           .ADDRESS NML$PURPARAM                             ;
                    00DC  007E4 ;ENTRY
                                U.470:   .WORD    220                                      ;
              00000000G  007E6           .ADDRESS NML$DEFPARAM                             ;
              00000000G  007EA           .ADDRESS NML$PURPARAM                             ;
                    00DD  007EE ;ENTRY
                                U.471:   .WORD    221                                      ;
              00000000G  007F0           .ADDRESS NML$DEFPARAM                             ;
              00000000G  007F4           .ADDRESS NML$PURPARAM                             ;
                    00DE  007F8 ;ENTRY
```

```
                                        U.472:  .WORD    222                                          ;
                  00000000G 007FA               .ADDRESS NML$DEFPARAM                                 ;
                  00000000G 007FE               .ADDRESS NML$PURPARAM                                 ;
                       00DF 00802   ;ENTRY
                                        U.473:  .WORD    223                                          ;
                  00000000G 00804               .ADDRESS NML$DEFPARAM                                 ;
                  00000000G 00808               .ADDRESS NML$PURPARAM                                 ;
                       00E0 0080C   ;ENTRY
                                        U.474:  .WORD    224                                          ;
                  00000000G 0080E               .ADDRESS NML$DEFPARAM                                 ;
                  00000000G 00812               .ADDRESS NML$PURPARAM                                 ;
                       00E1 00816   ;ENTRY
                                        U.475:  .WORD    225                                          ;
                  00000000G 00818               .ADDRESS NML$DEFPARAM                                 ;
                  00000000G 0081C               .ADDRESS NML$PURPARAM                                 ;
                       00E2 00820   ;ENTRY
                                        U.476:  .WORD    226                                          ;
                  00000000G 00822               .ADDRESS NML$DEFPARAM                                 ;
                  00000000G 00826               .ADDRESS NML$PURPARAM                                 ;
                       00E3 0082A   ;ENTRY
                                        U.477:  .WORD    227                                          ;
                  00000000G 0082C               .ADDRESS NML$DEFPARAM                                 ;
                  00000000G 00830               .ADDRESS NML$PURPARAM                                 ;
                       00E4 00834   ;ENTRY
                                        U.478:  .WORD    228                                          ;
                  00000000G 00836               .ADDRESS NML$DEFPARAM                                 ;
                  00000000G 0083A               .ADDRESS NML$PURPARAM                                 ;
                       00E5 0083E   ;ENTRY
                                        U.479:  .WORD    229                                          ;
                  00000000  00840               .LONG    0                                            ;
                  00000000  00844               .LONG    0                                            ;
                       00E6 00848   ;ENTRY
                                        U.480:  .WORD    230                                          ;
                  00000000G 0084A               .ADDRESS NML$DEFPARAM                                 ;
                  00000000G 0084E               .ADDRESS NML$PURPARAM                                 ;
                       00E7 00852   ;ENTRY
                                        U.481:  .WORD    231                                          ;
                  00000000G 00854               .ADDRESS NML$DEFPARAM                                 ;
                  00000000G 00858               .ADDRESS NML$PURPARAM                                 ;
                       00E8 0085C   ;ENTRY
                                        U.482:  .WORD    232                                          ;
                  00000000G 0085E               .ADDRESS NML$DEFPARAM                                 ;
                  00000000G 00862               .ADDRESS NML$PURPARAM                                 ;
                       00E9 00866   ;ENTRY
                                        U.483:  .WORD    233                                          ;
                  00000000G 00868               .ADDRESS NML$DEFPARAM                                 ;
                  00000000G 0086C               .ADDRESS NML$PURPARAM                                 ;
                       00EA 00870   ;ENTRY
                                        U.484:  .WORD    234                                          ;
                  00000000G 00872               .ADDRESS NML$DEFPARAM                                 ;
                  00000000G 00876               .ADDRESS NML$PURPARAM                                 ;
                       00EB 0087A   ;ENTRY
                                        U.485:  .WORD    235                                          ;
                  00000000  0087C               .LONG    0                                            ;
                  00000000  00880               .LONG    0                                            ;
                       00EC 00884   ;ENTRY
                                        U.486:  .WORD    236                                          ;
```

```
00000000G 00886                .ADDRESS NML$DEFPARAM                          ;
00000000G 0088A                .ADDRESS NML$PURPARAM                          ;
     00ED 0088E ;ENTRY
                 U.487:        .WORD   237                                    ;
00000000G 00890                .ADDRESS NML$DEFPARAM                          ;
00000000G 00894                .ADDRESS NML$PURPARAM                          ;
     00EE 00898 ;ENTRY
                 U.488:        .WORD   238                                    ;
00000000G 0089A                .ADDRESS NML$DEFPARAM                          ;
00000000G 0089E                .ADDRESS NML$PURPARAM                          ;
     00EF 008A2 ;ENTRY
                 U.489:        .WORD   239                                    ;
00000000G 008A4                .ADDRESS NML$DEFPARAM                          ;
00000000G 008A8                .ADDRESS NML$PURPARAM                          ;
     00F0 008AC ;ENTRY
                 U.490:        .WORD   240                                    ;
00000000G 008AE                .ADDRESS NML$DEFPARAM                          ;
00000000G 008B2                .ADDRESS NML$PURPARAM                          ;
     00F1 008B6 ;ENTRY
                 U.491:        .WORD   241                                    ;
00000000G 008B8                .ADDRESS NML$DEFPARAM                          ;
00000000G 008BC                .ADDRESS NML$PURPARAM                          ;
     00F2 008C0 ;ENTRY
                 U.492:        .WORD   242                                    ;
00000000G 008C2                .ADDRESS NML$DEFPARAM                          ;
00000000G 008C6                .ADDRESS NML$PURPARAM                          ;
     00F3 008CA ;ENTRY
                 U.493:        .WORD   243                                    ;
00000000G 008CC                .ADDRESS NML$DEFPARAM                          ;
00000000G 008D0                .ADDRESS NML$PURPARAM                          ;
     00F4 008D4 ;ENTRY
                 U.494:        .WORD   244                                    ;
00000000G 008D6                .ADDRESS NML$DEFPARAM                          ;
00000000G 008DA                .ADDRESS NML$PURPARAM                          ;
     00F5 008DE ;ENTRY
                 U.495:        .WORD   245                                    ;
00000000G 008E0                .ADDRESS NML$DEFPARAM                          ;
00000000G 008E4                .ADDRESS NML$PURPARAM                          ;
     00F7 008E8 ;ENTRY
                 U.496:        .WORD   247                                    ;
00000000G 008EA                .ADDRESS NML$DEFPARAM                          ;
00000000G 008EE                .ADDRESS NML$PURPARAM                          ;
     00F8 008F2 ;ENTRY
                 U.497:        .WORD   248                                    ;
00000000G 008F4                .ADDRESS NML$DEFPARAM                          ;
00000000G 008F8                .ADDRESS NML$PURPARAM                          ;
     00F9 008FC ;ENTRY
                 U.498:        .WORD   249                                    ;
00000000G 008FE                .ADDRESS NML$DEFOBJNUM                         ;
00000000G 00902                .ADDRESS NML$PURPARAM                          ;
     00FA 00906 ;ENTRY
                 U.499:        .WORD   250                                    ;
00000000G 00908                .ADDRESS NML$DEFPARAM                          ;
00000000G 0090C                .ADDRESS NML$PURPARAM                          ;
     00FC 00910 ;ENTRY
                 U.500:        .WORD   252                                    ;
00000000G 00912                .ADDRESS NML$DEFPARAM                          ;
```

```
000000000G 00916         .ADDRESS NML$PURPARAM                              ;
      00FD 0091A ;ENTRY
           U.501:        .WORD    253                                       ;
000000000G 0091C         .ADDRESS NML$DEFPARAM                              ;
000000000G 00920         .ADDRESS NML$PURPARAM                              ;
      00FE 00924 ;ENTRY
           U.502:        .WORD    254                                       ;
000000000G 00926         .ADDRESS NML$DEFPARAM                              ;
000000000G 0092A         .ADDRESS NML$PURPARAM                              ;
      00FF 0092E ;ENTRY
           U.503:        .WORD    255                                       ;
000000000G 00930         .ADDRESS NML$DEFPARAM                              ;
000000000G 00934         .ADDRESS NML$PURPARAM                              ;
      0100 00938 ;ENTRY
           U.504:        .WORD    256                                       ;
000000000G 0093A         .ADDRESS NML$DEFPARAM                              ;
000000000G 0093E         .ADDRESS NML$PURPARAM                              ;
      0101 00942 ;ENTRY
           U.505:        .WORD    257                                       ;
  00000000 00944         .LONG    0                                         ;
  00000000 00948         .LONG    0                                         ;
      0102 0094C ;ENTRY
           U.506:        .WORD    258                                       ;
  00000000 0094E         .LONG    0                                         ;
  00000000 00952         .LONG    0                                         ;
      0103 00956 ;ENTRY
           U.507:        .WORD    259                                       ;
  00000000 00958         .LONG    0                                         ;
  00000000 0095C         .LONG    0                                         ;
      0105 00960 ;ENTRY
           U.508:        .WORD    261                                       ;
  00000000 00962         .LONG    0                                         ;
  00000000 00966         .LONG    0                                         ;
      0106 0096A ;ENTRY
           U.509:        .WORD    262                                       ;
  00000000 0096C         .LONG    0                                         ;
  00000000 00970         .LONG    0                                         ;
      0107 00974 ;ENTRY
           U.510:        .WORD    263                                       ;
  00000000 00976         .LONG    0                                         ;
  00000000 0097A         .LONG    0                                         ;
      0108 0097E ;ENTRY
           U.511:        .WORD    264                                       ;
  00000000 00980         .LONG    0                                         ;
  00000000 00984         .LONG    0                                         ;
      0109 00988 ;ENTRY
           U.512:        .WORD    265                                       ;
  00000000 0098A         .LONG    0                                         ;
  00000000 0098E         .LONG    0                                         ;
      010A 00992 ;ENTRY
           U.513:        .WORD    266                                       ;
  00000000 00994         .LONG    0                                         ;
  00000000 00998         .LONG    0                                         ;

                         .PSECT   NML$SEMANTICS,NOWRT,NOEXE,0

           00000 NML$AB_PRMSEM::
```

```
                                   .BLKB   0
    0000  00000 ;ENTRY
                U.1:               .WORD   0                                                   ;
      00  00002                    .BYTE   0                                                   ;
      81  00003                    .BYTE   -127                                                ;
00000000  00004                    .LONG   0                                                   ;
00000000  00008                    .LONG   0                                                   ;
04010013  0000C                    .LONG   67174419                                            ;
    0001  00010 ;ENTRY
                U.2:               .WORD   1                                                   ;
      00  00012                    .BYTE   0                                                   ;
      81  00013                    .BYTE   -127                                                ;
00000000  00014                    .LONG   0                                                   ;
00000000  00018                    .LONG   0                                                   ;
04010014  0001C                    .LONG   67174420                                            ;
    0064  00020 ;ENTRY
                U.3:               .WORD   100                                                 ;
      00  00022                    .BYTE   0                                                   ;
      81  00023                    .BYTE   -127                                                ;
00000000  00024                    .LONG   0                                                   ;
00000000  00028                    .LONG   0                                                   ;
04000002  0002C                    .LONG   67108866                                            ;
    006E  00030 ;ENTRY
                U.4:               .WORD   110                                                 ;
      01  00032                    .BYTE   1                                                   ;
      02  00033                    .BYTE   2                                                   ;
00000001  00034                    .LONG   1                                                   ;
00000000  00038                    .LONG   0                                                   ;
04010015  0003C                    .LONG   67174421                                            ;
    0078  00040 ;ENTRY
                U.5:               .WORD   120                                                 ;
      03  00042                    .BYTE   3                                                   ;
      20  00043                    .BYTE   32                                                  ;
00000000  00044                    .LONG   0                                                   ;
00000000  00048                    .LONG   0                                                   ;
1A020042  0004C                    .LONG   436338754                                           ;
    0079  00050 ;ENTRY
                U.6:               .WORD   121                                                 ;
      00  00052                    .BYTE   0                                                   ;
      81  00053                    .BYTE   -127                                                ;
00000000  00054                    .LONG   0                                                   ;
00000000  00058                    .LONG   0                                                   ;
1A010010  0005C                    .LONG   436273168                                           ;
    0190  00060 ;ENTRY
                U.7:               .WORD   400                                                 ;
      03  00062                    .BYTE   3                                                   ;
      40  00063                    .BYTE   64                                                  ;
00000000  00064                    .LONG   0                                                   ;
00000000  00068                    .LONG   0                                                   ;
04020047  0006C                    .LONG   67240007                                            ;
    0320  00070 ;ENTRY
                U.8:               .WORD   800                                                 ;
      03  00072                    .BYTE   3                                                   ;
      C2  00073                    .BYTE   -62                                                 ;
00000000  00074                    .LONG   0                                                   ;
00000000  00078                    .LONG   0                                                   ;
13010010  0007C                    .LONG   318832656                                           ;
```

```
    0320  00080  ;ENTRY
                 U.9:       .WORD   800                           ;
      03  00082             .BYTE   3                             ;
      C2  00083             .BYTE   -62                           ;
00000000  00084             .LONG   0                             ;
00000000  00088             .LONG   0                             ;
13020041  0008C             .LONG   318898241                     ;
    0321  00090  ;ENTRY
                 U.10:      .WORD   801                           ;
      03  00092             .BYTE   3                             ;
      C2  00093             .BYTE   -62                           ;
00000000  00094             .LONG   0                             ;
00000000  00098             .LONG   0                             ;
04010036  0009C             .LONG   67174454                      ;
    032A  000A0  ;ENTRY
                 U.11:      .WORD   810                           ;
      01  000A2             .BYTE   1                             ;
      02  000A3             .BYTE   2                             ;
00000000  000A4             .LONG   0                             ;
00000000  000A8             .LONG   0                             ;
13010013  000AC             .LONG   318832659                     ;
    0384  000B0  ;ENTRY
                 U.12:      .WORD   900                           ;
      00  000B2             .BYTE   0                             ;
      01  000B3             .BYTE   1                             ;
00000001  000B4             .LONG   1                             ;
00000019  000B8             .LONG   25                            ;
04010018  000BC             .LONG   67174424                      ;
    0385  000C0  ;ENTRY
                 U.13:      .WORD   901                           ;
      00  000C2             .BYTE   0                             ;
      01  000C3             .BYTE   1                             ;
00000000  000C4             .LONG   0                             ;
00000000  000C8             .LONG   0                             ;
04010034  000CC             .LONG   67174452                      ;
    0386  000D0  ;ENTRY
                 U.14:      .WORD   902                           ;
      00  000D2             .BYTE   0                             ;
      01  000D3             .BYTE   1                             ;
00000000  000D4             .LONG   0                             ;
00000000  000D8             .LONG   0                             ;
04010035  000DC             .LONG   67174453                      ;
    038A  000E0  ;ENTRY
                 U.15:      .WORD   906                           ;
      01  000E2             .BYTE   1                             ;
      02  000E3             .BYTE   2                             ;
00000000  000E4             .LONG   0                             ;
00000000  000E8             .LONG   0                             ;
04010019  000EC             .LONG   67174425                      ;
    038B  000F0  ;ENTRY
                 U.16:      .WORD   907                           ;
      01  000F2             .BYTE   1                             ;
      02  000F3             .BYTE   2                             ;
00000000  000F4             .LONG   0                             ;
00000000  000F8             .LONG   0                             ;
0401001A  000FC             .LONG   67174426                      ;
    038E  00100  ;ENTRY
```

```
                         U.17:     .WORD    910                                    ;
          00   00102               .BYTE    0                                      ;
          81   00103               .BYTE    -127                                   ;
    00000000   00104               .LONG    0                                      ;
    00000000   00108               .LONG    0                                      ;
    04000003   0010C               .LONG    67108867                               ;
        0398   00110     ;ENTRY
                         U.18:     .WORD    920                                    ;
          00   00112               .BYTE    0                                      ;
          01   00113               .BYTE    1                                      ;
    00000000   00114               .LONG    0                                      ;
    00000000   00118               .LONG    0                                      ;
    0401001B   0011C               .LONG    67174427                               ;
        0399   00120     ;ENTRY
                         U.19:     .WORD    921                                    ;
          01   00122               .BYTE    1                                      ;
          02   00123               .BYTE    2                                      ;
    00000000   00124               .LONG    0                                      ;
    00000000   00128               .LONG    0                                      ;
    0401001C   0012C               .LONG    67174428                               ;
        03A2   00130     ;ENTRY
                         U.20:     .WORD    930                                    ;
          03   00132               .BYTE    3                                      ;
          40   00133               .BYTE    64                                     ;
    00000000   00134               .LONG    0                                      ;
    00000000   00138               .LONG    0                                      ;
    04020048   0013C               .LONG    67240008                               ;
        03F2   00140     ;ENTRY
                         U.21:     .WORD    1010                                   ;
          00   00142               .BYTE    0                                      ;
          81   00143               .BYTE    -127                                   ;
    00000000   00144               .LONG    0                                      ;
    00000000   00148               .LONG    0                                      ;
    0401001D   0014C               .LONG    67174429                               ;
        03F3   00150     ;ENTRY
                         U.22:     .WORD    1011                                   ;
          00   00152               .BYTE    0                                      ;
          81   00153               .BYTE    -127                                   ;
    00000000   00154               .LONG    0                                      ;
    00000000   00158               .LONG    0                                      ;
    0401001E   0015C               .LONG    67174430                               ;
        044C   00160     ;ENTRY
                         U.23:     .WORD    1100                                   ;
          03   00162               .BYTE    3                                      ;
          C0   00163               .BYTE    -64                                    ;
    00000000   00164               .LONG    0                                      ;
    00000000   00168               .LONG    0                                      ;
    04000005   0016C               .LONG    67108869                               ;
        0457   00170     ;ENTRY
                         U.24:     .WORD    1111                                   ;
          00   00172               .BYTE    0                                      ;
          81   00173               .BYTE    -127                                   ;
    00000000   00174               .LONG    0                                      ;
    00000000   00178               .LONG    0                                      ;
    0401001F   0017C               .LONG    67174431                               ;
        0458   00180     ;ENTRY
                         U.25:     .WORD    1112                                   ;
```

```
      00  00182            .BYTE   0                                      ;
      81  00183            .BYTE   -127                                   ;
00000000  00184            .LONG   0                                      ;
00000000  00188            .LONG   0                                      ;
04010020  0018C            .LONG   67174432                               ;
    0460  00190  ;ENTRY
                 U.26:     .WORD   1120                                   ;
      03  00192            .BYTE   3                                      ;
      40  00193            .BYTE   64                                     ;
00000000  00194            .LONG   0                                      ;
00000000  00198            .LONG   0                                      ;
04020049  0019C            .LONG   67240009                               ;
    0461  001A0  ;ENTRY
                 U.27:     .WORD   1121                                   ;
      01  001A2            .BYTE   1                                      ;
      02  001A3            .BYTE   2                                      ;
00000000  001A4            .LONG   0                                      ;
00000000  001A8            .LONG   0                                      ;
04010021  001AC            .LONG   67174433                               ;
    0462  001B0  ;ENTRY
                 U.28:     .WORD   1122                                   ;
      01  001B2            .BYTE   1                                      ;
      02  001B3            .BYTE   2                                      ;
00000000  001B4            .LONG   0                                      ;
00000000  001B8            .LONG   0                                      ;
04010022  001BC            .LONG   67174434                               ;
    0463  001C0  ;ENTRY
                 U.29:     .WORD   1123                                   ;
      00  001C2            .BYTE   0                                      ;
      01  001C3            .BYTE   1                                      ;
00000000  001C4            .LONG   0                                      ;
00000000  001C8            .LONG   0                                      ;
04010023  001CC            .LONG   67174435                               ;
    0474  001D0  ;ENTRY
                 U.30:     .WORD   1140                                   ;
      00  001D2            .BYTE   0                                      ;
      01  001D3            .BYTE   1                                      ;
00000000  001D4            .LONG   0                                      ;
00000000  001D8            .LONG   0                                      ;
04010024  001DC            .LONG   67174436                               ;
    0475  001E0  ;ENTRY
                 U.31:     .WORD   1141                                   ;
      01  001E2            .BYTE   1                                      ;
      02  001E3            .BYTE   2                                      ;
00000000  001E4            .LONG   0                                      ;
00000000  001E8            .LONG   0                                      ;
04010025  001EC            .LONG   67174437                               ;
    0476  001F0  ;ENTRY
                 U.32:     .WORD   1142                                   ;
      01  001F2            .BYTE   1                                      ;
      02  001F3            .BYTE   2                                      ;
00000000  001F4            .LONG   0                                      ;
00000000  001F8            .LONG   0                                      ;
04010026  001FC            .LONG   67174438                               ;
    0479  00200  ;ENTRY
                 U.33:     .WORD   1145                                   ;
      00  00202            .BYTE   0                                      ;
      01  00203             .BYTE   1                                            ;
00000000  00204             .LONG   0                                            ;
00000000  00208             .LONG   0                                            ;
04010027  0020C             .LONG   67174439                                     ;
    047A  00210  ;ENTRY
                 U.34:      .WORD   1146                                         ;
      00  00212             .BYTE   0                                            ;
      01  00213             .BYTE   1                                            ;
00000000  00214             .LONG   0                                            ;
00000000  00218             .LONG   0                                            ;
04010028  0021C             .LONG   67174440                                     ;
    047E  00220  ;ENTRY
                 U.35:      .WORD   1150                                         ;
      00  00222             .BYTE   0                                            ;
      01  00223             .BYTE   1                                            ;
00000000  00224             .LONG   0                                            ;
00000000  00228             .LONG   0                                            ;
04010029  0022C             .LONG   67174441                                     ;
    047F  00230  ;ENTRY
                 U.36:      .WORD   1151                                         ;
      00  00232             .BYTE   0                                            ;
      01  00233             .BYTE   1                                            ;
00000000  00234             .LONG   0                                            ;
00000000  00238             .LONG   0                                            ;
0401002A  0023C             .LONG   67174442                                     ;
    0480  00240  ;ENTRY
                 U.37:      .WORD   1152                                         ;
      00  00242             .BYTE   0                                            ;
      01  00243             .BYTE   1                                            ;
00000000  00244             .LONG   0                                            ;
00000000  00248             .LONG   0                                            ;
0401002B  0024C             .LONG   67174443                                     ;
    0481  00250  ;ENTRY
                 U.38:      .WORD   1153                                         ;
      00  00252             .BYTE   0                                            ;
      01  00253             .BYTE   1                                            ;
00000000  00254             .LONG   0                                            ;
00000000  00258             .LONG   0                                            ;
0401002C  0025C             .LONG   67174444                                     ;
    0482  00260  ;ENTRY
                 U.39:      .WORD   1154                                         ;
      00  00262             .BYTE   0                                            ;
      01  00263             .BYTE   1                                            ;
00000000  00264             .LONG   0                                            ;
00000000  00268             .LONG   0                                            ;
0401002D  0026C             .LONG   67174445                                     ;
    0483  00270  ;ENTRY
                 U.40:      .WORD   1155                                         ;
      00  00272             .BYTE   0                                            ;
      01  00273             .BYTE   1                                            ;
00000000  00274             .LONG   0                                            ;
00000000  00278             .LONG   0                                            ;
0401002E  0027C             .LONG   67174446                                     ;
    0484  00280  ;ENTRY
                 U.41:      .WORD   1156                                         ;
      00  00282             .BYTE   0                                            ;
      01  00283             .BYTE   1                                            ;
```

```
00000000  00284         .LONG   0                                            ;
00000000  00288         .LONG   0                                            ;
0401002F  0028C         .LONG   67174447                                     ;
    0485  00290 ;ENTRY
                U.42:   .WORD   1157                                         ;
      00  00292         .BYTE   0                                            ;
      01  00293         .BYTE   1                                            ;
00000000  00294         .LONG   0                                            ;
00000000  00298         .LONG   0                                            ;
04010030  0029C         .LONG   67174448                                     ;
    0486  002A0 ;ENTRY
                U.43:   .WORD   1158                                         ;
      00  002A2         .BYTE   0                                            ;
      01  002A3         .BYTE   1                                            ;
00000000  002A4         .LONG   0                                            ;
00000000  002A8         .LONG   0                                            ;
04010031  002AC         .LONG   67174449                                     ;
    0A8C  002B0 ;ENTRY
                U.44:   .WORD   2700                                         ;
      00  002B2         .BYTE   0                                            ;
      81  002B3         .BYTE   -127                                         ;
00000000  002B4         .LONG   0                                            ;
00000000  002B8         .LONG   0                                            ;
04000004  002BC         .LONG   67108868                                     ;
    0AA0  002C0 ;ENTRY
                U.45:   .WORD   2720                                         ;
      00  002C2         .BYTE   0                                            ;
      81  002C3         .BYTE   -127                                         ;
00000000  002C4         .LONG   0                                            ;
00000000  002C8         .LONG   0                                            ;
04010033  002CC         .LONG   67174451                                     ;
    8004  002D0 ;ENTRY
                U.46:   .WORD   -32764                                       ;
      03  002D2         .BYTE   3                                            ;
      00  002D3         .BYTE   0                                            ;
00000000  002D4         .LONG   0                                            ;
00000000  002D8         .LONG   0                                            ;
04020044  002DC         .LONG   67240004                                     ;
    0000  002E0 ;ENTRY
                U.47:   .WORD   0                                            ;
      00  002E2         .BYTE   0                                            ;
      81  002E3         .BYTE   -127                                         ;
00000000  002E4         .LONG   0                                            ;
00000000  002E8         .LONG   0                                            ;
05010011  002EC         .LONG   83951633                                     ;
    0001  002F0 ;ENTRY
                U.48:   .WORD   1                                            ;
      00  002F2         .BYTE   0                                            ;
      81  002F3         .BYTE   -127                                         ;
00000000  002F4         .LONG   0                                            ;
00000000  002F8         .LONG   0                                            ;
05010012  002FC         .LONG   83951634                                     ;
    0064  00300 ;ENTRY
                U.49:   .WORD   100                                          ;
      00  00302         .BYTE   0                                            ;
      81  00303         .BYTE   -127                                         ;
00000000  00304         .LONG   0                                            ;
```

```
00000000  00308          .LONG   0                                   ;
05000002  0030C          .LONG   83886082                            ;
    006E  00310 ;ENTRY
                U.50:    .WORD   110                                 ;
      01  00312          .BYTE   1                                   ;
      02  00313          .BYTE   2                                   ;
00000001  00314          .LONG   1                                   ;
00000000  00318          .LONG   0                                   ;
05010013  0031C          .LONG   83951635                            ;
    0451  00320 ;ENTRY
                U.51:    .WORD   1105                                ;
      01  00322          .BYTE   1                                   ;
      02  00323          .BYTE   2                                   ;
00000000  00324          .LONG   0                                   ;
00000000  00328          .LONG   0                                   ;
0501001E  0032C          .LONG   83951646                            ;
    0456  00330 ;ENTRY
                U.52:    .WORD   1110                                ;
      00  00332          .BYTE   0                                   ;
      81  00333          .BYTE   -127                                ;
00000000  00334          .LONG   0                                   ;
00000000  00338          .LONG   0                                   ;
05000004  0033C          .LONG   83886084                            ;
    0457  00340 ;ENTRY
                U.53:    .WORD   1111                                ;
      00  00342          .BYTE   0                                   ;
      81  00343          .BYTE   -127                                ;
00000000  00344          .LONG   0                                   ;
00000000  00348          .LONG   0                                   ;
05000003  0034C          .LONG   83886083                            ;
    0458  00350 ;ENTRY
                U.54:    .WORD   1112                                ;
      00  00352          .BYTE   0                                   ;
      81  00353          .BYTE   -127                                ;
00000000  00354          .LONG   0                                   ;
00000000  00358          .LONG   0                                   ;
05010014  0035C          .LONG   83951636                            ;
    0459  00360 ;ENTRY
                U.55:    .WORD   1113                                ;
      00  00362          .BYTE   0                                   ;
      81  00363          .BYTE   -127                                ;
00000000  00364          .LONG   0                                   ;
00000000  00368          .LONG   0                                   ;
05000005  0036C          .LONG   83886085                            ;
    0460  00370 ;ENTRY
                U.56:    .WORD   1120                                ;
      01  00372          .BYTE   1                                   ;
      02  00373          .BYTE   2                                   ;
00000001  00374          .LONG   1                                   ;
00000000  00378          .LONG   0                                   ;
05010015  0037C          .LONG   83951637                            ;
    0461  00380 ;ENTRY
                U.57:    .WORD   1121                                ;
      01  00382          .BYTE   1                                   ;
      02  00383          .BYTE   2                                   ;
00000000  00384          .LONG   0                                   ;
00000000  00388          .LONG   0                                   ;
```

```
          05010021  0038C          .LONG   83951649                               ;
              0462  00390 ;ENTRY
                          U.58:    .WORD   1122                                   ;
                01  00392          .BYTE   1                                      ;
                02  00393          .BYTE   2                                      ;
          00000000  00394          .LONG   0                                      ;
          00000000  00398          .LONG   0                                      ;
          05010016  0039C          .LONG   83951638                               ;
              046A  003A0 ;ENTRY
                          U.59:    .WORD   1130                                   ;
                01  003A2          .BYTE   1                                      ;
                02  003A3          .BYTE   2                                      ;
          00000000  003A4          .LONG   0                                      ;
          00000000  003A8          .LONG   0                                      ;
          05010017  003AC          .LONG   83951639                               ;
              046B  003B0 ;ENTRY
                          U.60:    .WORD   1131                                   ;
                00  003B2          .BYTE   0                                      ;
                01  003B3          .BYTE   1                                      ;
          00000000  003B4          .LONG   0                                      ;
          00000000  003B8          .LONG   0                                      ;
          05010018  003BC          .LONG   83951640                               ;
              046C  003C0 ;ENTRY
                          U.61:    .WORD   1132                                   ;
                00  003C2          .BYTE   0                                      ;
                01  003C3          .BYTE   1                                      ;
          00000000  003C4          .LONG   0                                      ;
          00000000  003C8          .LONG   0                                      ;
          05010019  003CC          .LONG   83951641                               ;
              047E  003D0 ;ENTRY
                          U.62:    .WORD   1150                                   ;
                01  003D2          .BYTE   1                                      ;
                02  003D3          .BYTE   2                                      ;
          00000000  003D4          .LONG   0                                      ;
          00000000  003D8          .LONG   0                                      ;
          0501001A  003DC          .LONG   83951642                               ;
              047F  003E0 ;ENTRY
                          U.63:    .WORD   1151                                   ;
                01  003E2          .BYTE   1                                      ;
                02  003E3          .BYTE   2                                      ;
          00000000  003E4          .LONG   0                                      ;
          00000000  003E8          .LONG   0                                      ;
          0501001B  003EC          .LONG   83951643                               ;
              0480  003F0 ;ENTRY
                          U.64:    .WORD   1152                                   ;
                01  003F2          .BYTE   1                                      ;
                02  003F3          .BYTE   2                                      ;
          00000000  003F4          .LONG   0                                      ;
          00000000  003F8          .LONG   0                                      ;
          0501001C  003FC          .LONG   83951644                               ;
              0481  00400 ;ENTRY
                          U.65:    .WORD   1153                                   ;
                01  00402          .BYTE   1                                      ;
                02  00403          .BYTE   2                                      ;
          00000000  00404          .LONG   0                                      ;
          00000000  00408          .LONG   0                                      ;
          0501001D  0040C          .LONG   83951645                               ;
```

```
    0488  00410 ;ENTRY
                U.66:     .WORD    1160                                                  ;
      03  00412           .BYTE    3                                                     ;
      20  00413           .BYTE    32                                                    ;
00000000  00414           .LONG    0                                                     ;
00000000  00418           .LONG    0                                                     ;
05020046  0041C           .LONG    84017222                                              ;
    0A8D  00420 ;ENTRY
                U.67:     .WORD    2701                                                  ;
      03  00422           .BYTE    3                                                     ;
      00  00423           .BYTE    0                                                     ;
00000000  00424           .LONG    0                                                     ;
00000000  00428           .LONG    0                                                     ;
05020045  0042C           .LONG    84017221                                              ;
    0A96  00430 ;ENTRY
                U.68:     .WORD    2710                                                  ;
      00  00432           .BYTE    0                                                     ;
      81  00433           .BYTE    -127                                                  ;
00000000  00434           .LONG    0                                                     ;
00000000  00438           .LONG    0                                                     ;
05010022  0043C           .LONG    83951650                                              ;
    0AA0  00440 ;ENTRY
                U.69:     .WORD    2720                                                  ;
      01  00442           .BYTE    1                                                     ;
      22  00443           .BYTE    34                                                    ;
00000000  00444           .LONG    0                                                     ;
00000000  00448           .LONG    0                                                     ;
05010026  0044C           .LONG    83951654                                              ;
    0B20  00450 ;ENTRY
                U.70:     .WORD    2848                                                  ;
      01  00452           .BYTE    1                                                     ;
      02  00453           .BYTE    2                                                     ;
00000000  00454           .LONG    0                                                     ;
00000000  00458           .LONG    0                                                     ;
05010027  0045C           .LONG    83951655                                              ;
   0000G  00460 ;ENTRY
                U.71:     .WORD    NMA$C_PCLI_BF$                                        ;
      01  00462           .BYTE    1                                                     ;
      02  00463           .BYTE    2                                                     ;
00000000  00464           .LONG    0                                                     ;
00000000  00468           .LONG    0                                                     ;
0501001E  0046C           .LONG    83951646                                              ;
    8001  00470 ;ENTRY
                U.72:     .WORD    -32767                                                ;
      03  00472           .BYTE    3                                                     ;
      00  00473           .BYTE    0                                                     ;
00000000  00474           .LONG    0                                                     ;
00000000  00478           .LONG    0                                                     ;
05020044  0047C           .LONG    84017220                                              ;
    0096  00480 ;ENTRY
                U.73:     .WORD    150                                                   ;
      01  00482           .BYTE    1                                                     ;
      02  00483           .BYTE    2                                                     ;
00000000  00484           .LONG    0                                                     ;
00000000  00488           .LONG    0                                                     ;
05010023  0048C           .LONG    83951651                                              ;
    0097  00490 ;ENTRY
```

```
                        U.74:   .WORD   151                                      ;
      01  00492                 .BYTE   1                                        ;
      02  00493                 .BYTE   2                                        ;
00000000  00494                 .LONG   0                                        ;
00000000  00498                 .LONG   0                                        ;
05010024  0049C                 .LONG   83951652                                 ;
    0098  004A0 ;ENTRY
                U.75:           .WORD   152                                      ;
      00  004A2                 .BYTE   0                                        ;
      01  004A3                 .BYTE   1                                        ;
00000000  004A4                 .LONG   0                                        ;
00000000  004A8                 .LONG   0                                        ;
05010025  004AC                 .LONG   83951653                                 ;
    0000  004B0 ;ENTRY
                U.76:           .WORD   0                                        ;
      00  004B2                 .BYTE   0                                        ;
      81  004B3                 .BYTE   -127                                     ;
00000000  004B4                 .LONG   0                                        ;
00000000  004B8                 .LONG   0                                        ;
07010011  004BC                 .LONG   117506065                                ;
    0064  004C0 ;ENTRY
                U.77:           .WORD   100                                      ;
      03  004C2                 .BYTE   3                                        ;
      40  004C3                 .BYTE   64                                       ;
00000001  004C4                 .LONG   1                                        ;
000000FF  004C8                 .LONG   255                                      ;
07020041  004CC                 .LONG   117571649                                ;
    00C8  004D0 ;ENTRY
                U.78:           .WORD   200                                      ;
      03  004D2                 .BYTE   3                                        ;
      C0  004D3                 .BYTE   -64                                      ;
00000000  004D4                 .LONG   0                                        ;
00000000  004D8                 .LONG   0                                        ;
06010010  004DC                 .LONG   100728848                                ;
    00C9  004E0 ;ENTRY
                U.79:           .WORD   201                                      ;
      03  004E2                 .BYTE   3                                        ;
      C0  004E3                 .BYTE   -64                                      ;
00000000  004E4                 .LONG   0                                        ;
00000000  004E8                 .LONG   0                                        ;
06020041  004EC                 .LONG   100794433                                ;
    0000  004F0 ;ENTRY
                U.80:           .WORD   0                                        ;
      00  004F2                 .BYTE   0                                        ;
      81  004F3                 .BYTE   -127                                     ;
00000000  004F4                 .LONG   0                                        ;
00000000  004F8                 .LONG   0                                        ;
01010014  004FC                 .LONG   16842772                                 ;
    000A  00500 ;ENTRY
                U.81:           .WORD   10                                       ;
      03  00502                 .BYTE   3                                        ;
      20  00503                 .BYTE   32                                       ;
00000000  00504                 .LONG   0                                        ;
00000000  00508                 .LONG   0                                        ;
01020047  0050C                 .LONG   16908359                                 ;
    0064  00510 ;ENTRY
                U.82:           .WORD   100                                      ;
      03  00512            .BYTE   3                                              ;
      40  00513            .BYTE   64                                             ;
00000001  00514            .LONG   1                                              ;
00000020  00518            .LONG   32                                             ;
01020043  0051C            .LONG   16908355                                       ;
    0065  00520  ;ENTRY
                 U.83:     .WORD   101                                            ;
      03  00522            .BYTE   3                                              ;
      C0  00523            .BYTE   -64                                            ;
00000000  00524            .LONG   0                                              ;
00000000  00528            .LONG   0                                              ;
00000000  0052C            .LONG   0                                              ;
    006E  00530  ;ENTRY
                 U.84:     .WORD   110                                            ;
      03  00532            .BYTE   3                                              ;
      40  00533            .BYTE   64                                             ;
00000001  00534            .LONG   1                                              ;
00000010  00538            .LONG   16                                             ;
02020044  0053C            .LONG   33685572                                       ;
    006F  00540  ;ENTRY
                 U.85:     .WORD   111                                            ;
      03  00542            .BYTE   3                                              ;
      20  00543            .BYTE   32                                             ;
00000001  00544            .LONG   1                                              ;
00000008  00548            .LONG   8                                              ;
02020045  0054C            .LONG   33685573                                       ;
    0070  00550  ;ENTRY
                 U.86:     .WORD   112                                            ;
      00  00552            .BYTE   0                                              ;
      81  00553            .BYTE   -127                                           ;
00000000  00554            .LONG   0                                              ;
00000000  00558            .LONG   0                                              ;
02010019  0055C            .LONG   33619993                                       ;
    0071  00560  ;ENTRY
                 U.87:     .WORD   113                                            ;
      00  00562            .BYTE   0                                              ;
      81  00563            .BYTE   -127                                           ;
00000000  00564            .LONG   0                                              ;
00000000  00568            .LONG   0                                              ;
0201001A  0056C            .LONG   33619994                                       ;
    0072  00570  ;ENTRY
                 U.88:     .WORD   114                                            ;
      03  00572            .BYTE   3                                              ;
      20  00573            .BYTE   32                                             ;
00000000  00574            .LONG   0                                              ;
00000000  00578            .LONG   0                                              ;
02020057  0057C            .LONG   33685591                                       ;
    0073  00580  ;ENTRY
                 U.89:     .WORD   115                                            ;
      00  00582            .BYTE   0                                              ;
      81  00583            .BYTE   -127                                           ;
00000000  00584            .LONG   0                                              ;
00000000  00588            .LONG   0                                              ;
02010023  0058C            .LONG   33620003                                       ;
    0078  00590  ;ENTRY
                 U.90:     .WORD   120                                            ;
      03  00592            .BYTE   3                                              ;
      40  00593                   .BYTE   64                                          ;
00000001  00594                   .LONG   1                                           ;
000000FF  00598                   .LONG   255                                         ;
02020046  0059C                   .LONG   33685574                                    ;
    0079  005A0   ;ENTRY
                  U.91:           .WORD   121                                         ;
      03  005A2                   .BYTE   3                                           ;
      40  005A3                   .BYTE   64                                          ;
00000001  005A4                   .LONG   1                                           ;
000000FF  005A8                   .LONG   255                                         ;
02020047  005AC                   .LONG   33685575                                    ;
    007A  005B0   ;ENTRY
                  U.92:           .WORD   122                                         ;
      03  005B2                   .BYTE   3                                           ;
      40  005B3                   .BYTE   64                                          ;
00000001  005B4                   .LONG   1                                           ;
000000FF  005B8                   .LONG   255                                         ;
02020048  005BC                   .LONG   33685576                                    ;
    007B  005C0   ;ENTRY
                  U.93:           .WORD   123                                         ;
      03  005C2                   .BYTE   3                                           ;
      40  005C3                   .BYTE   64                                          ;
00000000  005C4                   .LONG   0                                           ;
00000000  005C8                   .LONG   0                                           ;
02020056  005CC                   .LONG   33685590                                    ;
    007D  005D0   ;ENTRY
                  U.94:           .WORD   125                                         ;
      00  005D2                   .BYTE   0                                           ;
      81  005D3                   .BYTE   -127                                        ;
00000000  005D4                   .LONG   0                                           ;
00000000  005D8                   .LONG   0                                           ;
0201001B  005DC                   .LONG   33619995                                    ;
    007E  005E0   ;ENTRY
                  U.95:           .WORD   126                                         ;
      03  005E2                   .BYTE   3                                           ;
      40  005E3                   .BYTE   64                                          ;
00000001  005E4                   .LONG   1                                           ;
00000010  005E8                   .LONG   16                                          ;
02020049  005EC                   .LONG   33685577                                    ;
    0082  005F0   ;ENTRY
                  U.96:           .WORD   130                                         ;
      03  005F2                   .BYTE   3                                           ;
      40  005F3                   .BYTE   64                                          ;
00000001  005F4                   .LONG   1                                           ;
000000FF  005F8                   .LONG   255                                         ;
0202004A  005FC                   .LONG   33685578                                    ;
    0083  00600   ;ENTRY
                  U.97:           .WORD   131                                         ;
      03  00602                   .BYTE   3                                           ;
      40  00603                   .BYTE   64                                          ;
00000001  00604                   .LONG   1                                           ;
000000FF  00608                   .LONG   255                                         ;
0202004B  0060C                   .LONG   33685579                                    ;
    0087  00610   ;ENTRY
                  U.98:           .WORD   135                                         ;
      02  00612                   .BYTE   2                                           ;
      04  00613                   .BYTE   4                                           ;
```

```
                00000000  00614              .LONG   0                                       ;
                00000000  00618              .LONG   0                                       ;
                0201001C  0061C              .LONG   33619996                                ;
                    0088  00620 ;ENTRY
                                U.99:        .WORD   136                                     ;
                      02  00622              .BYTE   2                                       ;
                      04  00623              .BYTE   4                                       ;
                00000000  00624              .LONG   0                                       ;
                00000000  00628              .LONG   0                                       ;
                0201001D  0062C              .LONG   33619997                                ;
                    008C  00630 ;ENTRY
                                U.100:       .WORD   140                                     ;
                      03  00632              .BYTE   3                                       ;
                      C2  00633              .BYTE   -62                                     ;
                00000000  00634              .LONG   0                                       ;
                00000000  00638              .LONG   0                                       ;
                0201001E  0063C              .LONG   33619998                                ;
                    008D  00640 ;ENTRY
                                U.101:       .WORD   141                                     ;
                      03  00642              .BYTE   3                                       ;
                      C2  00643              .BYTE   -62                                     ;
                00000000  00644              .LONG   0                                       ;
                00000000  00648              .LONG   0                                       ;
                0201001F  0064C              .LONG   33619999                                ;
                    0096  00650 ;ENTRY
                                U.102:       .WORD   150                                     ;
                      01  00652              .BYTE   1                                       ;
                      02  00653              .BYTE   2                                       ;
                00000000  00654              .LONG   0                                       ;
                00000000  00658              .LONG   0                                       ;
                00000000  0065C              .LONG   0                                       ;
                    0097  00660 ;ENTRY
                                U.103:       .WORD   151                                     ;
                      01  00662              .BYTE   1                                       ;
                      02  00663              .BYTE   2                                       ;
                00000000  00664              .LONG   0                                       ;
                00000000  00668              .LONG   0                                       ;
                00000000  0066C              .LONG   0                                       ;
                    0098  00670 ;ENTRY
                                U.104:       .WORD   152                                     ;
                      00  00672              .BYTE   0                                       ;
                      01  00673              .BYTE   1                                       ;
                00000000  00674              .LONG   0                                       ;
                00000000  00678              .LONG   0                                       ;
                00000000  0067C              .LONG   0                                       ;
                    0099  00680 ;ENTRY
                                U.105:       .WORD   153                                     ;
                      03  00682              .BYTE   3                                       ;
                      20  00683              .BYTE   32                                      ;
                00000000  00684              .LONG   0                                       ;
                00000000  00688              .LONG   0                                       ;
                00000000  0068C              .LONG   0                                       ;
                    009A  00690 ;ENTRY
                                U.106:       .WORD   154                                     ;
                      00  00692              .BYTE   0                                       ;
                      01  00693              .BYTE   1                                       ;
                00000000  00694              .LONG   0                                       ;
```

```
00000000  00698           .LONG   0                                  ;
00000000  0069C           .LONG   0                                  ;
    00A0  006A0  ;ENTRY                                              ;
         U.107:   .WORD   160                                        ;
      01  006A2           .BYTE   1                                  ;
      02  006A3           .BYTE   2                                  ;
00000001  006A4           .LONG   1                                  ;
00000000  006A8           .LONG   0                                  ;
02010013  006AC           .LONG   33619987                           ;
    01F4  006B0  ;ENTRY                                              ;
         U.108:   .WORD   500                                        ;
      03  006B2           .BYTE   3                                  ;
      00  006B3           .BYTE   0                                  ;
00000001  006B4           .LONG   1                                  ;
00000006  006B8           .LONG   6                                  ;
02020043  006BC           .LONG   33685571                           ;
    01F4  006C0  ;ENTRY                                              ;
         U.109:   .WORD   500                                        ;
      03  006C2           .BYTE   3                                  ;
      00  006C3           .BYTE   0                                  ;
00000001  006C4           .LONG   1                                  ;
00000006  006C8           .LONG   6                                  ;
02020043  006CC           .LONG   33685571                           ;
    01F5  006D0  ;ENTRY                                              ;
         U.110:   .WORD   501                                        ;
      03  006D2           .BYTE   3                                  ;
      40  006D3           .BYTE   64                                 ;
00000001  006D4           .LONG   1                                  ;
00000010  006D8           .LONG   16                                 ;
0202004C  006DC           .LONG   33685580                           ;
    01F6  006E0  ;ENTRY                                              ;
         U.111:   .WORD   502                                        ;
      01  006E2           .BYTE   1                                  ;
      00  006E3           .BYTE   0                                  ;
00000000  006E4           .LONG   0                                  ;
00000000  006E8           .LONG   0                                  ;
02010012  006EC           .LONG   33619986                           ;
    01F6  006F0  ;ENTRY                                              ;
         U.112:   .WORD   502                                        ;
      01  006F2           .BYTE   1                                  ;
      00  006F3           .BYTE   0                                  ;
00000000  006F4           .LONG   0                                  ;
00000000  006F8           .LONG   0                                  ;
01010010  006FC           .LONG   16842768                           ;
    8000  00700  ;ENTRY                                              ;
         U.113:   .WORD   -32768                                     ;
      01  00702           .BYTE   1                                  ;
      00  00703           .BYTE   0                                  ;
00000000  00704           .LONG   0                                  ;
00000000  00708           .LONG   0                                  ;
02010012  0070C           .LONG   33619986                           ;
    01FE  00710  ;ENTRY                                              ;
         U.114:   .WORD   510                                        ;
      01  00712           .BYTE   1                                  ;
      02  00713           .BYTE   2                                  ;
00000001  00714           .LONG   1                                  ;
00000000  00718           .LONG   0                                  ;
```

```
        01010012  0071C                 .LONG   16842770                                ;
            01FF  00720  ;ENTRY
                         U.115:         .WORD   511                                     ;
              01  00722                 .BYTE   1                                       ;
              02  00723                 .BYTE   2                                       ;
        00000001  00724                 .LONG   1                                       ;
        00000000  00728                 .LONG   0                                       ;
        01010013  0072C                 .LONG   16842771                                ;
            0258  00730  ;ENTRY
                         U.116:         .WORD   600                                     ;
              01  00732                 .BYTE   1                                       ;
              02  00733                 .BYTE   2                                       ;
        00000000  00734                 .LONG   0                                       ;
        00000000  00738                 .LONG   0                                       ;
        02010014  0073C                 .LONG   33619988                                ;
            0259  00740  ;ENTRY
                         U.117:         .WORD   601                                     ;
              00  00742                 .BYTE   0                                       ;
              01  00743                 .BYTE   1                                       ;
        00000000  00744                 .LONG   0                                       ;
        00000000  00748                 .LONG   0                                       ;
        02010015  0074C                 .LONG   33619989                                ;
            02BC  00750  ;ENTRY
                         U.118:         .WORD   700                                     ;
              03  00752                 .BYTE   3                                       ;
              C0  00753                 .BYTE   -64                                     ;
        00000000  00754                 .LONG   0                                       ;
        00000000  00758                 .LONG   0                                       ;
        01020045  0075C                 .LONG   16908357                                ;
            02C6  00760  ;ENTRY
                         U.119:         .WORD   710                                     ;
              01  00762                 .BYTE   1                                       ;
              02  00763                 .BYTE   2                                       ;
        00000001  00764                 .LONG   1                                       ;
        00000000  00768                 .LONG   0                                       ;
        01010015  0076C                 .LONG   16842773                                ;
            02D0  00770  ;ENTRY
                         U.120:         .WORD   720                                     ;
              00  00772                 .BYTE   0                                       ;
              01  00773                 .BYTE   1                                       ;
        00000001  00774                 .LONG   1                                       ;
        00000000  00778                 .LONG   0                                       ;
        01010016  0077C                 .LONG   16842774                                ;
            02D1  00780  ;ENTRY
                         U.121:         .WORD   721                                     ;
              00  00782                 .BYTE   0                                       ;
              01  00783                 .BYTE   1                                       ;
        00000001  00784                 .LONG   1                                       ;
        00000000  00788                 .LONG   0                                       ;
        01010017  0078C                 .LONG   16842775                                ;
            02D2  00790  ;ENTRY
                         U.122:         .WORD   722                                     ;
              01  00792                 .BYTE   1                                       ;
              02  00793                 .BYTE   2                                       ;
        00000001  00794                 .LONG   1                                       ;
        00000000  00798                 .LONG   0                                       ;
        01010018  0079C                 .LONG   16842776                                ;
```

```
    02D3  007A0  ;ENTRY
                 U.123:  .WORD   723                              ;
      01  007A2          .BYTE   1                                ;
      02  007A3          .BYTE   2                                ;
00000001  007A4          .LONG   1                                ;
00000000  007A8          .LONG   0                                ;
01010019  007AC          .LONG   16842777                         ;
    032A  007B0  ;ENTRY
                 U.124:  .WORD   810                              ;
      00  007B2          .BYTE   0                                ;
      81  007B3          .BYTE   -127                             ;
00000000  007B4          .LONG   0                                ;
00000000  007B8          .LONG   0                                ;
02010016  007BC          .LONG   33619990                         ;
    0334  007C0  ;ENTRY
                 U.125:  .WORD   820                              ;
      01  007C2          .BYTE   1                                ;
      02  007C3          .BYTE   2                                ;
00000000  007C4          .LONG   0                                ;
00000000  007C8          .LONG   0                                ;
02010017  007CC          .LONG   33619991                         ;
    0335  007D0  ;ENTRY
                 U.126:  .WORD   821                              ;
      00  007D2          .BYTE   0                                ;
      01  007D3          .BYTE   1                                ;
00000000  007D4          .LONG   0                                ;
00000000  007D8          .LONG   0                                ;
02010018  007DC          .LONG   33619992                         ;
    0336  007E0  ;ENTRY
                 U.127:  .WORD   822                              ;
      03  007E2          .BYTE   3                                ;
      40  007E3          .BYTE   64                               ;
00000000  007E4          .LONG   0                                ;
00000010  007E8          .LONG   16                               ;
0202004D  007EC          .LONG   33685581                         ;
    033E  007F0  ;ENTRY
                 U.128:  .WORD   830                              ;
      01  007F2          .BYTE   1                                ;
      C2  007F3          .BYTE   -62                              ;
00000000  007F4          .LONG   0                                ;
00000000  007F8          .LONG   0                                ;
02010022  007FC          .LONG   33620002                         ;
    0384  00800  ;ENTRY
                 U.129:  .WORD   900                              ;
      03  00802          .BYTE   3                                ;
      C0  00803          .BYTE   -64                              ;
00000000  00804          .LONG   0                                ;
00000000  00808          .LONG   0                                ;
01020046  0080C          .LONG   16908358                         ;
    0385  00810  ;ENTRY
                 U.130:  .WORD   901                              ;
      00  00812          .BYTE   0                                ;
      81  00813          .BYTE   -127                             ;
00000000  00814          .LONG   0                                ;
00000000  00818          .LONG   0                                ;
0101001A  0081C          .LONG   16842778                         ;
    038E  00820  ;ENTRY
```

```
                          U.131:  .WORD   910                                           ;
          01   00822              .BYTE   1                                             ;
          02   00823              .BYTE   2                                             ;
    00000001   00824              .LONG   1                                             ;
    00000000   00828              .LONG   0                                             ;
    0101001B   0082C              .LONG   16842779                                      ;
        038F   00830      ;ENTRY                                                        ;
                          U.132:  .WORD   911                                           ;
          02   00832              .BYTE   2                                             ;
          C0   00833              .BYTE   -64                                           ;
    00000000   00834              .LONG   0                                             ;
    00000000   00838              .LONG   0                                             ;
    0101001D   0083C              .LONG   16842781                                      ;
        0390   00840      ;ENTRY                                                        ;
                          U.133:  .WORD   912                                           ;
          01   00842              .BYTE   1                                             ;
          02   00843              .BYTE   2                                             ;
    00000000   00844              .LONG   0                                             ;
    00000000   00848              .LONG   0                                             ;
    0101002C   0084C              .LONG   16842796                                      ;
        0398   00850      ;ENTRY                                                        ;
                          U.134:  .WORD   920                                           ;
          01   00852              .BYTE   1                                             ;
          02   00853              .BYTE   2                                             ;
    00000001   00854              .LONG   1                                             ;
    00000000   00858              .LONG   0                                             ;
    0101001E   0085C              .LONG   16842782                                      ;
        0399   00860      ;ENTRY                                                        ;
                          U.135:  .WORD   921                                           ;
          01   00862              .BYTE   1                                             ;
          02   00863              .BYTE   2                                             ;
    00000001   00864              .LONG   1                                             ;
    00000000   00868              .LONG   0                                             ;
    0101001F   0086C              .LONG   16842783                                      ;
        039A   00870      ;ENTRY                                                        ;
                          U.136:  .WORD   922                                           ;
          01   00872              .BYTE   1                                             ;
          02   00873              .BYTE   2                                             ;
    00000001   00874              .LONG   1                                             ;
    000003FE   00878              .LONG   1022                                          ;
    01010020   0087C              .LONG   16842784                                      ;
        039B   00880      ;ENTRY                                                        ;
                          U.137:  .WORD   923                                           ;
          00   00882              .BYTE   0                                             ;
          01   00883              .BYTE   1                                             ;
    00000001   00884              .LONG   1                                             ;
    0000001E   00888              .LONG   30                                            ;
    01010021   0088C              .LONG   16842785                                      ;
        039C   00890      ;ENTRY                                                        ;
                          U.138:  .WORD   924                                           ;
          00   00892              .BYTE   0                                             ;
          01   00893              .BYTE   1                                             ;
    00000001   00894              .LONG   1                                             ;
    00000000   00898              .LONG   0                                             ;
    01010022   0089C              .LONG   16842786                                      ;
        039D   008A0      ;ENTRY                                                        ;
                          U.139:  .WORD   925                                           ;
          00  008A2          .BYTE   0                                    ;
          01  008A3          .BYTE   1                                    ;
    00000000  008A4          .LONG   0                                    ;
    00000000  008A8          .LONG   0                                    ;
    0101002D  008AC          .LONG   16842797                             ;
        039E  008B0 ;ENTRY
              U.140:         .WORD   926                                  ;
          01  008B2          .BYTE   1                                    ;
          02  008B3          .BYTE   2                                    ;
    00000000  008B4          .LONG   0                                    ;
    00000000  008B8          .LONG   0                                    ;
    0101002E  008BC          .LONG   16842798                             ;
        039F  008C0 ;ENTRY
              U.141:         .WORD   927                                  ;
          01  008C2          .BYTE   1                                    ;
          02  008C3          .BYTE   2                                    ;
    00000000  008C4          .LONG   0                                    ;
    00000000  008C8          .LONG   0                                    ;
    0101002F  008CC          .LONG   16842799                             ;
        03A0  008D0 ;ENTRY
              U.142:         .WORD   928                                  ;
          01  008D2          .BYTE   1                                    ;
          02  008D3          .BYTE   2                                    ;
    00000000  008D4          .LONG   0                                    ;
    00000000  008D8          .LONG   0                                    ;
    01010030  008DC          .LONG   16842800                             ;
        03A1  008E0 ;ENTRY
              U.143:         .WORD   929                                  ;
          00  008E2          .BYTE   0                                    ;
          01  008E3          .BYTE   1                                    ;
    00000000  008E4          .LONG   0                                    ;
    00000000  008E8          .LONG   0                                    ;
    01010031  008EC          .LONG   16842801                             ;
        03A2  008F0 ;ENTRY
              U.144:         .WORD   930                                  ;
          01  008F2          .BYTE   1                                    ;
          02  008F3          .BYTE   2                                    ;
    00000000  008F4          .LONG   0                                    ;
    00000000  008F8          .LONG   0                                    ;
    01010023  008FC          .LONG   16842787                             ;
        03A3  00900 ;ENTRY
              U.145:         .WORD   931                                  ;
          01  00902          .BYTE   1                                    ;
          02  00903          .BYTE   2                                    ;
    00000001  00904          .LONG   1                                    ;
    00000000  00908          .LONG   0                                    ;
    01010024  0090C          .LONG   16842788                             ;
        03A4  00910 ;ENTRY
              U.146:         .WORD   932                                  ;
          01  00912          .BYTE   1                                    ;
          02  00913          .BYTE   2                                    ;
    00000000  00914          .LONG   0                                    ;
    00000000  00918          .LONG   0                                    ;
    01010032  0091C          .LONG   16842802                             ;
        0A90  00920 ;ENTRY
              U.147:         .WORD   2704                                 ;
          03  00922          .BYTE   3                                    ;
```

```
      40  00923             .BYTE   64                                                    ;
00000001  00924             .LONG   1                                                     ;
00000027  00928             .LONG   39                                                    ;
0202004E  0092C             .LONG   33685582                                              ;
    0A91  00930  ;ENTRY
                 U.148:     .WORD   2705                                                  ;
      03  00932             .BYTE   3                                                     ;
      40  00933             .BYTE   64                                                    ;
00000001  00934             .LONG   1                                                     ;
00000027  00938             .LONG   39                                                    ;
0202004F  0093C             .LONG   33685583                                              ;
    0A92  00940  ;ENTRY
                 U.149:     .WORD   2706                                                  ;
      03  00942             .BYTE   3                                                     ;
      40  00943             .BYTE   64                                                    ;
00000001  00944             .LONG   1                                                     ;
00000027  00948             .LONG   39                                                    ;
02020050  0094C             .LONG   33685584                                              ;
    0A98  00950  ;ENTRY
                 U.150:     .WORD   2712                                                  ;
      03  00952             .BYTE   3                                                     ;
      40  00953             .BYTE   64                                                    ;
00000001  00954             .LONG   1                                                     ;
00000027  00958             .LONG   39                                                    ;
02020051  0095C             .LONG   33685585                                              ;
    0A99  00960  ;ENTRY
                 U.151:     .WORD   2713                                                  ;
      03  00962             .BYTE   3                                                     ;
      40  00963             .BYTE   64                                                    ;
00000001  00964             .LONG   1                                                     ;
00000027  00968             .LONG   39                                                    ;
02020052  0096C             .LONG   33685586                                              ;
    0A9A  00970  ;ENTRY
                 U.152:     .WORD   2714                                                  ;
      03  00972             .BYTE   3                                                     ;
      40  00973             .BYTE   64                                                    ;
00000001  00974             .LONG   1                                                     ;
00000027  00978             .LONG   39                                                    ;
02020053  0097C             .LONG   33685587                                              ;
    0AA0  00980  ;ENTRY
                 U.153:     .WORD   2720                                                  ;
      03  00982             .BYTE   3                                                     ;
      40  00983             .BYTE   64                                                    ;
00000001  00984             .LONG   1                                                     ;
00000008  00988             .LONG   8                                                     ;
02020054  0098C             .LONG   33685588                                              ;
    0AA1  00990  ;ENTRY
                 U.154:     .WORD   2721                                                  ;
      03  00992             .BYTE   3                                                     ;
      40  00993             .BYTE   64                                                    ;
00000001  00994             .LONG   1                                                     ;
00000008  00998             .LONG   8                                                     ;
02020055  0099C             .LONG   33685589                                              ;
    0AAA  009A0  ;ENTRY
                 U.155:     .WORD   2730                                                  ;
      00  009A2             .BYTE   0                                                     ;
      81  009A3             .BYTE   -127                                                  ;
```

```
00000000  009A4                .LONG   0                                             ;
00000000  009A8                .LONG   0                                             ;
02010020  009AC                .LONG   33620000                                      ;
    0AAB  009B0   ;ENTRY
                  U.156:       .WORD   2731                                          ;
      00  009B2                .BYTE   0                                             ;
      81  009B3                .BYTE   -127                                          ;
00000000  009B4                .LONG   0                                             ;
00000000  009B8                .LONG   0                                             ;
01010028  009BC                .LONG   16842792                                      ;
    0AB4  009C0   ;ENTRY
                  U.157:       .WORD   2740                                          ;
      01  009C2                .BYTE   1                                             ;
      02  009C3                .BYTE   2                                             ;
00000000  009C4                .LONG   0                                             ;
00000000  009C8                .LONG   0                                             ;
0101002A  009CC                .LONG   16842794                                      ;
    0AB5  009D0   ;ENTRY
                  U.158:       .WORD   2741                                          ;
      01  009D2                .BYTE   1                                             ;
      C2  009D3                .BYTE   -62                                           ;
00000000  009D4                .LONG   0                                             ;
00000000  009D8                .LONG   0                                             ;
01010033  009DC                .LONG   16842803                                      ;
    0ABE  009E0   ;ENTRY
                  U.159:       .WORD   2750                                          ;
      00  009E2                .BYTE   0                                             ;
      81  009E3                .BYTE   -127                                          ;
00000000  009E4                .LONG   0                                             ;
00000000  009E8                .LONG   0                                             ;
02010021  009EC                .LONG   33620001                                      ;
    0ABF  009F0   ;ENTRY
                  U.160:       .WORD   2751                                          ;
      00  009F2                .BYTE   0                                             ;
      81  009F3                .BYTE   -127                                          ;
00000000  009F4                .LONG   0                                             ;
00000000  009F8                .LONG   0                                             ;
01010029  009FC                .LONG   16842793                                      ;
    8003  00A00   ;ENTRY
                  U.161:       .WORD   -32765                                        ;
      03  00A02                .BYTE   3                                             ;
      00  00A03                .BYTE   0                                             ;
00000000  00A04                .LONG   0                                             ;
00000000  00A08                .LONG   0                                             ;
02020042  00A0C                .LONG   33685570                                      ;
    0000  00A10   ;ENTRY
                  U.162:       .WORD   0                                             ;
      00  00A12                .BYTE   0                                             ;
      81  00A13                .BYTE   -127                                          ;
00000000  00A14                .LONG   0                                             ;
00000000  00A18                .LONG   0                                             ;
14000002  00A1C                .LONG   335544322                                     ;
    0334  00A20   ;ENTRY
                  U.163:       .WORD   820                                           ;
      01  00A22                .BYTE   1                                             ;
      02  00A23                .BYTE   2                                             ;
00000000  00A24                .LONG   0                                             ;
```

```
                                        00000000  00A28            .LONG   0                                              ;
                                        14010011  00A2C            .LONG   335609873                                      ;
                                            0335  00A30  ;ENTRY
                                                         U.164:    .WORD   821                                            ;
                                              00  00A32            .BYTE   0                                              ;
                                              01  00A33            .BYTE   1                                              ;
                                        00000000  00A34            .LONG   0                                              ;
                                        00000000  00A38            .LONG   0                                              ;
                                        14010012  00A3C            .LONG   335609874                                      ;
                                            0336  00A40  ;ENTRY
                                                         U.165:    .WORD   822                                            ;
                                              03  00A42            .BYTE   3                                              ;
                                              40  00A43            .BYTE   64                                             ;
                                        00000000  00A44            .LONG   0                                              ;
                                        00000000  00A48            .LONG   0                                              ;
                                        14020041  00A4C            .LONG   335675457                                      ;
                                            033E  00A50  ;ENTRY
                                                         U.166:    .WORD   830                                            ;
                                              01  00A52            .BYTE   1                                              ;
                                              C2  00A53            .BYTE   -62                                            ;
                                        00000000  00A54            .LONG   0                                              ;
                                        00000000  00A58            .LONG   0                                              ;
                                        14010013  00A5C            .LONG   335609875                                      ;
                                            0456  00A60  ;ENTRY
                                                         U.167:    .WORD   1110                                           ;
                                              03  00A62            .BYTE   3                                              ;
                                              40  00A63            .BYTE   64                                             ;
                                        00000000  00A64            .LONG   0                                              ;
                                        00000010  00A68            .LONG   16                                             ;
                                        1B020041  00A6C            .LONG   453115969                                      ;
                                            0140  00A70  ;ENTRY
                                                         U.168:    .WORD   320                                            ;
                                              03  00A72            .BYTE   3                                              ;
                                              C2  00A73            .BYTE   -62                                            ;
                                        00000000  00A74            .LONG   0                                              ;
                                        00000010  00A78            .LONG   16                                             ;
                                        1B010010  00A7C            .LONG   453050384                                      ;
                                            014A  00A80  ;ENTRY
                                                         U.169:    .WORD   330                                            ;
                                              03  00A82            .BYTE   3                                              ;
                                              40  00A83            .BYTE   64                                             ;
                                        00000000  00A84            .LONG   0                                              ;
                                        00000010  00A88            .LONG   16                                             ;
                                        1B020042  00A8C            .LONG   453115970                                      ;
                                            014B  00A90  ;ENTRY
                                                         U.170:    .WORD   331                                            ;
                                              03  00A92            .BYTE   3                                              ;
                                              81  00A93            .BYTE   -127                                           ;
                                        00000000  00A94            .LONG   0                                              ;
                                        00000010  00A98            .LONG   16                                             ;
                                        1B020043  00A9C            .LONG   453115971                                      ;
                                            014C  00AA0  ;ENTRY
                                                         U.171:    .WORD   332                                            ;
                                              03  00AA2            .BYTE   3                                              ;
                                              40  00AA3            .BYTE   64                                             ;
                                        00000000  00AA4            .LONG   0                                              ;
                                        00000010  00AA8            .LONG   16                                             ;
```

```
 1B020044  00AAC            .LONG   453115972                                ;
     0000  00AB0  ;ENTRY
                  U.172:    .WORD   0                                        ;
       00  00AB2            .BYTE   0                                        ;
       81  00AB3            .BYTE   -127                                     ;
 00000000  00AB4            .LONG   0                                        ;
 00000000  00AB8            .LONG   0                                        ;
 0B010014  00ABC            .LONG   184614932                                ;
     0064  00AC0  ;ENTRY
                  U.173:    .WORD   100                                      ;
       01  00AC2            .BYTE   1                                        ;
       02  00AC3            .BYTE   2                                        ;
 00000000  00AC4            .LONG   0                                        ;
 00000000  00AC8            .LONG   0                                        ;
 0B010012  00ACC            .LONG   184614930                                ;
     03E8  00AD0  ;ENTRY
                  U.174:    .WORD   1000                                     ;
       01  00AD2            .BYTE   1                                        ;
       02  00AD3            .BYTE   2                                        ;
 00000000  00AD4            .LONG   0                                        ;
 00000000  00AD8            .LONG   0                                        ;
 0B010010  00ADC            .LONG   184614928                                ;
     03F2  00AE0  ;ENTRY
                  U.175:    .WORD   1010                                     ;
       01  00AE2            .BYTE   1                                        ;
       02  00AE3            .BYTE   2                                        ;
 00000000  00AE4            .LONG   0                                        ;
 00000000  00AE8            .LONG   0                                        ;
 0B010011  00AEC            .LONG   184614929                                ;
     044C  00AF0  ;ENTRY
                  U.176:    .WORD   1100                                     ;
       03  00AF2            .BYTE   3                                        ;
       40  00AF3            .BYTE   64                                       ;
 00000000  00AF4            .LONG   0                                        ;
 00000010  00AF8            .LONG   16                                       ;
 0B020041  00AFC            .LONG   184680513                                ;
     044D  00B00  ;ENTRY
                  U.177:    .WORD   1101                                     ;
       03  00B02            .BYTE   3                                        ;
       40  00B03            .BYTE   64                                       ;
 00000000  00B04            .LONG   0                                        ;
 00000010  00B08            .LONG   16                                       ;
 0A020041  00B0C            .LONG   167903297                                ;
     0456  00B10  ;ENTRY
                  U.178:    .WORD   1110                                     ;
       03  00B12            .BYTE   3                                        ;
       40  00B13            .BYTE   64                                       ;
 00000000  00B14            .LONG   0                                        ;
 00000000  00B18            .LONG   0                                        ;
 09020041  00B1C            .LONG   151126081                                ;
     0460  00B20  ;ENTRY
                  U.179:    .WORD   1120                                     ;
       03  00B22            .BYTE   3                                        ;
       40  00B23            .BYTE   64                                       ;
 00000000  00B24            .LONG   0                                        ;
 00000000  00B28            .LONG   0                                        ;
 0B020043  00B2C            .LONG   184680515                                ;
```

```
     046A  00B30 ;ENTRY
                 U.180:   .WORD   1130                                   ;
       02  00B32          .BYTE   2                                      ;
       C2  00B33          .BYTE   -62                                    ;
 00000000  00B34          .LONG   0                                      ;
 00000000  00B38          .LONG   0                                      ;
 0B020042  00B3C          .LONG   184680514                              ;
     046B  00B40 ;ENTRY
                 U.181:   .WORD   1131                                   ;
       01  00B42          .BYTE   1                                      ;
       02  00B43          .BYTE   2                                      ;
 00000000  00B44          .LONG   0                                      ;
 00000000  00B48          .LONG   0                                      ;
 0B010013  00B4C          .LONG   184614931                              ;
     0474  00B50 ;ENTRY
                 U.182:   .WORD   1140                                   ;
       01  00B52          .BYTE   1                                      ;
       02  00B53          .BYTE   2                                      ;
 00000000  00B54          .LONG   0                                      ;
 00000000  00B58          .LONG   0                                      ;
 09010012  00B5C          .LONG   151060498                              ;
     0475  00B60 ;ENTRY
                 U.183:   .WORD   1141                                   ;
       00  00B62          .BYTE   0                                      ;
       01  00B63          .BYTE   1                                      ;
 00000000  00B64          .LONG   0                                      ;
 00000000  00B68          .LONG   0                                      ;
 09010013  00B6C          .LONG   151060499                              ;
     047E  00B70 ;ENTRY
                 U.184:   .WORD   1150                                   ;
       01  00B72          .BYTE   1                                      ;
       02  00B73          .BYTE   2                                      ;
 00000000  00B74          .LONG   0                                      ;
 00000000  00B78          .LONG   0                                      ;
 09010014  00B7C          .LONG   151060500                              ;
     047F  00B80 ;ENTRY
                 U.185:   .WORD   1151                                   ;
       00  00B82          .BYTE   0                                      ;
       01  00B83          .BYTE   1                                      ;
 00000000  00B84          .LONG   0                                      ;
 00000000  00B88          .LONG   0                                      ;
 09010018  00B8C          .LONG   151060504                              ;
     0480  00B90 ;ENTRY
                 U.186:   .WORD   1152                                   ;
       00  00B92          .BYTE   0                                      ;
       01  00B93          .BYTE   1                                      ;
 00000000  00B94          .LONG   0                                      ;
 00000000  00B98          .LONG   0                                      ;
 09010015  00B9C          .LONG   151060501                              ;
     0481  00BA0 ;ENTRY
                 U.187:   .WORD   1153                                   ;
       00  00BA2          .BYTE   0                                      ;
       01  00BA3          .BYTE   1                                      ;
 00000000  00BA4          .LONG   0                                      ;
 00000000  00BA8          .LONG   0                                      ;
 09010016  00BAC          .LONG   151060502                              ;
     0482  00BB0 ;ENTRY
```

```
                        U.188:  .WORD   1154                                  ;
      00  00BB2                 .BYTE   0                                     ;
      01  00BB3                 .BYTE   1                                     ;
00000000  00BB4                 .LONG   0                                     ;
00000000  00BB8                 .LONG   0                                     ;
09010017  00BBC                 .LONG   151060503                             ;
    0488  00BC0         ;ENTRY
                        U.189:  .WORD   1160                                  ;
      00  00BC2                 .BYTE   0                                     ;
      01  00BC3                 .BYTE   1                                     ;
00000000  00BC4                 .LONG   0                                     ;
00000000  00BC8                 .LONG   0                                     ;
09010010  00BCC                 .LONG   151060496                             ;
    0489  00BD0         ;ENTRY
                        U.190:  .WORD   1161                                  ;
      00  00BD2                 .BYTE   0                                     ;
      01  00BD3                 .BYTE   1                                     ;
00000000  00BD4                 .LONG   0                                     ;
00000000  00BD8                 .LONG   0                                     ;
09010011  00BDC                 .LONG   151060497                             ;
    048A  00BE0         ;ENTRY
                        U.191:  .WORD   1162                                  ;
      00  00BE2                 .BYTE   0                                     ;
      01  00BE3                 .BYTE   1                                     ;
00000000  00BE4                 .LONG   0                                     ;
00000000  00BE8                 .LONG   0                                     ;
09010019  00BEC                 .LONG   151060505                             ;
    048B  00BF0         ;ENTRY
                        U.192:  .WORD   1163                                  ;
      00  00BF2                 .BYTE   0                                     ;
      01  00BF3                 .BYTE   1                                     ;
00000000  00BF4                 .LONG   0                                     ;
00000000  00BF8                 .LONG   0                                     ;
0901001A  00BFC                 .LONG   151060506                             ;
    0492  00C00         ;ENTRY
                        U.193:  .WORD   1170                                  ;
      03  00C02                 .BYTE   3                                     ;
      40  00C03                 .BYTE   64                                    ;
00000000  00C04                 .LONG   0                                     ;
00000010  00C08                 .LONG   16                                    ;
0A020042  00C0C                 .LONG   167903298                             ;
    0493  00C10         ;ENTRY
                        U.194:  .WORD   1171                                  ;
      01  00C12                 .BYTE   1                                     ;
      02  00C13                 .BYTE   2                                     ;
00000000  00C14                 .LONG   0                                     ;
00000000  00C18                 .LONG   0                                     ;
0A010010  00C1C                 .LONG   167837712                             ;
    0494  00C20         ;ENTRY
                        U.195:  .WORD   1172                                  ;
      00  00C22                 .BYTE   0                                     ;
      81  00C23                 .BYTE   -127                                  ;
00000000  00C24                 .LONG   0                                     ;
00000000  00C28                 .LONG   0                                     ;
0A010011  00C2C                 .LONG   167837713                             ;
    0A8C  00C30         ;ENTRY
                        U.196:  .WORD   2700                                  ;
      00  00C32           .BYTE   0                                  ;
      81  00C33           .BYTE   -127                               ;
00000000  00C34           .LONG   0                                  ;
00000000  00C38           .LONG   0                                  ;
09000002  00C3C           .LONG   150994946                          ;
    0A96  00C40  ;ENTRY
                 U.197:   .WORD   2710                               ;
      01  00C42           .BYTE   1                                  ;
      02  00C43           .BYTE   2                                  ;
00000000  00C44           .LONG   0                                  ;
00000000  00C48           .LONG   0                                  ;
0B010016  00C4C           .LONG   184614934                          ;
    0AA0  00C50  ;ENTRY
                 U.198:   .WORD   2720                               ;
      00  00C52           .BYTE   0                                  ;
      81  00C53           .BYTE   -127                               ;
00000000  00C54           .LONG   0                                  ;
00000000  00C58           .LONG   0                                  ;
0B010015  00C5C           .LONG   184614933                          ;
    8005  00C60  ;ENTRY
                 U.199:   .WORD   -32763                             ;
      03  00C62           .BYTE   3                                  ;
      00  00C63           .BYTE   0                                  ;
00000000  00C64           .LONG   0                                  ;
00000000  00C68           .LONG   0                                  ;
0B020045  00C6C           .LONG   184680517                          ;
    0064  00C70  ;ENTRY
                 U.200:   .WORD   100                                ;
      01  00C72           .BYTE   1                                  ;
      02  00C73           .BYTE   2                                  ;
00000000  00C74           .LONG   0                                  ;
00000000  00C78           .LONG   0                                  ;
0C010013  00C7C           .LONG   201392147                          ;
    00C8  00C80  ;ENTRY
                 U.201:   .WORD   200                                ;
      01  00C82           .BYTE   1                                  ;
      02  00C83           .BYTE   2                                  ;
00000000  00C84           .LONG   0                                  ;
00000000  00C88           .LONG   0                                  ;
0C010012  00C8C           .LONG   201392146                          ;
    012C  00C90  ;ENTRY
                 U.202:   .WORD   300                                ;
      03  00C92           .BYTE   3                                  ;
      40  00C93           .BYTE   64                                 ;
00000000  00C94           .LONG   0                                  ;
00000000  00C98           .LONG   0                                  ;
0D020041  00C9C           .LONG   218234945                          ;
    0136  00CA0  ;ENTRY
                 U.203:   .WORD   310                                ;
      01  00CA2           .BYTE   1                                  ;
      02  00CA3           .BYTE   2                                  ;
00000000  00CA4           .LONG   0                                  ;
00000000  00CA8           .LONG   0                                  ;
0C010010  00CAC           .LONG   201392144                          ;
    0140  00CB0  ;ENTRY
                 U.204:   .WORD   320                                ;
      03  00CB2           .BYTE   3                                  ;
      C2  00CB3          .BYTE   -62                 ;
00000000  00CB4          .LONG   0                   ;
00000010  00CB8          .LONG   16                  ;
0D010012  00CBC          .LONG   218169362           ;
    014A  00CC0 ;ENTRY
                U.205:   .WORD   330                 ;
      03  00CC2          .BYTE   3                   ;
      40  00CC3          .BYTE   64                  ;
00000001  00CC4          .LONG   1                   ;
00000027  00CC8          .LONG   39                  ;
0D020048  00CCC          .LONG   218234952           ;
    014B  00CD0 ;ENTRY
                U.206:   .WORD   331                 ;
      03  00CD2          .BYTE   3                   ;
      C0  00CD3          .BYTE   -64                 ;
00000001  00CD4          .LONG   1                   ;
00000027  00CD8          .LONG   39                  ;
0D020049  00CDC          .LONG   218234953           ;
    014B  00CE0 ;ENTRY
                U.207:   .WORD   331                 ;
      00  00CE2          .BYTE   0                   ;
      01  00CE3          .BYTE   1                   ;
00000000  00CE4          .LONG   0                   ;
00000000  00CE8          .LONG   0                   ;
00000000  00CEC          .LONG   0                   ;
    014C  00CF0 ;ENTRY
                U.208:   .WORD   332                 ;
      03  00CF2          .BYTE   3                   ;
      40  00CF3          .BYTE   64                  ;
00000001  00CF4          .LONG   1                   ;
00000027  00CF8          .LONG   39                  ;
0D02004A  00CFC          .LONG   218234954           ;
    0154  00D00 ;ENTRY
                U.209:   .WORD   340                 ;
      03  00D02          .BYTE   3                   ;
      40  00D03          .BYTE   64                  ;
00000000  00D04          .LONG   0                   ;
00000000  00D08          .LONG   0                   ;
0D020046  00D0C          .LONG   218234950           ;
    015E  00D10 ;ENTRY
                U.210:   .WORD   350                 ;
      00  00D12          .BYTE   0                   ;
      01  00D13          .BYTE   1                   ;
00000000  00D14          .LONG   0                   ;
00000000  00D18          .LONG   0                   ;
0D010010  00D1C          .LONG   218169360           ;
    015F  00D20 ;ENTRY
                U.211:   .WORD   351                 ;
      03  00D22          .BYTE   3                   ;
      20  00D23          .BYTE   32                  ;
00000000  00D24          .LONG   0                   ;
00000000  00D28          .LONG   0                   ;
0D020042  00D2C          .LONG   218234946           ;
    0160  00D30 ;ENTRY
                U.212:   .WORD   352                 ;
      03  00D32          .BYTE   3                   ;
      20  00D33          .BYTE   32                  ;
```

```
00000000  00D34                .LONG   0                                                    ;
00000000  00D38                .LONG   0                                                    ;
0D020043  00D3C                .LONG   218234947                                            ;
    0161  00D40  ;ENTRY
                 U.213:        .WORD   353                                                  ;
      03  00D42                .BYTE   3                                                    ;
      40  00D43                .BYTE   64                                                   ;
00000000  00D44                .LONG   0                                                    ;
00000000  00D48                .LONG   0                                                    ;
0D020044  00D4C                .LONG   218234948                                            ;
    0162  00D50  ;ENTRY
                 U.214:        .WORD   354                                                  ;
      03  00D52                .BYTE   3                                                    ;
      40  00D53                .BYTE   64                                                   ;
00000000  00D54                .LONG   0                                                    ;
00000000  00D58                .LONG   0                                                    ;
0D020045  00D5C                .LONG   218234949                                            ;
    0163  00D60  ;ENTRY
                 U.215:        .WORD   355                                                  ;
      02  00D62                .BYTE   2                                                    ;
      C0  00D63                .BYTE   -64                                                  ;
00000000  00D64                .LONG   0                                                    ;
00000000  00D68                .LONG   0                                                    ;
0D010011  00D6C                .LONG   218169361                                            ;
    0A8C  00D70  ;ENTRY
                 U.216:        .WORD   2700                                                 ;
      00  00D72                .BYTE   0                                                    ;
      81  00D73                .BYTE   -127                                                 ;
00000000  00D74                .LONG   0                                                    ;
00000000  00D78                .LONG   0                                                    ;
0C010011  00D7C                .LONG   201392145                                            ;
    0A96  00D80  ;ENTRY
                 U.217:        .WORD   2710                                                 ;
      03  00D82                .BYTE   3                                                    ;
      40  00D83                .BYTE   64                                                   ;
00000000  00D84                .LONG   0                                                    ;
00000000  00D88                .LONG   0                                                    ;
0D020047  00D8C                .LONG   218234951                                            ;
    8006  00D90  ;ENTRY
                 U.218:        .WORD   -32762                                               ;
      03  00D92                .BYTE   3                                                    ;
      00  00D93                .BYTE   0                                                    ;
00000000  00D94                .LONG   0                                                    ;
00000000  00D98                .LONG   0                                                    ;
0C020041  00D9C                .LONG   201457729                                            ;
    0000  00DA0  ;ENTRY
                 U.219:        .WORD   0                                                    ;
      00  00DA2                .BYTE   0                                                    ;
      81  00DA3                .BYTE   -127                                                 ;
00000000  00DA4                .LONG   0                                                    ;
00000000  00DA8                .LONG   0                                                    ;
10010010  00DAC                .LONG   268501008                                            ;
    0064  00DB0  ;ENTRY
                 U.220:        .WORD   100                                                  ;
      01  00DB2                .BYTE   1                                                    ;
      02  00DB3                .BYTE   2                                                    ;
00000000  00DB4                .LONG   0                                                    ;
```

```
00000000  00DB8            .LONG    0                                  ;
10010011  00DBC            .LONG    268501009                          ;
    0065  00DC0  ;ENTRY
                 U.221:    .WORD    101                                ;
      01  00DC2            .BYTE    1                                  ;
      02  00DC3            .BYTE    2                                  ;
00000000  00DC4            .LONG    0                                  ;
00000000  00DC8            .LONG    0                                  ;
10010013  00DCC            .LONG    268501011                          ;
    0066  00DD0  ;ENTRY
                 U.222:    .WORD    102                                ;
      03  00DD2            .BYTE    3                                  ;
      40  00DD3            .BYTE    64                                 ;
00000000  00DD4            .LONG    0                                  ;
00000000  00DD8            .LONG    0                                  ;
10020041  00DDC            .LONG    268566593                          ;
    0067  00DE0  ;ENTRY
                 U.223:    .WORD    103                                ;
      01  00DE2            .BYTE    1                                  ;
      02  00DE3            .BYTE    2                                  ;
00000000  00DE4            .LONG    0                                  ;
00000000  00DE8            .LONG    0                                  ;
10010014  00DEC            .LONG    268501012                          ;
    0068  00DF0  ;ENTRY
                 U.224:    .WORD    104                                ;
      01  00DF2            .BYTE    1                                  ;
      02  00DF3            .BYTE    2                                  ;
00000000  00DF4            .LONG    0                                  ;
00000000  00DF8            .LONG    0                                  ;
10010012  00DFC            .LONG    268501010                          ;
    0069  00E00  ;ENTRY
                 U.225:    .WORD    105                                ;
      01  00E02            .BYTE    1                                  ;
      02  00E03            .BYTE    2                                  ;
00000000  00E04            .LONG    0                                  ;
00000000  00E08            .LONG    0                                  ;
10010015  00E0C            .LONG    268501013                          ;
    006A  00E10  ;ENTRY
                 U.226:    .WORD    106                                ;
      03  00E12            .BYTE    3                                  ;
      40  00E13            .BYTE    64                                 ;
00000000  00E14            .LONG    0                                  ;
00000000  00E18            .LONG    0                                  ;
11020041  00E1C            .LONG    285343809                          ;
    006E  00E20  ;ENTRY
                 U.227:    .WORD    110                                ;
      01  00E22            .BYTE    1                                  ;
      02  00E23            .BYTE    2                                  ;
00000000  00E24            .LONG    0                                  ;
00000000  00E28            .LONG    0                                  ;
11010011  00E2C            .LONG    285278225                          ;
    006F  00E30  ;ENTRY
                 U.228:    .WORD    111                                ;
      00  00E32            .BYTE    0                                  ;
      81  00E33            .BYTE    -127                               ;
00000000  00E34            .LONG    0                                  ;
00000000  00E38            .LONG    0                                  ;
```

```
        11010010  00E3C           .LONG   285278224                                     ;
            0064  00E40 ;ENTRY
                        U.229:    .WORD   100                                           ;
              01  00E42           .BYTE   1                                             ;
              02  00E43           .BYTE   2                                             ;
        00000000  00E44           .LONG   0                                             ;
        00000000  00E48           .LONG   0                                             ;
        0E010013  00E4C           .LONG   234946579                                     ;
            00C8  00E50 ;ENTRY
                        U.230:    .WORD   200                                           ;
              01  00E52           .BYTE   1                                             ;
              02  00E53           .BYTE   2                                             ;
        00000000  00E54           .LONG   0                                             ;
        00000000  00E58           .LONG   0                                             ;
        0E010012  00E5C           .LONG   234946578                                     ;
            012C  00E60 ;ENTRY
                        U.231:    .WORD   300                                           ;
              03  00E62           .BYTE   3                                             ;
              40  00E63           .BYTE   64                                            ;
        00000000  00E64           .LONG   0                                             ;
        00000000  00E68           .LONG   0                                             ;
        0F020041  00E6C           .LONG   251789377                                     ;
            0136  00E70 ;ENTRY
                        U.232:    .WORD   310                                           ;
              01  00E72           .BYTE   1                                             ;
              02  00E73           .BYTE   2                                             ;
        00000000  00E74           .LONG   0                                             ;
        00000000  00E78           .LONG   0                                             ;
        0E010010  00E7C           .LONG   234946576                                     ;
            0140  00E80 ;ENTRY
                        U.233:    .WORD   320                                           ;
              03  00E82           .BYTE   3                                             ;
              C2  00E83           .BYTE   -62                                           ;
        00000000  00E84           .LONG   0                                             ;
        00000010  00E88           .LONG   16                                            ;
        0F010012  00E8C           .LONG   251723794                                     ;
            014A  00E90 ;ENTRY
                        U.234:    .WORD   330                                           ;
              03  00E92           .BYTE   3                                             ;
              40  00E93           .BYTE   64                                            ;
        00000001  00E94           .LONG   1                                             ;
        00000027  00E98           .LONG   39                                            ;
        0F020048  00E9C           .LONG   251789384                                     ;
            014B  00EA0 ;ENTRY
                        U.235:    .WORD   331                                           ;
              03  00EA2           .BYTE   3                                             ;
              C0  00EA3           .BYTE   -64                                           ;
        00000001  00EA4           .LONG   1                                             ;
        00000027  00EA8           .LONG   39                                            ;
        0F020049  00EAC           .LONG   251789385                                     ;
            014B  00EB0 ;ENTRY
                        U.236:    .WORD   331                                           ;
              00  00EB2           .BYTE   0                                             ;
              81  00EB3           .BYTE   -127                                          ;
        00000000  00EB4           .LONG   0                                             ;
        00000000  00EB8           .LONG   0                                             ;
        00000000  00EBC           .LONG   0                                             ;
```

```
    014C  00EC0 ;ENTRY
                U.237:  .WORD   332                                     ;
      03  00EC2         .BYTE   3                                       ;
      40  00EC3         .BYTE   64                                      ;
00000001  00EC4         .LONG   1                                       ;
00000027  00EC8         .LONG   39                                      ;
0F02004A  00ECC         .LONG   251789386                               ;
    0154  00ED0 ;ENTRY
                U.238:  .WORD   340                                     ;
      03  00ED2         .BYTE   3                                       ;
      C2  00ED3         .BYTE   -62                                     ;
00000000  00ED4         .LONG   0                                       ;
00000000  00ED8         .LONG   0                                       ;
0F020046  00EDC         .LONG   251789382                               ;
    015E  00EE0 ;ENTRY
                U.239:  .WORD   350                                     ;
      00  00EE2         .BYTE   0                                       ;
      01  00EE3         .BYTE   1                                       ;
00000000  00EE4         .LONG   0                                       ;
00000000  00EE8         .LONG   0                                       ;
0F010010  00EEC         .LONG   251723792                               ;
    015F  00EF0 ;ENTRY
                U.240:  .WORD   351                                     ;
      03  00EF2         .BYTE   3                                       ;
      40  00EF3         .BYTE   64                                      ;
00000000  00EF4         .LONG   0                                       ;
00000000  00EF8         .LONG   0                                       ;
0F020042  00EFC         .LONG   251789378                               ;
    0160  00F00 ;ENTRY
                U.241:  .WORD   352                                     ;
      03  00F02         .BYTE   3                                       ;
      40  00F03         .BYTE   64                                      ;
00000000  00F04         .LONG   0                                       ;
00000000  00F08         .LONG   0                                       ;
0F020043  00F0C         .LONG   251789379                               ;
    0161  00F10 ;ENTRY
                U.242:  .WORD   353                                     ;
      03  00F12         .BYTE   3                                       ;
      40  00F13         .BYTE   64                                      ;
00000000  00F14         .LONG   0                                       ;
00000000  00F18         .LONG   0                                       ;
0F020044  00F1C         .LONG   251789380                               ;
    0162  00F20 ;ENTRY
                U.243:  .WORD   354                                     ;
      03  00F22         .BYTE   3                                       ;
      40  00F23         .BYTE   64                                      ;
00000000  00F24         .LONG   0                                       ;
00000000  00F28         .LONG   0                                       ;
0F020045  00F2C         .LONG   251789381                               ;
    0163  00F30 ;ENTRY
                U.244:  .WORD   355                                     ;
      02  00F32         .BYTE   2                                       ;
      C2  00F33         .BYTE   -62                                     ;
00000000  00F34         .LONG   0                                       ;
00000000  00F38         .LONG   0                                       ;
0F010011  00F3C         .LONG   251723793                               ;
    0A8C  00F40 ;ENTRY
```

```
                            U.245:  .WORD   2700                                                ;
       00   00F42                   .BYTE   0                                                   ;
       81   00F43                   .BYTE   -127                                                ;
 00000000   00F44                   .LONG   0                                                   ;
 00000000   00F48                   .LONG   0                                                   ;
 0E010011   00F4C                   .LONG   234946577                                           ;
     0A96   00F50   ;ENTRY
                    U.246:          .WORD   2710                                                ;
       03   00F52                   .BYTE   3                                                   ;
       40   00F53                   .BYTE   64                                                  ;
 00000000   00F54                   .LONG   0                                                   ;
 00000000   00F58                   .LONG   0                                                   ;
 0F020047   00F5C                   .LONG   251789383                                           ;
     8006   00F60   ;ENTRY
                    U.247:          .WORD   -32762                                              ;
       03   00F62                   .BYTE   3                                                   ;
       00   00F63                   .BYTE   0                                                   ;
 00000000   00F64                   .LONG   0                                                   ;
 00000000   00F68                   .LONG   0                                                   ;
 0E020041   00F6C                   .LONG   235012161                                           ;
     0064   00F70   ;ENTRY
                    U.248:          .WORD   100                                                 ;
       03   00F72                   .BYTE   3                                                   ;
       40   00F73                   .BYTE   64                                                  ;
 00000000   00F74                   .LONG   0                                                   ;
 00000000   00F78                   .LONG   0                                                   ;
 00000000   00F7C                   .LONG   0                                                   ;
     006E   00F80   ;ENTRY
                    U.249:          .WORD   110                                                 ;
       00   00F82                   .BYTE   0                                                   ;
       81   00F83                   .BYTE   -127                                                ;
 00000000   00F84                   .LONG   0                                                   ;
 00000000   00F88                   .LONG   0                                                   ;
 00000000   00F8C                   .LONG   0                                                   ;
     0201   00F90   ;ENTRY
                    U.250:          .WORD   513                                                 ;
       00   00F92                   .BYTE   0                                                   ;
       01   00F93                   .BYTE   1                                                   ;
 00000000   00F94                   .LONG   0                                                   ;
 00000000   00F98                   .LONG   0                                                   ;
 03010014   00F9C                   .LONG   50397204                                            ;
     0212   00FA0   ;ENTRY
                    U.251:          .WORD   530                                                 ;
       03   00FA2                   .BYTE   3                                                   ;
       40   00FA3                   .BYTE   64                                                  ;
 00000001   00FA4                   .LONG   1                                                   ;
 00000040   00FA8                   .LONG   64                                                  ;
 03020045   00FAC                   .LONG   50462789                                            ;
     0217   00FB0   ;ENTRY
                    U.252:          .WORD   535                                                 ;
       02   00FB2                   .BYTE   2                                                   ;
       24   00FB3                   .BYTE   36                                                  ;
 00000000   00FB4                   .LONG   0                                                   ;
 00000000   00FB8                   .LONG   0                                                   ;
 03010015   00FBC                   .LONG   50397205                                            ;
     021C   00FC0   ;ENTRY
                    U.253:          .WORD   540                                                 ;
```

```
                                            03  00FC2             .BYTE   3                                           ;
                                            80  00FC3             .BYTE   -128                                        ;
                                      00000000  00FC4             .LONG   0                                           ;
                                      00000000  00FC8             .LONG   0                                           ;
                                      03010010  00FCC             .LONG   50397200                                    ;
                                          0226  00FD0  ;ENTRY
                                                       U.254:     .WORD   550                                         ;
                                            03  00FD2             .BYTE   3                                           ;
                                            40  00FD3             .BYTE   64                                          ;
                                      00000001  00FD4             .LONG   1                                           ;
                                      00000027  00FD8             .LONG   39                                          ;
                                      03020046  00FDC             .LONG   50462790                                    ;
                                          0227  00FE0  ;ENTRY
                                                       U.255:     .WORD   551                                         ;
                                            03  00FE2             .BYTE   3                                           ;
                                            40  00FE3             .BYTE   64                                          ;
                                      00000001  00FE4             .LONG   1                                           ;
                                      00000027  00FE8             .LONG   39                                          ;
                                      03020047  00FEC             .LONG   50462791                                    ;
                                          0228  00FF0  ;ENTRY
                                                       U.256:     .WORD   552                                         ;
                                            03  00FF2             .BYTE   3                                           ;
                                            40  00FF3             .BYTE   64                                          ;
                                      00000001  00FF4             .LONG   1                                           ;
                                      00000027  00FF8             .LONG   39                                          ;
                                      03020048  00FFC             .LONG   50462792                                    ;
                                          0230  01000  ;ENTRY
                                                       U.257:     .WORD   560                                         ;
                                            00  01002             .BYTE   0                                           ;
                                            81  01003             .BYTE   -127                                        ;
                                      00000000  01004             .LONG   0                                           ;
                                      00000000  01008             .LONG   0                                           ;
                                      03010016  0100C             .LONG   50397206                                    ;
                                          0000  01010  ;ENTRY
                                                       U.258:     .WORD   0                                           ;
                                            00  01012             .BYTE   0                                           ;
                                            81  01013             .BYTE   -127                                        ;
                                      00000000  01014             .LONG   0                                           ;
                                      00000000  01018             .LONG   0                                           ;
                                      00000000  0101C             .LONG   0                                           ;
                                          0065  01020  ;ENTRY
                                                       U.259:     .WORD   101                                         ;
                                            02  01022             .BYTE   2                                           ;
                                            24  01023             .BYTE   36                                          ;
                                      00000000  01024             .LONG   0                                           ;
                                      00000000  01028             .LONG   0                                           ;
                                      00000000  0102C             .LONG   0                                           ;
                                          0066  01030  ;ENTRY
                                                       U.260:     .WORD   102                                         ;
                                            03  01032             .BYTE   3                                           ;
                                            C2  01033             .BYTE   -62                                         ;
                                      00000000  01034             .LONG   0                                           ;
                                      00000000  01038             .LONG   0                                           ;
                                      08020043  0103C             .LONG   134348867                                   ;
                                          0069  01040  ;ENTRY
                                                       U.261:     .WORD   105                                         ;
                                            03  01042             .BYTE   3                                           ;
```

```
                                                        C0  01043              .BYTE   -64                              ;
                                                  00000000  01044              .LONG   0                                ;
                                                  00000000  01048              .LONG   0                                ;
                                                  00000000  0104C              .LONG   0                                ;
                                                      006E  01050  ;ENTRY
                                                                   U.262:      .WORD   110                              ;
                                                        00  01052              .BYTE   0                                ;
                                                        01  01053              .BYTE   1                                ;
                                                  00000000  01054              .LONG   0                                ;
                                                  00000000  01058              .LONG   0                                ;
                                                  00000000  0105C              .LONG   0                                ;
                                                      0078  01060  ;ENTRY
                                                                   U.263:      .WORD   120                              ;
                                                        01  01062              .BYTE   1                                ;
                                                        02  01063              .BYTE   2                                ;
                                                  00000000  01064              .LONG   0                                ;
                                                  00000000  01068              .LONG   0                                ;
                                                  00000000  0106C              .LONG   0                                ;
                                                      0079  01070  ;ENTRY
                                                                   U.264:      .WORD   121                              ;
                                                        03  01072              .BYTE   3                                ;
                                                        40  01073              .BYTE   64                               ;
                                                  00000000  01074              .LONG   0                                ;
                                                  00000000  01078              .LONG   0                                ;
                                                  00000000  0107C              .LONG   0                                ;
                                                      0082  01080  ;ENTRY
                                                                   U.265:      .WORD   130                              ;
                                                        03  01082              .BYTE   3                                ;
                                                        40  01083              .BYTE   64                               ;
                                                  00000000  01084              .LONG   0                                ;
                                                  00000000  01088              .LONG   0                                ;
                                                  00000000  0108C              .LONG   0                                ;
                                                      0083  01090  ;ENTRY
                                                                   U.266:      .WORD   131                              ;
                                                        03  01092              .BYTE   3                                ;
                                                        40  01093              .BYTE   64                               ;
                                                  00000000  01094              .LONG   0                                ;
                                                  00000000  01098              .LONG   0                                ;
                                                  00000000  0109C              .LONG   0                                ;
                                                      0066  010A0  ;ENTRY
                                                                   U.267:      .WORD   102                              ;
                                                        01  010A2              .BYTE   1                                ;
                                                        02  010A3              .BYTE   2                                ;
                                                  00000000  010A4              .LONG   0                                ;
                                                  00000000  010A8              .LONG   0                                ;
                                                  08010014  010AC              .LONG   134283284                        ;

                                                                               .PSECT  NML$EVENTS,NOWRT,NOEXE,0

                                                            00000  Z$:         .BLKB   0
                                                      0000  00000  NML$AB_EVENTS::
                                                                               .WORD   0                                ;
00000000' 00000000' 00000000' 00000000' 00000000' 00002              .ADDRESS P.AAK, P.AAL, P.AAM, P.AAN, P.AAO    ;
                                                      0002  00016              .WORD   2                                ;
00000000' 00000000' 00000000' 00000000' 00000000' 00018              .ADDRESS P.AAP, P.AAQ, P.AAR, P.AAS, P.AAT    ;
                                                      0003  0002C              .WORD   3                                ;
00000000' 00000000' 00000000' 00000000' 00000000' 0002E              .ADDRESS P.AAU, P.AAV, P.AAW, P.AAX, P.AAY    ;
```

```
                                                       0004  00042                 .WORD   4                                              ;
 00000000' 00000000' 00000000' 00000000' 00000000' 00044                 .ADDRESS P.AAZ, P.ABA, P.ABB, P.ABC, P.ABD             ;
                                                       0005  00058                 .WORD   5                                              ;
 00000000' 00000000' 00000000' 00000000' 00000000' 0005A                 .ADDRESS P.ABE, P.ABF, P.ABG, P.ABH, P.ABI             ;
                                                       0006  0006E                 .WORD   6                                              ;
 00000000' 00000000' 00000000' 00000000' 00000000' 00070                 .ADDRESS P.ABJ, P.ABK, P.ABL, P.ABM, P.ABN             ;
                                                       0080  00084                 .WORD   128                                            ;
 00000000' 00000000' 00000000' 00000000' 00000000' 00086                 .ADDRESS P.ABO, P.ABP, P.ABQ, P.ABR, P.ABS             ;

                                                                                   .PSECT  PATCH_AREA,NOEXE,2

                                                             00000 NML$PATCH_AREA::
                                                                                   .BLKB   300

                                                                                   .PSECT  $PLIT$,NOWRT,NOEXE,2

         52  45  48  43  54  41  57  24  4C  4D  4E  00000 P.AAB:    .ASCII  \NML$WATCHER\                                  ;
                                                     0000B           .BLKB   1                                              ;
                                           0000000B  0000C P.AAA:    .LONG   11                                             ;
                                           00000000' 00010           .ADDRESS P.AAB                                         ;
                                           00  00  04  00014 P.AAC:    .BYTE   4, 0, 0                                        ;
                             3A  54  45  4E  5F  00017 P.AAE:    .ASCII  \_NET:\                                        ;
                                           00000005  0001C P.AAD:    .LONG   5                                              ;
                                           00000000' 00020           .ADDRESS P.AAE                                         ;
                                           00000200  00024 P.AAF:    .LONG   512                                            ;
                                           00000000' 00028           .ADDRESS NML$AB_RCVBUFFER                              ;
                                           00000200  0002C P.AAG:    .LONG   512                                            ;
                                           00000000' 00030           .ADDRESS NML$AB_SNDBUFFER                              ;
                                           00000400  00034 P.AAH:    .LONG   1024                                           ;
                                           00000000' 00038           .ADDRESS NML$AB_RECBUF                                 ;
                                           000004B0  0003C P.AAI:    .LONG   1200                                           ;
                                           00000000' 00040           .ADDRESS NML$AB_QIOBUFFER                              ;
                                           000004B0  00044 P.AAJ:    .LONG   1200                                           ;
                                           00000000' 00048           .ADDRESS NML$AB_EXEBUFFER                              ;
                                 00000000  000003FF  0004C P.AAK:    .LONG   1023, 0                                        ;
                                 00000000  00000322  00054 P.AAL:    .LONG   802, 0                                         ;
                                 00000000  000003C0  0005C P.AAM:    .LONG   960, 0                                         ;
                                 00000000  0000031C  00064 P.AAN:    .LONG   796, 0                                         ;
                                 00000000  00000300  0006C P.AAO:    .LONG   768, 0                                         ;
                                 00000000  00000003  00074 P.AAP:    .LONG   3, 0                                           ;
                                 00000000  00000000  0007C P.AAQ:    .LONG   0, 0                                           ;
                                 00000000  00000000  00084 P.AAR:    .LONG   0, 0                                           ;
                                 00000000  00000000  0008C P.AAS:    .LONG   0, 0                                           ;
                                 00000000  00000000  00094 P.AAT:    .LONG   0, 0                                           ;
                                 00000000  00000007  0009C P.AAU:    .LONG   7, 0                                           ;
                                 00000000  00000004  000A4 P.AAV:    .LONG   4, 0                                           ;
                                 00000000  00000000  000AC P.AAW:    .LONG   0, 0                                           ;
                                 00000000  00000000  000B4 P.AAX:    .LONG   0, 0                                           ;
                                 00000000  00000000  000BC P.AAY:    .LONG   0, 0                                           ;
                                 00000000  000FFFFF  000C4 P.AAZ:    .LONG   1048575, 0                                     ;
                                 00000000  0003C000  000CC P.ABA:    .LONG   245760, 0                                      ;
                                 00000000  000C3FFE  000D4 P.ABB:    .LONG   802814, 0                                      ;
                                 00000000  00000000  000DC P.ABC:    .LONG   0, 0                                           ;
                                 00000000  00000000  000E4 P.ABD:    .LONG   0, 0                                           ;
                                 00000000  0007FFFF  000EC P.ABE:    .LONG   524287, 0                                      ;
                                 00000000  00000000  000F4 P.ABF:    .LONG   0, 0                                           ;
                                 00000000  000003FF  000FC P.ABG:    .LONG   1023, 0                                        ;
```

```
00000000  0001E000  00104 P.ABH:  .LONG    122880, 0
00000000  00061C00  0010C P.ABI:  .LONG    400384, 0
00000000  0000003F  00114 P.ABJ:  .LONG    63, 0
00000000  00000000  0011C P.ABK:  .LONG    0, 0
00000000  00000000  00124 P.ABL:  .LONG    0, 0
00000000  0000003F  0012C P.ABM:  .LONG    63, 0
00000000  00000000  00134 P.ABN:  .LONG    0, 0
00000000  0000001F  0013C P.ABO:  .LONG    31, 0
00000000  00000000  00144 P.ABP:  .LONG    0, 0
00000000  00000000  0014C P.ABQ:  .LONG    0, 0
00000000  00000000  00154 P.ABR:  .LONG    0, 0
00000000  00000000  0015C P.ABS:  .LONG    0, 0
          0000002C  00164 P.AHB:  .LONG    44
          00000000' 00168         .ADDRESS U.583
          000000BC  0016C P.AHC:  .LONG    188
          00000000' 00170         .ADDRESS U.585
          00000024  00174 P.AHD:  .LONG    36
          00000000' 00178         .ADDRESS U.587
          0000001C  0017C P.AHE:  .LONG    28
          00000000' 00180         .ADDRESS U.589
          00000024  00184 P.AHF:  .LONG    36
          00000000' 00188         .ADDRESS U.591
          00000028  0018C P.AHG:  .LONG    40
          00000000' 00190         .ADDRESS U.593
          00000028  00194 P.AHH:  .LONG    40
          00000000' 00198         .ADDRESS U.595
          00000024  0019C P.AHI:  .LONG    36
          00000000' 001A0         .ADDRESS U.597
          00000024  001A4 P.AHJ:  .LONG    36
          00000000' 001A8         .ADDRESS U.599
          00000024  001AC P.AHK:  .LONG    36
          00000000' 001B0         .ADDRESS U.601
          00000070  001B4 P.AHL:  .LONG    112
          00000000' 001B8         .ADDRESS U.603
          00000020  001BC P.AHM:  .LONG    32
          00000000' 001C0         .ADDRESS U.605
          0000001C  001C4 P.AHN:  .LONG    28
          00000000' 001C8         .ADDRESS U.607
          00000044  001CC P.AHO:  .LONG    68
          00000000' 001D0         .ADDRESS U.609
          0000003C  001D4 P.AHP:  .LONG    60
          00000000' 001D8         .ADDRESS U.611
          00000090  001DC P.AHQ:  .LONG    144
          00000000' 001E0         .ADDRESS U.613
          00000024  001E4 P.AHR:  .LONG    36
          00000000' 001E8         .ADDRESS U.615
          0000001C  001EC P.AHS:  .LONG    28
          00000000' 001F0         .ADDRESS U.617
          00000048  001F4 P.AHT:  .LONG    72
          00000000' 001F8         .ADDRESS U.619
          00000040  001FC P.AHU:  .LONG    64
          00000000' 00200         .ADDRESS U.621
          00000094  00204 P.AHV:  .LONG    148
          00000000' 00208         .ADDRESS U.623
          00000028  0020C P.AHW:  .LONG    40
          00000000' 00210         .ADDRESS U.625
          0000001C  00214 P.AHX:  .LONG    28
```

```
00000000' 00218          .ADDRESS U.627
00000028  0021C P.AHY:   .LONG   40
00000000' 00220          .ADDRESS U.629
00000030  00224 P.AHZ:   .LONG   48
00000000' 00228          .ADDRESS U.631
0000001C  0022C P.AIA:   .LONG   28
00000000' 00230          .ADDRESS U.633
00000020  00234 P.AIB:   .LONG   32
00000000' 00238          .ADDRESS U.635
00000024  0023C P.AIC:   .LONG   36
00000000' 00240          .ADDRESS U.637
00000020  00244 P.AID:   .LONG   32
00000000' 00248          .ADDRESS U.639
00000020  0024C P.AIE:   .LONG   32
00000000' 00250          .ADDRESS U.641
00000094  00254 P.AIF:   .LONG   148
00000000' 00258          .ADDRESS U.643
0000001C  0025C P.AIG:   .LONG   28
00000000' 00260          .ADDRESS U.645
0000002C  00264 P.AIH:   .LONG   44
00000000' 00268          .ADDRESS U.647
0000004C  0026C P.AII:   .LONG   76
00000000' 00270          .ADDRESS U.649
0000002C  00274 P.AIJ:   .LONG   44
00000000' 00278          .ADDRESS U.651
00000030  0027C P.AIK:   .LONG   48
00000000' 00280          .ADDRESS U.653
00000020  00284 P.AIL:   .LONG   32
00000000' 00288          .ADDRESS U.655
0000001C  0028C P.AIM:   .LONG   28
00000000' 00290          .ADDRESS U.657
00000028  00294 P.AIN:   .LONG   40
00000000' 00298          .ADDRESS U.659
00000020  0029C P.AIO:   .LONG   32
00000000' 002A0          .ADDRESS U.661
00000020  002A4 P.AIP:   .LONG   32
00000000' 002A8          .ADDRESS U.663
0000001C  002AC P.AIQ:   .LONG   28
00000000' 002B0          .ADDRESS U.665
0000001C  002B4 P.AIR:   .LONG   28
00000000' 002B8          .ADDRESS U.667
0000004C  002BC P.AIS:   .LONG   76
00000000' 002C0          .ADDRESS U.669
00000020  002C4 P.AIT:   .LONG   32
00000000' 002C8          .ADDRESS U.671
00000030  002CC P.AIU:   .LONG   48
00000000' 002D0          .ADDRESS U.673
00000020  002D4 P.AIV:   .LONG   32
00000000' 002D8          .ADDRESS U.675
00000024  002DC P.AIW:   .LONG   36
00000000' 002E0          .ADDRESS U.677
00000020  002E4 P.AIX:   .LONG   32
00000000' 002E8          .ADDRESS U.679
00000020  002EC P.AIY:   .LONG   32
00000000' 002F0          .ADDRESS U.681
0000001C  002F4 P.AIZ:   .LONG   28
00000000' 002F8          .ADDRESS U.683
```

```
0000001C  002FC P.AJA:  .LONG    28
00000000' 00300         .ADDRESS U.685
0000004C  00304 P.AJB:  .LONG    76
00000000' 00308         .ADDRESS U.687
00000030  0030C P.AJC:  .LONG    48
00000000' 00310         .ADDRESS U.689
00000030  00314 P.AJD:  .LONG    48
00000000' 00318         .ADDRESS U.691
0000003C  0031C P.AJE:  .LONG    60
00000000' 00320         .ADDRESS U.693
00000034  00324 P.AJF:  .LONG    52
00000000' 00328         .ADDRESS U.695
00000034  0032C P.AJG:  .LONG    52
00000000' 00330         .ADDRESS U.697
00000040  00334 P.AJH:  .LONG    64
00000000' 00338         .ADDRESS U.699
00000000' 0033C P.AJJ:  .ADDRESS U.517
00000000' 00340         .ADDRESS U.516
00000000' 00344         .ADDRESS U.518
00000000  00348         .LONG    0
00000000  0034C         .LONG    0
00000000  00350 P.AJK:  .LONG    0
00000000  00354         .LONG    0
00000000  00358         .LONG    0
00000000  0035C         .LONG    0
00000000  00360         .LONG    0
00000000  00364 P.AJL:  .LONG    0
00000000  00368         .LONG    0
00000000  0036C         .LONG    0
00000000  00370         .LONG    0
00000000  00374         .LONG    0
00000000' 00378 P.AJM:  .ADDRESS U.523
00000000' 0037C         .ADDRESS U.522
00000000' 00380         .ADDRESS U.524
00000000  00384         .LONG    0
00000000  00388         .LONG    0
00000000' 0038C P.AJN:  .ADDRESS NML$Q_P_NDNSUM_TABDES
00000000' 00390         .ADDRESS NML$Q_P_NDNSTA_TABDES
00000000' 00394         .ADDRESS NML$Q_P_NDNCHA_TABDES
00000000  00398         .LONG    0
00000000  0039C         .LONG    0
00000000' 003A0 P.AJO:  .ADDRESS U.525
00000000' 003A4         .ADDRESS U.525
00000000' 003A8         .ADDRESS U.525
00000000  003AC         .LONG    0
00000000  003B0         .LONG    0
00000000  003B4 P.AJP:  .LONG    0
00000000  003B8         .LONG    0
00000000  003BC         .LONG    0
00000000  003C0         .LONG    0
00000000  003C4         .LONG    0
00000000' 003C8 P.AJQ:  .ADDRESS U.520
00000000' 003CC         .ADDRESS U.519
00000000' 003D0         .ADDRESS U.521
00000000  003D4         .LONG    0
00000000  003D8         .LONG    0
00000000' 003DC P.AJR:  .ADDRESS U.540
```

```
00000000' 003E0          .ADDRESS U.539
00000000' 003E4          .ADDRESS U.541
00000000  003E8          .LONG    0
00000000  003EC          .LONG    0
00000000' 003F0 P.AJS:   .ADDRESS U.514
00000000' 003F4          .ADDRESS U.514
00000000' 003F8          .ADDRESS U.515
00000000  003FC          .LONG    0
00000000  00400          .LONG    0
00000000  00404 P.AJT:   .LONG    0
00000000  00408          .LONG    0
00000000  0040C          .LONG    0
00000000  00410          .LONG    0
00000000  00414          .LONG    0
00000000  00418 P.AJU:   .LONG    0
00000000  0041C          .LONG    0
00000000  00420          .LONG    0
00000000  00424          .LONG    0
00000000  00428          .LONG    0
00000000  0042C P.AJV:   .LONG    0
00000000  00430          .LONG    0
00000000  00434          .LONG    0
00000000  00438          .LONG    0
00000000  0043C          .LONG    0
00000000' 00440 P.AJW:   .ADDRESS NML$Q_P_ACCSUM_TABDES
00000000' 00444          .ADDRESS NML$Q_P_ACCSTA_TABDES
00000000' 00448          .ADDRESS U.526
00000000  0044C          .LONG    0
00000000  00450          .LONG    0
00000000' 00454 P.AJX:   .ADDRESS U.527
00000000' 00458          .ADDRESS U.527
00000000' 0045C          .ADDRESS U.527
00000000  00460          .LONG    0
00000000  00464          .LONG    0
00000000' 00468 P.AJY:   .ADDRESS U.528
00000000' 0046C          .ADDRESS U.528
00000000' 00470          .ADDRESS U.529
00000000  00474          .LONG    0
00000000  00478          .LONG    0
00000000' 0047C P.AJZ:   .ADDRESS U.530
00000000' 00480          .ADDRESS U.530
00000000' 00484          .ADDRESS U.530
00000000  00488          .LONG    0
00000000  0048C          .LONG    0
00000000' 00490 P.AKA:   .ADDRESS U.531
00000000' 00494          .ADDRESS U.531
00000000' 00498          .ADDRESS U.532
00000000  0049C          .LONG    0
00000000  004A0          .LONG    0
00000000' 004A4 P.AKB:   .ADDRESS U.533
00000000' 004A8          .ADDRESS U.533
00000000' 004AC          .ADDRESS U.533
00000000  004B0          .LONG    0
00000000  004B4          .LONG    0
00000000' 004B8 P.AKC:   .ADDRESS U.534
00000000' 004BC          .ADDRESS U.534
00000000' 004C0          .ADDRESS U.535
```

```
00000000   004C4            .LONG    0
00000000   004C8            .LONG    0
00000000'  004CC P.AKD:     .ADDRESS U.536
00000000'  004D0            .ADDRESS U.536
00000000'  004D4            .ADDRESS U.537
00000000   004D8            .LONG    0
00000000   004DC            .LONG    0
00000000'  004E0 P.AKE:     .ADDRESS U.531
00000000'  004E4            .ADDRESS U.531
00000000'  004E8            .ADDRESS U.532
00000000   004EC            .LONG    0
00000000   004F0            .LONG    0
00000000'  004F4 P.AKF:     .ADDRESS U.533
00000000'  004F8            .ADDRESS U.533
00000000'  004FC            .ADDRESS U.533
00000000   00500            .LONG    0
00000000   00504            .LONG    0
00000000'  00508 P.AKG:     .ADDRESS U.538
00000000'  0050C            .ADDRESS U.538
00000000'  00510            .ADDRESS U.538
00000000   00514            .LONG    0
00000000   00518            .LONG    0
00000000'  0051C P.AJI:     .ADDRESS P.AJJ
00000000'  00520            .ADDRESS P.AJK
00000000'  00524            .ADDRESS P.AJL
00000000'  00528            .ADDRESS P.AJM
00000000'  0052C            .ADDRESS P.AJN
00000000'  00530            .ADDRESS P.AJO
00000000'  00534            .ADDRESS P.AJP
00000000'  00538            .ADDRESS P.AJQ
00000000'  0053C            .ADDRESS P.AJR
00000000'  00540            .ADDRESS P.AJS
00000000'  00544            .ADDRESS P.AJT
00000000'  00548            .ADDRESS P.AJU
00000000'  0054C            .ADDRESS P.AJV
00000000'  00550            .ADDRESS P.AJW
00000000'  00554            .ADDRESS P.AJX
00000000'  00558            .ADDRESS P.AJY
00000000'  0055C            .ADDRESS P.AJZ
00000000'  00560            .ADDRESS P.AKA
00000000'  00564            .ADDRESS P.AKB
00000000'  00568            .ADDRESS P.AKC
00000000'  0056C            .ADDRESS P.AKD
00000000'  00570            .ADDRESS P.AKE
00000000'  00574            .ADDRESS P.AKF
00000000'  00578            .ADDRESS P.AKG
00000000'  0057C P.AKI:     .ADDRESS U.602
00000000'  00580            .ADDRESS NML$Q_LINSUM_TABDES
00000000'  00584            .ADDRESS U.600
00000000'  00588            .ADDRESS NML$Q_LINSTA_TABDES
00000000'  0058C            .ADDRESS U.604
00000000'  00590            .ADDRESS NML$Q_LINCHA_TABDES
00000000'  00594            .ADDRESS U.606
00000000'  00598            .ADDRESS NML$Q_LINCOU_TABDES
00000000   0059C            .LONG    0
00000000   005A0            .LONG    0
00000000'  005A4            .ADDRESS U.608
```

```
00000000   005A8          .LONG    0
00000000'  005AC P.AKJ:   .ADDRESS U.634
00000000   005B0          .LONG    0
00000000'  005B4          .ADDRESS NML$Q_LOGSTA_NFBDSC
00000000   005B8          .LONG    0
00000000'  005BC          .ADDRESS NML$Q_LOGCHA_NFBDSC
00000000   005C0          .LONG    0
00000000   005C4          .LONG    0
00000000   005C8          .LONG    0
00000000'  005CC          .ADDRESS NML$Q_LOGEVE_NFBDSC
00000000   005D0          .LONG    0
00000000   005D4          .LONG    0
00000000   005D8          .LONG    0
00000000'  005DC P.AKK:   .ADDRESS U.636
00000000   005E0          .LONG    0
00000000'  005E4          .ADDRESS NML$Q_SNKSTA_NFBDSC
00000000   005E8          .LONG    0
00000000'  005EC          .ADDRESS NML$Q_SNKCHA_NFBDSC
00000000   005F0          .LONG    0
00000000   005F4          .LONG    0
00000000   005F8          .LONG    0
00000000'  005FC          .ADDRESS NML$Q_SNKEVE_NFBDSC
00000000   00600          .LONG    0
00000000   00604          .LONG    0
00000000   00608          .LONG    0
00000000'  0060C P.AKL:   .ADDRESS U.612
00000000'  00610          .ADDRESS NML$Q_NODSUM_TABDES
00000000'  00614          .ADDRESS U.610
00000000'  00618          .ADDRESS NML$Q_NODSTA_TABDES
00000000'  0061C          .ADDRESS U.614
00000000'  00620          .ADDRESS NML$Q_NODCHA_TABDES
00000000'  00624          .ADDRESS U.616
00000000'  00628          .ADDRESS NML$Q_NODCOU_TABDES
00000000   0062C          .LONG    0
00000000   00630          .LONG    0
00000000'  00634          .ADDRESS U.618
00000000   00638          .LONG    0
00000000'  0063C P.AKM:   .ADDRESS U.622
00000000'  00640          .ADDRESS NML$Q_NDNSUM_TABDES
00000000'  00644          .ADDRESS U.620
00000000'  00648          .ADDRESS NML$Q_NDNSTA_TABDES
00000000'  0064C          .ADDRESS U.624
00000000'  00650          .ADDRESS NML$Q_NDNCHA_TABDES
00000000'  00654          .ADDRESS U.626
00000000'  00658          .ADDRESS NML$Q_NDNCOU_TABDES
00000000   0065C          .LONG    0
00000000   00660          .LONG    0
00000000'  00664          .ADDRESS U.628
00000000   00668          .LONG    0
00000000'  0066C P.AKN:   .ADDRESS U.638
00000000'  00670          .ADDRESS NML$Q_LOOSUM_TABDES
00000000'  00674          .ADDRESS U.638
00000000'  00678          .ADDRESS NML$Q_LOOSUM_TABDES
00000000'  0067C          .ADDRESS U.638
00000000'  00680          .ADDRESS NML$Q_LOOSUM_TABDES
00000000   00684          .LONG    0
00000000   00688          .LONG    0
```

```
00000000  0068C            .LONG    0
00000000  00690            .LONG    0
00000000  00694            .LONG    0
00000000  00698            .LONG    0
00000000' 0069C  P.AKO:    .ADDRESS U.612
00000000' 006A0            .ADDRESS NML$Q_NODSUM_TABDES
00000000' 006A4            .ADDRESS U.610
00000000' 006A8            .ADDRESS NML$Q_NODSTA_TABDES
00000000' 006AC            .ADDRESS U.614
00000000' 006B0            .ADDRESS NML$Q_NODCHA_TABDES
00000000' 006B4            .ADDRESS U.616
00000000' 006B8            .ADDRESS NML$Q_NODCOU_TABDES
00000000  006BC            .LONG    0
00000000  006C0            .LONG    0
00000000  006C4            .LONG    0
00000000  006C8            .LONG    0
00000000' 006CC  P.AKP:    .ADDRESS U.642
00000000' 006D0            .ADDRESS NML$Q_EXESUM_TABDES
00000000' 006D4            .ADDRESS U.640
00000000' 006D8            .ADDRESS NML$Q_EXESTA_TABDES
00000000' 006DC            .ADDRESS U.644
00000000' 006E0            .ADDRESS NML$Q_EXECHA_TABDES
00000000' 006E4            .ADDRESS NML$Q_EXECOU_NFBDSC
00000000' 006E8            .ADDRESS NML$Q_EXECOU_TABDES
00000000  006EC            .LONG    0
00000000  006F0            .LONG    0
00000000' 006F4            .ADDRESS U.646
00000000  006F8            .LONG    0
00000000' 006FC  P.AKQ:    .ADDRESS U.692
00000000' 00700            .ADDRESS NML$Q_OBJSUM_TABDES
00000000' 00704            .ADDRESS U.690
00000000' 00708            .ADDRESS NML$Q_OBJSTA_TABDES
00000000' 0070C            .ADDRESS U.694
00000000' 00710            .ADDRESS NML$Q_OBJCHA_TABDES
00000000  00714            .LONG    0
00000000  00718            .LONG    0
00000000  0071C            .LONG    0
00000000  00720            .LONG    0
00000000  00724            .LONG    0
00000000  00728            .LONG    0
00000000' 0072C  P.AKR:    .ADDRESS U.584
00000000' 00730            .ADDRESS NML$Q_CIRSUM_TABDES
00000000' 00734            .ADDRESS U.584
00000000' 00738            .ADDRESS NML$Q_CIRSUM_TABDES
00000000' 0073C            .ADDRESS U.586
00000000' 00740            .ADDRESS NML$Q_CIRCHA_TABDES
00000000' 00744            .ADDRESS U.588
00000000' 00748            .ADDRESS NML$Q_CIRCOU_TABDES
00000000  0074C            .LONG    0
00000000  00750            .LONG    0
00000000' 00754            .ADDRESS U.590
00000000  00758            .LONG    0
00000000' 0075C  P.AKS:    .ADDRESS U.592
00000000' 00760            .ADDRESS NML$Q_CAJSUM_TABDES
00000000' 00764            .ADDRESS U.594
00000000' 00768            .ADDRESS NML$Q_CAJSTA_TABDES
00000000' 0076C            .ADDRESS U.596
```

```
00000000' 00770          .ADDRESS NML$Q_CAJCHA_TABDES
00000000  00774          .LONG    0
00000000  00778          .LONG    0
00000000  0077C          .LONG    0
00000000  00780          .LONG    0
00000000  00784          .LONG    0
00000000  00788          .LONG    0
00000000' 0078C P.AKT:   .ADDRESS U.598
00000000' 00790          .ADDRESS NML$Q_CSASUM_TABDES
00000000' 00794          .ADDRESS U.598
00000000' 00798          .ADDRESS NML$Q_CSASUM_TABDES
00000000' 0079C          .ADDRESS U.598
00000000' 007A0          .ADDRESS NML$Q_CSASUM_TABDES
00000000  007A4          .LONG    0
00000000  007A8          .LONG    0
00000000  007AC          .LONG    0
00000000  007B0          .LONG    0
00000000  007B4          .LONG    0
00000000  007B8          .LONG    0
00000000' 007BC P.AKU:   .ADDRESS U.630
00000000' 007C0          .ADDRESS NML$Q_ARESUM_TABDES
00000000' 007C4          .ADDRESS U.632
00000000' 007C8          .ADDRESS NML$Q_ARESTA_TABDES
00000000' 007CC          .ADDRESS U.630
00000000' 007D0          .ADDRESS NML$Q_ARESUM_TABDES
00000000  007D4          .LONG    0
00000000  007D8          .LONG    0
00000000  007DC          .LONG    0
00000000  007E0          .LONG    0
00000000  007E4          .LONG    0
00000000  007E8          .LONG    0
00000000' 007EC P.AKV:   .ADDRESS NML$Q_ACCSUM_NFBDSC
00000000' 007F0          .ADDRESS NML$Q_ACCSUM_TABDES
00000000' 007F4          .ADDRESS NML$Q_ACCSTA_NFBDSC
00000000' 007F8          .ADDRESS NML$Q_ACCSTA_TABDES
00000000' 007FC          .ADDRESS U.648
00000000' 00800          .ADDRESS NML$Q_ACCCHA_TABDES
00000000  00804          .LONG    0
00000000  00808          .LONG    0
00000000  0080C          .LONG    0
00000000  00810          .LONG    0
00000000  00814          .LONG    0
00000000  00818          .LONG    0
00000000' 0081C P.AKW:   .ADDRESS U.650
00000000' 00820          .ADDRESS NML$Q_NETCHA_TABDES
00000000' 00824          .ADDRESS U.650
00000000' 00828          .ADDRESS NML$Q_NETCHA_TABDES
00000000' 0082C          .ADDRESS U.650
00000000' 00830          .ADDRESS NML$Q_NETCHA_TABDES
00000000  00834          .LONG    0
00000000  00838          .LONG    0
00000000  0083C          .LONG    0
00000000  00840          .LONG    0
00000000  00844          .LONG    0
00000000  00848          .LONG    0
00000000' 0084C P.AKX:   .ADDRESS U.652
00000000' 00850          .ADDRESS NML$Q_DTESTA_TABDES
```

```
00000000' 00854          .ADDRESS U.652
00000000' 00858          .ADDRESS NML$Q_DTESTA_TABDES
00000000' 0085C          .ADDRESS U.654
00000000' 00860          .ADDRESS NML$Q_DTECHA_TABDES
00000000' 00864          .ADDRESS U.656
00000000' 00868          .ADDRESS NML$Q_DTECOU_TABDES
00000000  0086C          .LONG    0
00000000  00870          .LONG    0
00000000' 00874          .ADDRESS U.658
00000000  00878          .LONG    0
00000000' 0087C P.AKY:   .ADDRESS U.660
00000000' 00880          .ADDRESS NML$Q_GRPCHA_TABDES
00000000' 00884          .ADDRESS U.660
00000000' 00888          .ADDRESS NML$Q_GRPCHA_TABDES
00000000' 0088C          .ADDRESS U.660
00000000' 00890          .ADDRESS NML$Q_GRPCHA_TABDES
00000000  00894          .LONG    0
00000000  00898          .LONG    0
00000000  0089C          .LONG    0
00000000  008A0          .LONG    0
00000000  008A4          .LONG    0
00000000  008A8          .LONG    0
00000000' 008AC P.AKZ:   .ADDRESS U.662
00000000' 008B0          .ADDRESS NML$Q_SV5SUM_TABDES
00000000' 008B4          .ADDRESS U.662
00000000' 008B8          .ADDRESS NML$Q_SV5SUM_TABDES
00000000' 008BC          .ADDRESS U.664
00000000' 008C0          .ADDRESS NML$Q_SV5CHA_TABDES
00000000' 008C4          .ADDRESS U.666
00000000' 008C8          .ADDRESS NML$Q_SV5COU_TABDES
00000000  008CC          .LONG    0
00000000  008D0          .LONG    0
00000000' 008D4          .ADDRESS U.668
00000000  008D8          .LONG    0
00000000' 008DC P.ALA:   .ADDRESS U.670
00000000' 008E0          .ADDRESS NML$Q_DST5CHA_TABDES
00000000' 008E4          .ADDRESS U.670
00000000' 008E8          .ADDRESS NML$Q_DST5CHA_TABDES
00000000' 008EC          .ADDRESS U.670
00000000' 008F0          .ADDRESS NML$Q_DST5CHA_TABDES
00000000  008F4          .LONG    0
00000000  008F8          .LONG    0
00000000  008FC          .LONG    0
00000000  00900          .LONG    0
00000000  00904          .LONG    0
00000000  00908          .LONG    0
00000000' 0090C P.ALB:   .ADDRESS U.672
00000000' 00910          .ADDRESS NML$Q_TRASUM_TABDES
00000000' 00914          .ADDRESS U.672
00000000' 00918          .ADDRESS NML$Q_TRASUM_TABDES
00000000' 0091C          .ADDRESS U.674
00000000' 00920          .ADDRESS NML$Q_TRACHA_TABDES
00000000  00924          .LONG    0
00000000  00928          .LONG    0
00000000  0092C          .LONG    0
00000000  00930          .LONG    0
00000000  00934          .LONG    0
```

```
00000000  00938          .LONG    0
00000000' 0093C P.ALC:   .ADDRESS U.676
00000000' 00940          .ADDRESS NML$Q_TPTSUM_TABDES
00000000' 00944          .ADDRESS U.676
00000000' 00948          .ADDRESS NML$Q_TPTSUM_TABDES
00000000' 0094C          .ADDRESS U.678
00000000' 00950          .ADDRESS NML$Q_TPTCHA_TABDES
00000000  00954          .LONG    0
00000000  00958          .LONG    0
00000000  0095C          .LONG    0
00000000  00960          .LONG    0
00000000  00964          .LONG    0
00000000  00968          .LONG    0
00000000' 0096C P.ALD:   .ADDRESS U.680
00000000' 00970          .ADDRESS NML$Q_SV9SUM_TABDES
00000000' 00974          .ADDRESS U.680
00000000' 00978          .ADDRESS NML$Q_SV9SUM_TABDES
00000000' 0097C          .ADDRESS U.682
00000000' 00980          .ADDRESS NML$Q_SV9CHA_TABDES
00000000' 00984          .ADDRESS U.684
00000000' 00988          .ADDRESS NML$Q_SV9COU_TABDES
00000000  0098C          .LONG    0
00000000  00990          .LONG    0
00000000' 00994          .ADDRESS U.686
00000000  00998          .LONG    0
00000000' 0099C P.ALE:   .ADDRESS U.688
00000000' 009A0          .ADDRESS NML$Q_DST9CHA_TABDES
00000000' 009A4          .ADDRESS U.688
00000000' 009A8          .ADDRESS NML$Q_DST9CHA_TABDES
00000000' 009AC          .ADDRESS U.688
00000000' 009B0          .ADDRESS NML$Q_DST9CHA_TABDES
00000000  009B4          .LONG    0
00000000  009B8          .LONG    0
00000000  009BC          .LONG    0
00000000  009C0          .LONG    0
00000000  009C4          .LONG    0
00000000  009C8          .LONG    0
00000000  009CC P.ALF:   .LONG    0
00000000  009D0          .LONG    0
00000000  009D4          .LONG    0
00000000  009D8          .LONG    0
00000000  009DC          .LONG    0
00000000  009E0          .LONG    0
00000000  009E4          .LONG    0
00000000  009E8          .LONG    0
00000000  009EC          .LONG    0
00000000  009F0          .LONG    0
00000000  009F4          .LONG    0
00000000  009F8          .LONG    0
00000000' 009FC P.ALG:   .ADDRESS U.696
00000000' 00A00          .ADDRESS NML$Q_LNKSUM_TABDES
00000000' 00A04          .ADDRESS U.698
00000000' 00A08          .ADDRESS NML$Q_LNKSTA_TABDES
00000000' 00A0C          .ADDRESS U.700
00000000' 00A10          .ADDRESS NML$Q_LNKCHA_TABDES
00000000  00A14          .LONG    0
00000000  00A18          .LONG    0
```

```
00000000   00A1C           .LONG    0
00000000   00A20           .LONG    0
00000000   00A24           .LONG    0
00000000   00A28           .LONG    0
00000000'  00A2C P.AKH:    .ADDRESS P.AKI
00000000'  00A30           .ADDRESS P.AKJ
00000000'  00A34           .ADDRESS P.AKK
00000000'  00A38           .ADDRESS P.AKL
00000000'  00A3C           .ADDRESS P.AKM
00000000'  00A40           .ADDRESS P.AKN
00000000'  00A44           .ADDRESS P.AKO
00000000'  00A48           .ADDRESS P.AKP
00000000'  00A4C           .ADDRESS P.AKQ
00000000'  00A50           .ADDRESS P.AKR
00000000'  00A54           .ADDRESS P.AKS
00000000'  00A58           .ADDRESS P.AKT
00000000'  00A5C           .ADDRESS P.AKU
00000000'  00A60           .ADDRESS P.AKV
00000000'  00A64           .ADDRESS P.AKW
00000000'  00A68           .ADDRESS P.AKX
00000000'  00A6C           .ADDRESS P.AKY
00000000'  00A70           .ADDRESS P.AKZ
00000000'  00A74           .ADDRESS P.ALA
00000000'  00A78           .ADDRESS P.ALB
00000000'  00A7C           .ADDRESS P.ALC
00000000'  00A80           .ADDRESS P.ALD
00000000'  00A84           .ADDRESS P.ALE
00000000'  00A88           .ADDRESS P.ALF
00000000'  00A8C           .ADDRESS P.ALG
      01   00A90 P.AMR:    .BYTE    1
    0001   00A91           .WORD    1
    FFFF   00A93           .WORD    -1
      05   00A95           .BYTE    5
05020041   00A96           .LONG    84017217
00000001   00A9A           .LONG    1
00000001   00A9E           .LONG    1
FFFFFFFF   00AA2           .LONG    -1
00000000   00AA6           .LONG    0
      00   00AAA           .BYTE    0
05010011   00AAB           .LONG    83951633
00000000   00AAF           .LONG    0
00000001   00AB3           .LONG    1
      03   00AB7           .BYTE    3
00000000'  00AB8           .ADDRESS U.702
      02   00ABC           .BYTE    2
    0002   00ABD           .WORD    2
    00C8   00ABF           .WORD    200
      06   00AC1           .BYTE    6
06010010   00AC2           .LONG    100728848
00000001   00AC6           .LONG    1
00000001   00ACA           .LONG    1
FFFFFFFF   00ACE           .LONG    -1
00000000   00AD2           .LONG    0
      00   00AD6           .BYTE    0
00000001   00AD7           .LONG    1
FFFFFFFF   00ADB           .LONG    -1
00000000   00ADF           .LONG    0
```

```
       00  00AE3          .BYTE    0                                       ;
00000000'  00AE4          .ADDRESS U.703                                   ;
       02  00AE8          .BYTE    2                                       ;
     0002  00AE9          .WORD    2                                       ;
     FFFE  00AEB          .WORD    -2                                      ;
       07  00AED          .BYTE    7                                       ;
 07010010  00AEE          .LONG    117506064                               ;
 00000001  00AF2          .LONG    1                                       ;
 00000001  00AF6          .LONG    1                                       ;
 FFFFFFFF  00AFA          .LONG    -1                                      ;
 00000000  00AFE          .LONG    0                                       ;
       00  00B02          .BYTE    0                                       ;
 07010011  00B03          .LONG    117506065                               ;
 00000000  00B07          .LONG    0                                       ;
 00000001  00B0B          .LONG    1                                       ;
       03  00B0F          .BYTE    3                                       ;
00000000'  00B10          .ADDRESS U.704                                   ;
       00  00B14          .BYTE    0                                       ;
     0000  00B15          .WORD    0                                       ;
     01F6  00B17          .WORD    502                                     ;
       02  00B19          .BYTE    2                                       ;
 02010012  00B1A          .LONG    33619986                                ;
 00000001  00B1E          .LONG    1                                       ;
 00000001  00B22          .LONG    1                                       ;
 FFFFFFFF  00B26          .LONG    -1                                      ;
 00000000  00B2A          .LONG    0                                       ;
       00  00B2E          .BYTE    0                                       ;
 02000003  00B2F          .LONG    33554435                                ;
 00C00000  00B33          .LONG    0                                       ;
 00000001  00B37          .LONG    1                                       ;
       00  00B3B          .BYTE    0                                       ;
00000000'  00B3C          .ADDRESS U.706                                   ;
       00  00B40          .BYTE    0                                       ;
     0000  00B41          .WORD    0                                       ;
     01F4  00B43          .WORD    500                                     ;
       02  00B45          .BYTE    2                                       ;
 02020043  00B46          .LONG    33685571                                ;
 00000001  00B4A          .LONG    1                                       ;
 00000001  00B4E          .LONG    1                                       ;
 FFFFFFFF  00B52          .LONG    -1                                      ;
 00000000  00B56          .LONG    0                                       ;
       00  00B5A          .BYTE    0                                       ;
 02000003  00B5B          .LONG    33554435                                ;
 00000000  00B5F          .LONG    0                                       ;
 00000001  00B63          .LONG    1                                       ;
       00  00B67          .BYTE    0                                       ;
00000000'  00B68          .ADDRESS U.706                                   ;
       00  00B6C          .BYTE    0                                       ;
     0000  00B6D          .WORD    0                                       ;
     0001  00B6F          .WORD    1                                       ;
       02  00B71          .BYTE    2                                       ;
 02020043  00B72          .LONG    33685571                                ;
 00000001  00B76          .LONG    1                                       ;
 02000002  00B7A          .LONG    33554434                                ;
 00000000  00B7E          .LONG    0                                       ;
 00000001  00B82          .LONG    1                                       ;
       00  00B86          .BYTE    0                                       ;
 02000002  00B87        .LONG    33554434
 00000000  00B8B        .LONG    0
 00000001  00B8F        .LONG    1
       00  00B93        .BYTE    0
 00000000' 00B94        .ADDRESS U.706
       00  00B98        .BYTE    0
     0000  00B99        .WORD    0
     0000  00B9B        .WORD    0
       02  00B9D        .BYTE    2
 00000001  00B9E        .LONG    1
 00000001  00BA2        .LONG    1
 02010018  00BA6        .LONG    33619992
 00000000  00BAA        .LONG    0
 00000001  00BAE        .LONG    1
       00  00BB2        .BYTE    0
 00000001  00BB3        .LONG    1
 FFFFFFFF  00BB7        .LONG    -1
 00000000  00BBB        .LONG    0
       00  00BBF        .BYTE    0
 00000000  00BC0        .LONG    0
       00  00BC4        .BYTE    0
     0000  00BC5        .WORD    0
     0001  00BC7        .WORD    1
       01  00BC9        .BYTE    1
 00000001  00BCA        .LONG    1
 00000001  00BCE        .LONG    1
 00000001  00BD2        .LONG    1
 FFFFFFFF  00BD6        .LONG    -1
 00000000  00BDA        .LONG    0
       00  00BDE        .BYTE    0
 00000001  00BDF        .LONG    1
 FFFFFFFF  00BE3        .LONG    -1
 00000000  00BE7        .LONG    0
       00  00BEB        .BYTE    0
 00000000' 00BEC        .ADDRESS U.705
       03  00BF0        .BYTE    3
     0004  00BF1        .WORD    4
     01F4  00BF3        .WORD    500
       03  00BF5        .BYTE    3
 03020044  00BF6        .LONG    50462788
 00000001  00BFA        .LONG    1
 00000001  00BFE        .LONG    1
 FFFFFFFF  00C02        .LONG    -1
 00000000  00C06        .LONG    0
       00  00C0A        .BYTE    0
 00000001  00C0B        .LONG    1
 FFFFFFFF  00C0F        .LONG    -1
 00000000  00C13        .LONG    0
       00  00C17        .BYTE    0
 00000000' 00C18        .ADDRESS U.718
       04  00C1C        .BYTE    4
     0003  00C1D        .WORD    3
     FFFC  00C1F        .WORD    -4
       04  00C21        .BYTE    4
 04020041  00C22        .LONG    67240001
 00000001  00C26        .LONG    1
 00000001  00C2A        .LONG    1
 FFFFFFFF  00C2E          .LONG    -1
 00000000  00C32          .LONG    0
       00  00C36          .BYTE    0
 04010013  00C37          .LONG    67174419
 00000000  00C3B          .LONG    0
 00000001  00C3F          .LONG    1
       03  00C43          .BYTE    3
 00000000' 00C44          .ADDRESS U.701
       00  00C48          .BYTE    0
     0003  00C49          .WORD    3
     0000  00C4B          .WORD    0
       13  00C4D          .BYTE    19
 13020042  00C4E          .LONG    318898242
 00000001  00C52          .LONG    1
 00000001  00C56          .LONG    1
 FFFFFFFF  00C5A          .LONG    -1
 00000000  00C5E          .LONG    0
       00  00C62          .BYTE    0
 13000002  00C63          .LONG    318767106
 00000000  00C67          .LONG    0
 00000001  00C6B          .LONG    1
       00  00C6F          .BYTE    0
 00000000  00C70          .LONG    0
       00  00C74          .BYTE    0
     0003  00C75          .WORD    3
     0000  00C77          .WORD    0
       1A  00C79          .BYTE    26
 1A020041  00C7A          .LONG    436338753
 00000001  00C7E          .LONG    1
 00000001  00C82          .LONG    1
 FFFFFFFF  00C86          .LONG    -1
 00000000  00C8A          .LONG    0
       00  00C8E          .BYTE    0
 00000001  00C8F          .LONG    1
 FFFFFFFF  00C93          .LONG    -1
 00000000  00C97          .LONG    0
       00  00C9B          .BYTE    0
 00000000  00C9C          .LONG    0
       00  00CA0          .BYTE    0
     0005  00CA1          .WORD    5
     0000  00CA3          .WORD    0
       14  00CA5          .BYTE    20
 14010010  00CA6          .LONG    335609872
 00000001  00CAA          .LONG    1
 00000001  00CAE          .LONG    1
 FFFFFFFF  00CB2          .LONG    -1
 00000000  00CB6          .LONG    0
       00  00CBA          .BYTE    0
 14000002  00CBB          .LONG    335544322
 00000000  00CBF          .LONG    0
 00000001  00CC3          .LONG    1
       00  00CC7          .BYTE    0
 00000000  00CC8          .LONG    0
       05  00CCC          .BYTE    5
     0004  00CCD          .WORD    4
     FFF6  00CCF          .WORD    -10
       1B  00CD1          .BYTE    27
 1B020041  00CD2        .LONG   453115969
 00000001  00CD6        .LONG   1
 00000001  00CDA        .LONG   1
 FFFFFFFF  00CDE        .LONG   -1
 00000000  00CE2        .LONG   0
       00  00CE6        .BYTE   0
 00000001  00CE7        .LONG   1
 FFFFFFFF  00CEB        .LONG   -1
 00000000  00CEF        .LONG   0
       00  00CF3        .BYTE   0
00000000'  00CF4        .ADDRESS U.707
       05  00CF8        .BYTE   5
     0004  00CF9        .WORD   4
     0456  00CFB        .WORD   1110
       09  00CFD        .BYTE   9
 09020041  00CFE        .LONG   151126081
 00000001  00D02        .LONG   1
 00000001  00D06        .LONG   1
 FFFFFFFF  00D0A        .LONG   -1
 00000000  00D0E        .LONG   0
       00  00D12        .BYTE   0
 00000001  00D13        .LONG   1
 FFFFFFFF  00D17        .LONG   -1
 00000000  00D1B        .LONG   0
       00  00D1F        .BYTE   0
00000000'  00D20        .ADDRESS U.708
       05  00D24        .BYTE   5
     0004  00D25        .WORD   4
     044C  00D27        .WORD   1100
       0B  00D29        .BYTE   11
 0B020041  00D2A        .LONG   184680513
 00000001  00D2E        .LONG   1
 00000001  00D32        .LONG   1
 FFFFFFFF  00D36        .LONG   -1
 00000000  00D3A        .LONG   0
       00  00D3E        .BYTE   0
 00000001  00D3F        .LONG   1
 FFFFFFFF  00D43        .LONG   -1
 00000000  00D47        .LONG   0
       00  00D4B        .BYTE   0
00000000'  00D4C        .ADDRESS U.709
       05  00D50        .BYTE   5
     0004  00D51        .WORD   4
     044D  00D53        .WORD   1101
       0A  00D55        .BYTE   10
 0A020041  00D56        .LONG   167903297
 0A020042  00D5A        .LONG   167903298
 00000001  00D5E        .LONG   1
 FFFFFFFF  00D62        .LONG   -1
 00000000  00D66        .LONG   0
       00  00D6A        .BYTE   0
 00000001  00D6B        .LONG   1
 FFFFFFFF  00D6F        .LONG   -1
 00000000  00D73        .LONG   0
       00  00D77        .BYTE   0
00000000'  00D78        .ADDRESS U.710
       05  00D7C        .BYTE   5
     0004  00D7D          .WORD   4
     FFFA  00D7F          .WORD   -6
       0C  00D81          .BYTE   12
 00000001  00D82          .LONG   1
 00000001  00D86          .LONG   1
 00000001  00D8A          .LONG   1
 FFFFFFFF  00D8E          .LONG   -1
 00000000  00D92          .LONG   0
       00  00D96          .BYTE   0
 00000001  00D97          .LONG   1
 FFFFFFFF  00D9B          .LONG   -1
 00000000  00D9F          .LONG   0
       00  00DA3          .BYTE   0
00000000'  00DA4          .ADDRESS U.711
       05  00DA8          .BYTE   5
     0004  00DA9          .WORD   4
     012C  00DAB          .WORD   300
       0D  00DAD          .BYTE   13
 0D020041  00DAE          .LONG   218234945
 00000001  00DB2          .LONG   1
 00000001  00DB6          .LONG   1
 FFFFFFFF  00DBA          .LONG   -1
 00000000  00DBE          .LONG   0
       00  00DC2          .BYTE   0
 00000001  00DC3          .LONG   1
 FFFFFFFF  00DC7          .LONG   -1
 00000000  00DCB          .LONG   0
       00  00DCF          .BYTE   0
00000000'  00DD0          .ADDRESS U.712
       05  00DD4          .BYTE   5
     0004  00DD5          .WORD   4
     FFF8  00DD7          .WORD   -8
       10  00DD9          .BYTE   16
 00000001  00DDA          .LONG   1
 00000001  00DDE          .LONG   1
 00000001  00DE2          .LONG   1
 FFFFFFFF  00DE6          .LONG   -1
 00000000  00DEA          .LONG   0
       00  00DEE          .BYTE   0
 00000001  00DEF          .LONG   1
 FFFFFFFF  00DF3          .LONG   -1
 00000000  00DF7          .LONG   0
       00  00DFB          .BYTE   0
00000000'  00DFC          .ADDRESS U.713
       05  00E00          .BYTE   5
     0004  00E01          .WORD   4
     006A  00E03          .WORD   106
       11  00E05          .BYTE   17
 11020041  00E06          .LONG   285343809
 00000001  00E0A          .LONG   1
 00000001  00E0E          .LONG   1
 FFFFFFFF  00E12          .LONG   -1
 00000000  00E16          .LONG   0
       00  00E1A          .BYTE   0
 00000001  00E1B          .LONG   1
 FFFFFFFF  00E1F          .LONG   -1
 00000000  00E23          .LONG   0
```

```
       00  00E27         .BYTE    0
00000000'  00E28         .ADDRESS U.714
       06  00E2C         .BYTE    6
     0004  00E2D         .WORD    4
     FFF9  00E2F         .WORD    -7
       0E  00E31         .BYTE    14
 00000001  00E32         .LONG    1
 00000001  00E36         .LONG    1
 00000001  00E3A         .LONG    1
 FFFFFFFF  00E3E         .LONG    -1
 00000000  00E42         .LONG    0
       00  00E46         .BYTE    0
 00000001  00E47         .LONG    1
 FFFFFFFF  00E4B         .LONG    -1
 00000000  00E4F         .LONG    0
       00  00E53         .BYTE    0
00000000'  00E54         .ADDRESS U.715
       06  00E58         .BYTE    6
     0004  00E59         .WORD    4
     012C  00E5B         .WORD    300
       0F  00E5D         .BYTE    15
 0F020041  00E5E         .LONG    251789377
 00000001  00E62         .LONG    1
 00000001  00E66         .LONG    1
 FFFFFFFF  00E6A         .LONG    -1
 00000000  00E6E         .LONG    0
       00  00E72         .BYTE    0
 00000001  00E73         .LONG    1
 FFFFFFFF  00E77         .LONG    -1
 00000000  00E7B         .LONG    0
       00  00E7F         .BYTE    0
00000000'  00E80         .ADDRESS U.716
       07  00E84         .BYTE    7
     0004  00E85         .WORD    4
     0064  00E87         .WORD    100
       00  00E89         .BYTE    0
 00000001  00E8A         .LONG    1
 00000001  00E8E         .LONG    1
 00000001  00E92         .LONG    1
 00000000  00E96         .LONG    0
 00000000  00E9A         .LONG    0
       00  00E9E         .BYTE    0
 00000001  00E9F         .LONG    1
 00000000  00EA3         .LONG    0
 00000000  00EA7         .LONG    0
       00  00EAB         .BYTE    0
00000000'  00EAC         .ADDRESS U.717
       00  00EB0         .BYTE    0
     0007  00EB1         .WORD    7
     0000  00EB3         .WORD    0
       08  00EB5         .BYTE    8
 08010012  00EB6         .LONG    134283282
 00000001  00EBA         .LONG    1
 00000001  00EBE         .LONG    1
 FFFFFFFF  00EC2         .LONG    -1
 00000000  00EC6         .LONG    0
       00  00ECA         .BYTE    0
```

```
                00000001  00ECB           .LONG    1                              ;
                FFFFFFFF  00ECF           .LONG    -1                             ;
                00000000  00ED3           .LONG    0                              ;
                      00  00ED7           .BYTE    0                              ;
                00000000  00ED8           .LONG    0                              ;

                                          .PSECT   $OWN$,NOEXE,2

                      22  00000  ;_NFB
                                 U.583:   .BYTE    34                             ;
                      00  00001           .BYTE    0                              ;
                      04  00002           .BYTE    4                              ;
                      00  00003           .BYTE    0                              ;
                04020041  00004           .LONG    67240001                       ;
                00000001  00008           .LONG    1                              ;
                      00  0000C           .BYTE    0                              ;
                      00  0000D           .BYTE    0                              ;
                    0000  0000E           .WORD    0                              ;
                04010020  00010           .LONG    67174432                       ;
                04020041  00014           .LONG    67240001                       ;
                04010013  00018           .LONG    67174419                       ;
                04010014  0001C           .LONG    67174420                       ;
                04020046  00020           .LONG    67240006                       ;
                00000000  00024           .LONG    0                              ;
                          00028           .BLKB    4
                      22  0002C  ;_NFB
                                 U.585:   .BYTE    34                             ;
                      00  0002D           .BYTE    0                              ;
                      04  0002E           .BYTE    4                              ;
                      00  0002F           .BYTE    0                              ;
                04020041  00030           .LONG    67240001                       ;
                00000001  00034           .LONG    1                              ;
                      00  00038           .BYTE    0                              ;
                      00  00039           .BYTE    0                              ;
                    0000  0003A           .WORD    0                              ;
                04010020  0003C           .LONG    67174432                       ;
                04020041  00040           .LONG    67240001                       ;
                04010013  00044           .LONG    67174419                       ;
                04010014  00048           .LONG    67174420                       ;
                04000002  0004C           .LONG    67108866                       ;
                04010015  00050           .LONG    67174421                       ;
                04020046  00054           .LONG    67240006                       ;
                04010036  00058           .LONG    67174454                       ;
                04010018  0005C           .LONG    67174424                       ;
                04010034  00060           .LONG    67174452                       ;
                04010035  00064           .LONG    67174453                       ;
                04010019  00068           .LONG    67174425                       ;
                04000003  0006C           .LONG    67108867                       ;
                0401001B  00070           .LONG    67174427                       ;
                0401001C  00074           .LONG    67174428                       ;
                04020048  00078           .LONG    67240008                       ;
                0401001D  0007C           .LONG    67174429                       ;
                0401001E  00080           .LONG    67174430                       ;
                04000005  00084           .LONG    67108869                       ;
                0401001F  00088           .LONG    67174431                       ;
                04010020  0008C           .LONG    67174432                       ;
                04020049  00090           .LONG    67240009                       ;
```

```
04010021  00094           .LONG   67174433
04010022  00098           .LONG   67174434
04010023  0009C           .LONG   67174435
04010024  000A0           .LONG   67174436
04010025  000A4           .LONG   67174437
04010026  000A8           .LONG   67174438
04010027  000AC           .LONG   67174439
04010028  000B0           .LONG   67174440
04010029  000B4           .LONG   67174441
0401002A  000B8           .LONG   67174442
0401002B  000BC           .LONG   67174443
0401002C  000C0           .LONG   67174444
0401002D  000C4           .LONG   67174445
0401002E  000C8           .LONG   67174446
0401002F  000CC           .LONG   67174447
04010030  000D0           .LONG   67174448
04010031  000D4           .LONG   67174449
04000004  000D8           .LONG   67108868
04010033  000DC           .LONG   67174451
00000000  000E0           .LONG   0
          000E4           .BLKB   4
      22  000E8  ;_NFB
                 U.587:   .BYTE   34
      00  000E9           .BYTE   0
      04  000EA           .BYTE   4
      00  000EB           .BYTE   0
04020041  000EC           .LONG   67240001
00000001  000F0           .LONG   1
      00  000F4           .BYTE   0
      00  000F5           .BYTE   0
    0000  000F6           .WORD   0
04010020  000F8           .LONG   67174432
04020041  000FC           .LONG   67240001
04020044  00100           .LONG   67240004
00000000  00104           .LONG   0
          00108           .BLKB   4
      25  0010C  ;_NFB
                 U.589:   .BYTE   37
      00  0010D           .BYTE   0
      04  0010E           .BYTE   4
      00  0010F           .BYTE   0
04020041  00110           .LONG   67240001
00000001  00114           .LONG   1
      00  00118           .BYTE   0
      00  00119           .BYTE   0
    0000  0011A           .WORD   0
04020044  0011C           .LONG   67240004
00000000  00120           .LONG   0
          00124           .BLKB   4
      22  00128  ;_NFB
                 U.591:   .BYTE   34
      00  00129           .BYTE   0
      13  0012A           .BYTE   19
      00  0012B           .BYTE   0
13020042  0012C           .LONG   318898242
00000001  00130           .LONG   1
      00  00134           .BYTE   0
      00  00135                .BYTE   0                                ;
    0000  00136                .WORD   0                                ;
13020042  00138                .LONG   318898242                        ;
13010010  0013C                .LONG   318832656                        ;
13020041  00140                .LONG   318898241                        ;
00000000  00144                .LONG   0                                ;
          00148                .BLKB   4
      22  0014C  ;_NFB
                 U.593:        .BYTE   34                               ;
      00  0014D                .BYTE   0                                ;
      13  0014E                .BYTE   19                               ;
      00  0014F                .BYTE   0                                ;
13020042  00150                .LONG   318898242                        ;
00000001  00154                .LONG   1                                ;
      00  00158                .BYTE   0                                ;
      00  00159                .BYTE   0                                ;
    0000  0015A                .WORD   0                                ;
13020042  0015C                .LONG   318898242                        ;
13010010  00160                .LONG   318832656                        ;
13020041  00164                .LONG   318898241                        ;
13010013  00168                .LONG   318832659                        ;
00000000  0016C                .LONG   0                                ;
          00170                .BLKB   4
      22  00174  ;_NFB
                 U.595:        .BYTE   34                               ;
      00  00175                .BYTE   0                                ;
      13  00176                .BYTE   19                               ;
      00  00177                .BYTE   0                                ;
13020042  00178                .LONG   318898242                        ;
00000001  0017C                .LONG   1                                ;
      00  00180                .BYTE   0                                ;
      00  00181                .BYTE   0                                ;
    0000  00182                .WORD   0                                ;
13020042  00184                .LONG   318898242                        ;
13010010  00188                .LONG   318832656                        ;
13020041  0018C                .LONG   318898241                        ;
13010012  00190                .LONG   318832658                        ;
00000000  00194                .LONG   0                                ;
          00198                .BLKB   4
      22  0019C  ;_NFB
                 U.597:        .BYTE   34                               ;
      00  0019D                .BYTE   0                                ;
      1A  0019E                .BYTE   26                               ;
      00  0019F                .BYTE   0                                ;
1A020041  001A0                .LONG   436338753                        ;
00000001  001A4                .LONG   1                                ;
      00  001A8                .BYTE   0                                ;
      00  001A9                .BYTE   0                                ;
    0000  001AA                .WORD   0                                ;
1A020041  001AC                .LONG   436338753                        ;
1A020042  001B0                .LONG   436338754                        ;
1A010010  001B4                .LONG   436273168                        ;
00000000  001B8                .LONG   0                                ;
          001BC                .BLKB   4
      22  001C0  ;_NFB
                 U.599:        .BYTE   34                               ;
      00  001C1                .BYTE   0                                ;
      05  001C2                 .BYTE   5
      00  001C3                 .BYTE   0
05020041  001C4                 .LONG   84017217
00000001  001C8                 .LONG   1
      00  001CC                 .BYTE   0
      00  001CD                 .BYTE   0
    0000  001CE                 .WORD   0
05020041  001D0                 .LONG   84017217
05010011  001D4                 .LONG   83951633
05010012  001D8                 .LONG   83951634
00000000  001DC                 .LONG   0
          001E0                 .BLKB   4
      22  001E4  ;_NFB
                 U.601:         .BYTE   34
      00  001E5                 .BYTE   0
      05  001E6                 .BYTE   5
      00  001E7                 .BYTE   0
05020041  001E8                 .LONG   84017217
00000001  001EC                 .LONG   1
      00  001F0                 .BYTE   0
      00  001F1                 .BYTE   0
    0000  001F2                 .WORD   0
05020041  001F4                 .LONG   84017217
05010011  001F8                 .LONG   83951633
05010012  001FC                 .LONG   83951634
00000000  00200                 .LONG   0
          00204                 .BLKB   4
      22  00208  ;_NFB
                 U.603:         .BYTE   34
      00  00209                 .BYTE   0
      05  0020A                 .BYTE   5
      00  0020B                 .BYTE   0
05020041  0020C                 .LONG   84017217
00000001  00210                 .LONG   1
      00  00214                 .BYTE   0
      00  00215                 .BYTE   0
    0000  00216                 .WORD   0
05020041  00218                 .LONG   84017217
05000002  0021C                 .LONG   83886082
05010013  00220                 .LONG   83951635
0501001E  00224                 .LONG   83951646
05000004  00228                 .LONG   83886084
05000003  0022C                 .LONG   83886083
05010014  00230                 .LONG   83951636
05000005  00234                 .LONG   83886085
05010015  00238                 .LONG   83951637
05010021  0023C                 .LONG   83951649
05010016  00240                 .LONG   83951638
05010017  00244                 .LONG   83951639
05010018  00248                 .LONG   83951640
05010019  0024C                 .LONG   83951641
0501001A  00250                 .LONG   83951642
0501001B  00254                 .LONG   83951643
0501001C  00258                 .LONG   83951644
0501001D  0025C                 .LONG   83951645
05020046  00260                 .LONG   84017222
05010022  00264                 .LONG   83951650
```

```
05010026  00268            .LONG   83951654                                        ;
05010027  0026C            .LONG   83951655                                        ;
00000000  00270            .LONG   0                                               ;
          00274            .BLKB   4
      22  00278  ;_NFB
                 U.605:    .BYTE   34                                              ;
      00  00279            .BYTE   0                                               ;
      05  0027A            .BYTE   5                                               ;
      00  0027B            .BYTE   0                                               ;
05020041  0027C            .LONG   84017217                                        ;
00000001  00280            .LONG   1                                               ;
      00  00284            .BYTE   0                                               ;
      00  00285            .BYTE   0                                               ;
    0000  00286            .WORD   0                                               ;
05020041  00288            .LONG   84017217                                        ;
05020044  0028C            .LONG   84017220                                        ;
00000000  00290            .LONG   0                                               ;
          00294            .BLKB   4
      25  00298  ;_NFB
                 U.607:    .BYTE   37                                              ;
      00  00299            .BYTE   0                                               ;
      05  0029A            .BYTE   5                                               ;
      00  0029B            .BYTE   0                                               ;
05020041  0029C            .LONG   84017217                                        ;
00000001  002A0            .LONG   1                                               ;
      00  002A4            .BYTE   0                                               ;
      00  002A5            .BYTE   0                                               ;
    0000  002A6            .WORD   0                                               ;
05020044  002A8            .LONG   84017220                                        ;
00000000  002AC            .LONG   0                                               ;
          002B0            .BLKB   4
      22  002B4  ;_NFB
                 U.609:    .BYTE   34                                              ;
      00  002B5            .BYTE   0                                               ;
      02  002B6            .BYTE   2                                               ;
      00  002B7            .BYTE   0                                               ;
02010012  002B8            .LONG   33619986                                        ;
00000001  002BC            .LONG   1                                               ;
      00  002C0            .BYTE   0                                               ;
      00  002C1            .BYTE   0                                               ;
    0000  002C2            .WORD   0                                               ;
02010010  002C4            .LONG   33619984                                        ;
02020043  002C8            .LONG   33685571                                        ;
02000003  002CC            .LONG   33554435                                        ;
02010014  002D0            .LONG   33619988                                        ;
02010015  002D4            .LONG   33619989                                        ;
02010016  002D8            .LONG   33619990                                        ;
02010017  002DC            .LONG   33619991                                        ;
02010018  002E0            .LONG   33619992                                        ;
0202004D  002E4            .LONG   33685581                                        ;
02010022  002E8            .LONG   33620002                                        ;
02020059  002EC            .LONG   33685593                                        ;
00000000  002F0            .LONG   0                                               ;
          002F4            .BLKB   4
      22  002F8  ;_NFB
                 U.611:    .BYTE   34                                              ;
      00  002F9            .BYTE   0                                               ;
      02  002FA              .BYTE    2
      00  002FB              .BYTE    0
02010012  002FC              .LONG    33619986
00000001  00300              .LONG    1
      00  00304              .BYTE    0
      00  00305              .BYTE    0
    0000  00306              .WORD    0
02010010  00308              .LONG    33619984
02020043  0030C              .LONG    33685571
02000003  00310              .LONG    33554435
0202004C  00314              .LONG    33685580
02010014  00318              .LONG    33619988
02010015  0031C              .LONG    33619989
0202004D  00320              .LONG    33685581
02010022  00324              .LONG    33620002
02020059  00328              .LONG    33685593
00000000  0032C              .LONG    0
          00330              .BLKB    4
      22  00334  ;_NFB
                 U.613:      .BYTE    34
      00  00335              .BYTE    0
      02  00336              .BYTE    2
      00  00337              .BYTE    0
02010012  00338              .LONG    33619986
00000001  0033C              .LONG    1
      00  00340              .BYTE    0
      00  00341              .BYTE    0
    0000  00342              .WORD    0
02010010  00344              .LONG    33619984
02020043  00348              .LONG    33685571
02020044  0034C              .LONG    33685572
02020045  00350              .LONG    33685573
02010019  00354              .LONG    33619993
0201001A  00358              .LONG    33619994
02020057  0035C              .LONG    33685591
02010023  00360              .LONG    33620003
02020046  00364              .LONG    33685574
02020047  00368              .LONG    33685575
02020048  0036C              .LONG    33685576
02020056  00370              .LONG    33685590
0201001B  00374              .LONG    33619995
02020049  00378              .LONG    33685577
0202004A  0037C              .LONG    33685578
0202004B  00380              .LONG    33685579
0201001C  00384              .LONG    33619996
0201001D  00388              .LONG    33619997
0201001F  0038C              .LONG    33619999
02010013  00390              .LONG    33619987
0202004C  00394              .LONG    33685580
0202004E  00398              .LONG    33685582
0202004F  0039C              .LONG    33685583
02020050  003A0              .LONG    33685584
02020051  003A4              .LONG    33685585
02020052  003A8              .LONG    33685586
02020053  003AC              .LONG    33685587
02020054  003B0              .LONG    33685588
02020055  003B4              .LONG    33685589
```

```
02010020  003B8              .LONG    33620000                                 ;
00000000  003BC              .LONG    0                                        ;
          003C0              .BLKB    4
      22  003C4  ;_NFB
                 U.615:      .BYTE    34                                       ;
      00  003C5              .BYTE    0                                        ;
      02  003C6              .BYTE    2                                        ;
      00  003C7              .BYTE    0                                        ;
02010012  003C8              .LONG    33619986                                 ;
00000001  003CC              .LONG    1                                        ;
      00  003D0              .BYTE    0                                        ;
      00  003D1              .BYTE    0                                        ;
    0000  003D2              .WORD    0                                        ;
02010010  003D4              .LONG    33619984                                 ;
02020043  003D8              .LONG    33685571                                 ;
02020042  003DC              .LONG    33685570                                 ;
00000000  003E0              .LONG    0                                        ;
          003E4              .BLKB    4
      25  003E8  ;_NFB
                 U.617:      .BYTE    37                                       ;
      00  003E9              .BYTE    0                                        ;
      02  003EA              .BYTE    2                                        ;
      00  003EB              .BYTE    0                                        ;
02010012  003EC              .LONG    33619986                                 ;
00000001  003F0              .LONG    1                                        ;
      00  003F4              .BYTE    0                                        ;
      00  003F5              .BYTE    0                                        ;
    0000  003F6              .WORD    0                                        ;
02020042  003F8              .LONG    33685570                                 ;
00000000  003FC              .LONG    0                                        ;
          00400              .BLKB    4
      22  00404  ;_NFB
                 U.619:      .BYTE    34                                       ;
      00  00405              .BYTE    0                                        ;
      02  00406              .BYTE    2                                        ;
      00  00407              .BYTE    0                                        ;
02020043  00408              .LONG    33685571                                 ;
00000001  0040C              .LONG    1                                        ;
      00  00410              .BYTE    0                                        ;
      00  00411              .BYTE    0                                        ;
    0000  00412              .WORD    0                                        ;
02000002  00414              .LONG    33554434                                 ;
02010010  00418              .LONG    33619984                                 ;
02020043  0041C              .LONG    33685571                                 ;
02000003  00420              .LONG    33554435                                 ;
02010014  00424              .LONG    33619988                                 ;
02010015  00428              .LONG    33619989                                 ;
02010016  0042C              .LONG    33619990                                 ;
02010017  00430              .LONG    33619991                                 ;
02010018  00434              .LONG    33619992                                 ;
0202004D  00438              .LONG    33685581                                 ;
02010022  0043C              .LONG    33620002                                 ;
02020059  00440              .LONG    33685593                                 ;
00000000  00444              .LONG    0                                        ;
          00448              .BLKB    4
      22  0044C  ;_NFB
                 U.621:      .BYTE    34                                       ;
      00  0044D            .BYTE   0
      02  0044E            .BYTE   2
      00  0044F            .BYTE   0
02020043  00450            .LONG   33685571
00000001  00454            .LONG   1
      00  00458            .BYTE   0
      00  00459            .BYTE   0
    0000  0045A            .WORD   0
02000002  0045C            .LONG   33554434
02010010  00460            .LONG   33619984
02020043  00464            .LONG   33685571
02000003  00468            .LONG   33554435
0202004C  0046C            .LONG   33685580
02010014  00470            .LONG   33619988
02010015  00474            .LONG   33619989
0202004D  00478            .LONG   33685581
02010022  0047C            .LONG   33620002
02020059  00480            .LONG   33685593
00000000  00484            .LONG   0
          00488            .BLKB   4
      22  0048C  ;_NFB
                 U.623:    .BYTE   34
      00  0048D            .BYTE   0
      02  0048E            .BYTE   2
      00  0048F            .BYTE   0
02020043  00490            .LONG   33685571
00000001  00494            .LONG   1
      00  00498            .BYTE   0
      00  00499            .BYTE   0
    0000  0049A            .WORD   0
02000002  0049C            .LONG   33554434
02010010  004A0            .LONG   33619984
02020043  004A4            .LONG   33685571
02020044  004A8            .LONG   33685572
02020045  004AC            .LONG   33685573
02010019  004B0            .LONG   33619993
0201001A  004B4            .LONG   33619994
02020057  004B8            .LONG   33685591
02010023  004BC            .LONG   33620003
02020046  004C0            .LONG   33685574
02020047  004C4            .LONG   33685575
02020048  004C8            .LONG   33685576
02020056  004CC            .LONG   33685590
0201001B  004D0            .LONG   33619995
02020049  004D4            .LONG   33685577
0202004A  004D8            .LONG   33685578
0202004B  004DC            .LONG   33685579
0201001C  004E0            .LONG   33619996
0201001D  004E4            .LONG   33619997
0201001F  004E8            .LONG   33619999
02010013  004EC            .LONG   33619987
0202004C  004F0            .LONG   33685580
0202004E  004F4            .LONG   33685582
0202004F  004F8            .LONG   33685583
02020050  004FC            .LONG   33685584
02020051  00500            .LONG   33685585
02020052  00504            .LONG   33685586
```

```
02020053  00508            .LONG    33685587
02020054  0050C            .LONG    33685588
02020055  00510            .LONG    33685589
02010020  00514            .LONG    33620000
00000000  00518            .LONG    0
          0051C            .BLKB    4
      22  00520  ;_NFB
                 U.625:    .BYTE    34
      00  00521            .BYTE    0
      02  00522            .BYTE    2
      00  00523            .BYTE    0
02020043  00524            .LONG    33685571
00000001  00528            .LONG    1
      00  0052C            .BYTE    0
      00  0052D            .BYTE    0
    0000  0052E            .WORD    0
02000002  00530            .LONG    33554434
02010010  00534            .LONG    33619984
02020043  00538            .LONG    33685571
02020042  0053C            .LONG    33685570
00000000  00540            .LONG    0
          00544            .BLKB    4
      25  00548  ;_NFB
                 U.627:    .BYTE    37
      00  00549            .BYTE    0
      02  0054A            .BYTE    2
      00  0054B            .BYTE    0
02020043  0054C            .LONG    33685571
00000001  00550            .LONG    1
      00  00554            .BYTE    0
      00  00555            .BYTE    0
    0000  00556            .WORD    0
02020042  00558            .LONG    33685570
00000000  0055C            .LONG    0
          00560            .BLKB    4
      22  00564  ;_NFB
                 U.629:    .BYTE    34
      00  00565            .BYTE    0
      14  00566            .BYTE    20
      00  00567            .BYTE    0
14010010  00568            .LONG    335609872
00000001  0056C            .LONG    1
      00  00570            .BYTE    0
      00  00571            .BYTE    0
    0000  00572            .WORD    0
14010010  00574            .LONG    335609872
14000002  00578            .LONG    335544322
14020041  0057C            .LONG    335675457
14010013  00580            .LONG    335609875
00000000  00584            .LONG    0
          00588            .BLKB    4
      22  0058C  ;_NFB
                 U.631:    .BYTE    34
      00  0058D            .BYTE    0
      14  0058E            .BYTE    20
      00  0058F            .BYTE    0
14010010  00590            .LONG    335609872
```

```
        00000001  00594             .LONG   1
              00  00598             .BYTE   0
              00  00599             .BYTE   0
            0000  0059A             .WORD   0
        14010010  0059C             .LONG   335609872
        14000002  005A0             .LONG   335544322
        14010011  005A4             .LONG   335609873
        14010012  005A8             .LONG   335609874
        14020041  005AC             .LONG   335675457
        14010013  005B0             .LONG   335609875
        00000000  005B4             .LONG   0
                  005B8             .BLKB   4
              22  005BC ;_NFB
                        U.633:      .BYTE   34
              00  005BD             .BYTE   0
              06  005BE             .BYTE   6
              00  005BF             .BYTE   0
        06010010  005C0             .LONG   100728848
        00000001  005C4             .LONG   1
              00  005C8             .BYTE   0
              00  005C9             .BYTE   0
            0000  005CA             .WORD   0
        06020041  005CC             .LONG   100794433
        00000000  005D0             .LONG   0
                  005D4             .BLKB   4
              22  005D8 ;_NFB
                        U.635:      .BYTE   34
              00  005D9             .BYTE   0
              07  005DA             .BYTE   7
              00  005DB             .BYTE   0
        07010010  005DC             .LONG   117506064
        00000001  005E0             .LONG   1
              00  005E4             .BYTE   0
              00  005E5             .BYTE   0
            0000  005E6             .WORD   0
        07010011  005E8             .LONG   117506065
        07020041  005EC             .LONG   117571649
        00000000  005F0             .LONG   0
                  005F4             .BLKB   4
              22  005F8 ;_NFB
                        U.637:      .BYTE   34
              00  005F9             .BYTE   0
              02  005FA             .BYTE   2
              00  005FB             .BYTE   0
        02020043  005FC             .LONG   33685571
        00000001  00600             .LONG   1
              00  00604             .BYTE   0
              00  00605             .BYTE   0
            0000  00606             .WORD   0
        02010010  00608             .LONG   33619984
        02020043  0060C             .LONG   33685571
        0202004C  00610             .LONG   33685580
        00000000  00614             .LONG   0
                  00618             .BLKB   4
              22  0061C ;_NFB
                        U.639:      .BYTE   34
              00  0061D             .BYTE   0
```

```
      01  0061E           .BYTE   1
      00  0061F           .BYTE   0
00000001  00620           .LONG   1
00000001  00624           .LONG   1
      00  00628           .BYTE   0
      00  00629           .BYTE   0
    0000  0062A           .WORD   0
01010014  0062C           .LONG   16842772
01020047  00630           .LONG   16908359
00000000  00634           .LONG   0
          00638           .BLKB   4
      22  0063C  ; NFB
                 U.641:   .BYTE   34
      00  0063D           .BYTE   0
      01  0063E           .BYTE   1
      00  0063F           .BYTE   0
00000001  00640           .LONG   1
00000001  00644           .LONG   1
      00  00648           .BYTE   0
      00  00649           .BYTE   0
    0000  0064A           .WORD   0
01010014  0064C           .LONG   16842772
01020043  00650           .LONG   16908355
00000000  00654           .LONG   0
          00658           .BLKB   4
      22  0065C  ; NFB
                 U.643:   .BYTE   34
      00  0065D           .BYTE   0
      01  0065E           .BYTE   1
      00  0065F           .BYTE   0
00000001  00660           .LONG   1
00000001  00664           .LONG   1
      00  00668           .BYTE   0
      00  00669           .BYTE   0
    0000  0066A           .WORD   0
01020043  0066C           .LONG   16908355
01010012  00670           .LONG   16842770
01010013  00674           .LONG   16842771
01020045  00678           .LONG   16908357
01010015  0067C           .LONG   16842773
01010016  00680           .LONG   16842774
01010017  00684           .LONG   16842775
01010018  00688           .LONG   16842776
01010019  0068C           .LONG   16842777
01020046  00690           .LONG   16908358
0101001A  00694           .LONG   16842778
0101001B  00698           .LONG   16842779
0101001D  0069C           .LONG   16842781
0101002C  006A0           .LONG   16842796
0101001E  006A4           .LONG   16842782
0101001F  006A8           .LONG   16842783
01010020  006AC           .LONG   16842784
01010021  006B0           .LONG   16842785
01010022  006B4           .LONG   16842786
0101002D  006B8           .LONG   16842797
0101002E  006BC           .LONG   16842798
0101002F  006C0           .LONG   16842799
```

```
01010030  006C4             .LONG    16842800
01010031  006C8             .LONG    16842801
01010023  006CC             .LONG    16842787
01010032  006D0             .LONG    16842802
01010024  006D4             .LONG    16842788
01010028  006D8             .LONG    16842792
0101002A  006DC             .LONG    16842794
01010033  006E0             .LONG    16842803
01010029  006E4             .LONG    16842793
00000000  006E8             .LONG    0
          006EC             .BLKB    4
      25  006F0 ;_NFB
                U.645:      .BYTE    37
      00  006F1             .BYTE    0
      01  006F2             .BYTE    1
      00  006F3             .BYTE    0
00000001  006F4             .LONG    1
00000001  006F8             .LONG    1
      00  006FC             .BYTE    0
      00  006FD             .BYTE    0
    0000  006FE             .WORD    0
01020042  00700             .LONG    16908354
00000000  00704             .LONG    0
          00708             .BLKB    4
      22  0070C ;_NFB
                U.647:      .BYTE    34
      00  0070D             .BYTE    0
      1B  0070E             .BYTE    27
      00  0070F             .BYTE    0
1B020041  00710             .LONG    453115969
00000001  00714             .LONG    1
      00  00718             .BYTE    0
      00  00719             .BYTE    0
    0000  0071A             .WORD    0
1B020041  0071C             .LONG    453115969
1BC10010  00720             .LONG    453050384
1B020042  00724             .LONG    453115970
1B020043  00728             .LONG    453115971
1B020044  0072C             .LONG    453115972
00000000  00730             .LONG    0
          00734             .BLKB    4
      22  00738 ;_NFB
                U.649:      .BYTE    34
      00  00739             .BYTE    0
      09  0073A             .BYTE    9
      00  0073B             .BYTE    0
09020041  0073C             .LONG    151126081
00000001  00740             .LONG    1
      00  00744             .BYTE    0
      00  00745             .BYTE    0
    0000  00746             .WORD    0
09020041  00748             .LONG    151126081
09010012  0074C             .LONG    151060498
09010013  00750             .LONG    151060499
09010014  00754             .LONG    151060500
09010018  00758             .LONG    151060504
09010015  0075C             .LONG    151060501
```

```
09010016  00760            .LONG    151060502                                  ;
09010017  00764            .LONG    151060503                                  ;
09010010  00768            .LONG    151060496                                  ;
09010011  0076C            .LONG    151060497                                  ;
09010019  00770            .LONG    151060505                                  ;
0901001A  00774            .LONG    151060506                                  ;
09000002  00778            .LONG    150994946                                  ;
00000000  0077C            .LONG    0                                          ;
          00780            .BLKB    4
      22  00784  ;_NFB
                 U.651:    .BYTE    34                                         ;
      00  00785            .BYTE    0                                          ;
      0B  00786            .BYTE    11                                         ;
      00  00787            .BYTE    0                                          ;
0B020041  00788            .LONG    184680513                                  ;
00000001  0078C            .LONG    1                                          ;
      00  00790            .BYTE    0                                          ;
      00  00791            .BYTE    0                                          ;
    0000  00792            .WORD    0                                          ;
0B020041  00794            .LONG    184680513                                  ;
0B010014  00798            .LONG    184614932                                  ;
0B010010  0079C            .LONG    184614928                                  ;
0B010011  007A0            .LONG    184614929                                  ;
0B010015  007A4            .LONG    184614933                                  ;
00000000  007A8            .LONG    0                                          ;
          007AC            .BLKB    4
      22  007B0  ;_NFB
                 U.653:    .BYTE    34                                         ;
      00  007B1            .BYTE    0                                          ;
      0B  007B2            .BYTE    11                                         ;
      00  007B3            .BYTE    0                                          ;
0B020041  007B4            .LONG    184680513                                  ;
00000001  007B8            .LONG    1                                          ;
      00  007BC            .BYTE    0                                          ;
      00  007BD            .BYTE    0                                          ;
    0000  007BE            .WORD    0                                          ;
0B020041  007C0            .LONG    184680513                                  ;
0B010012  007C4            .LONG    184614930                                  ;
0B020043  007C8            .LONG    184680515                                  ;
0B020042  007CC            .LONG    184680514                                  ;
0B010013  007D0            .LONG    184614931                                  ;
0B010016  007D4            .LONG    184614934                                  ;
00000000  007D8            .LONG    0                                          ;
          007DC            .BLKB    4
      22  007E0  ;_NFB
                 U.655:    .BYTE    34                                         ;
      00  007E1            .BYTE    0                                          ;
      0B  007E2            .BYTE    11                                         ;
      00  007E3            .BYTE    0                                          ;
0B020041  007E4            .LONG    184680513                                  ;
00000001  007E8            .LONG    1                                          ;
      00  007EC            .BYTE    0                                          ;
      00  007ED            .BYTE    0                                          ;
    0000  007EE            .WORD    0                                          ;
0B020041  007F0            .LONG    184680513                                  ;
0B020045  007F4            .LONG    184680517                                  ;
00000000  007F8            .LONG    0                                          ;
```

```
          007FC              .BLKB   4
      25  00800  ;_NFB
                 U.657:      .BYTE   37
      00  00801              .BYTE   0
      0B  00802              .BYTE   11
      00  00803              .BYTE   0
0B020041  00804              .LONG   184680513
00000001  00808              .LONG   1
      00  0080C              .BYTE   0
      00  0080D              .BYTE   0
    0000  0080E              .WORD   0
0B020045  00810              .LONG   184680517
00000000  00814              .LONG   0
          00818              .BLKB   4
      22  0081C  ;_NFB
                 U.659:      .BYTE   34
      00  0081D              .BYTE   0
      0A  0081E              .BYTE   10
      00  0081F              .BYTE   0
0A020041  00820              .LONG   167903297
00000001  00824              .LONG   1
      00  00828              .BYTE   0
      00  00829              .BYTE   0
    0000  0082A              .WORD   0
0A020041  0082C              .LONG   167903297
0A020042  00830              .LONG   167903298
0A010010  00834              .LONG   167837712
0A010011  00838              .LONG   167837713
00000000  0083C              .LONG   0
          00840              .BLKB   4
      22  00844  ;_NFB
                 U.661:      .BYTE   34
      00  00845              .BYTE   0
      0C  00846              .BYTE   12
      00  00847              .BYTE   0
00000001  00848              .LONG   1
00000001  0084C              .LONG   1
      00  00850              .BYTE   0
      00  00851              .BYTE   0
    0000  00852              .WORD   0
0C010012  00854              .LONG   201392146
0C010011  00858              .LONG   201392145
00000000  0085C              .LONG   0
          00860              .BLKB   4
      22  00864  ;_NFB
                 U.663:      .BYTE   34
      00  00865              .BYTE   0
      0C  00866              .BYTE   12
      00  00867              .BYTE   0
00000001  00868              .LONG   1
00000001  0086C              .LONG   1
      00  00870              .BYTE   0
      00  00871              .BYTE   0
    0000  00872              .WORD   0
0C010013  00874              .LONG   201392147
0C010010  00878              .LONG   201392144
00000000  0087C              .LONG   0
```

```
             00880            .BLKB   4
         22  00884  ;_NFB
                    U.665:    .BYTE   34
         00  00885            .BYTE   0
         0C  00886            .BYTE   12
         00  00887            .BYTE   0
   00000001  00888            .LONG   1
   00000001  0088C            .LONG   1
         00  00890            .BYTE   0
         00  00891            .BYTE   0
       0000  00892            .WORD   0
   0C020041  00894            .LONG   201457729
   00000000  00898            .LONG   0
             0089C            .BLKB   4
         25  008A0  ;_NFB
                    U.667:    .BYTE   37
         00  008A1            .BYTE   0
         0C  008A2            .BYTE   12
         00  008A3            .BYTE   0
   00000001  008A4            .LONG   1
   00000001  008A8            .LONG   1
         00  008AC            .BYTE   0
         00  008AD            .BYTE   0
       0000  008AE            .WORD   0
   0C020041  008B0            .LONG   201457729
   00000000  008B4            .LONG   0
             008B8            .BLKB   4
         22  008BC  ;_NFB
                    U.669:    .BYTE   34
         00  008BD            .BYTE   0
         0D  008BE            .BYTE   13
         00  008BF            .BYTE   0
   0D020041  008C0            .LONG   218234945
   00000001  008C4            .LONG   1
         00  008C8            .BYTE   0
         00  008C9            .BYTE   0
       0000  008CA            .WORD   0
   0D020041  008CC            .LONG   218234945
   0D010012  008D0            .LONG   218169362
   0D020048  008D4            .LONG   218234952
   0D020049  008D8            .LONG   218234953
   0D02004A  008DC            .LONG   218234954
   0D020046  008E0            .LONG   218234950
   0D010010  008E4            .LONG   218169360
   0D020042  008E8            .LONG   218234946
   0D020043  008EC            .LONG   218234947
   0D020044  008F0            .LONG   218234948
   0D020045  008F4            .LONG   218234949
   0D010011  008F8            .LONG   218169361
   0D020047  008FC            .LONG   218234951
   00000000  00900            .LONG   0
             00904            .BLKB   4
         22  00908  ;_NFB
                    U.671:    .BYTE   34
         00  00909            .BYTE   0
         10  0090A            .BYTE   16
         00  0090B            .BYTE   0
```

```
00000001  0090C           .LONG   1                                                    ;
00000001  00910           .LONG   1                                                    ;
      00  00914           .BYTE   0                                                    ;
      00  00915           .BYTE   0                                                    ;
    0000  00916           .WORD   0                                                    ;
10010010  00918           .LONG   268501008                                            ;
10020041  0091C           .LONG   268566593                                            ;
00000000  00920           .LONG   0                                                    ;
          00924           .BLKB   4
      22  00928  ;_NFB
                 U.673:   .BYTE   34                                                   ;
      00  00929           .BYTE   0                                                    ;
      10  0092A           .BYTE   16                                                   ;
      00  0092B           .BYTE   0                                                    ;
00000001  0092C           .LONG   1                                                    ;
00000001  00930           .LONG   1                                                    ;
      00  00934           .BYTE   0                                                    ;
      00  00935           .BYTE   0                                                    ;
    0000  00936           .WORD   0                                                    ;
10010011  00938           .LONG   268501009                                            ;
10010013  0093C           .LONG   268501011                                            ;
10020041  00940           .LONG   268566593                                            ;
10010014  00944           .LONG   268501012                                            ;
10010012  00948           .LONG   268501010                                            ;
10010015  0094C           .LONG   268501013                                            ;
00000000  00950           .LONG   0                                                    ;
          00954           .BLKB   4
      22  00958  ;_NFB
                 U.675:   .BYTE   34                                                   ;
      00  00959           .BYTE   0                                                    ;
      11  0095A           .BYTE   17                                                   ;
      00  0095B           .BYTE   0                                                    ;
11020041  0095C           .LONG   285343809                                            ;
00000001  00960           .LONG   1                                                    ;
      00  00964           .BYTE   0                                                    ;
      00  00965           .BYTE   0                                                    ;
    0000  00966           .WORD   0                                                    ;
11020041  00968           .LONG   285343809                                            ;
11010010  0096C           .LONG   285278224                                            ;
00000000  00970           .LONG   0                                                    ;
          00974           .BLKB   4
      22  00978  ;_NFB
                 U.677:   .BYTE   34                                                   ;
      00  00979           .BYTE   0                                                    ;
      11  0097A           .BYTE   17                                                   ;
      00  0097B           .BYTE   0                                                    ;
11020041  0097C           .LONG   285343809                                            ;
00000001  00980           .LONG   1                                                    ;
      00  00984           .BYTE   0                                                    ;
      00  00985           .BYTE   0                                                    ;
    0000  00986           .WORD   0                                                    ;
11020041  00988           .LONG   285343809                                            ;
11010011  0098C           .LONG   285278225                                            ;
11010010  00990           .LONG   285278224                                            ;
00000000  00994           .LONG   0                                                    ;
          00998           .BLKB   4
      22  0099C  ;_NFB
```

```
                          U.679:   .BYTE   34                              ;
      00  0099D                    .BYTE   0                               ;
      0E  0099E                    .BYTE   14                              ;
      00  0099F                    .BYTE   0                               ;
00000001  009A0                    .LONG   1                               ;
00000001  009A4                    .LONG   1                               ;
      00  009A8                    .BYTE   0                               ;
      00  009A9                    .BYTE   0                               ;
    0000  009AA                    .WORD   0                               ;
0E010012  009AC                    .LONG   234946578                       ;
0E010011  009B0                    .LONG   234946577                       ;
00000000  009B4                    .LONG   0                               ;
          009B8                    .BLKB   4                               ;
      22  009BC   ;_NFB
                  U.681:           .BYTE   34                              ;
      00  009BD                    .BYTE   0                               ;
      0E  009BE                    .BYTE   14                              ;
      00  009BF                    .BYTE   0                               ;
00000001  009C0                    .LONG   1                               ;
00000001  009C4                    .LONG   1                               ;
      00  009C8                    .BYTE   0                               ;
      00  009C9                    .BYTE   0                               ;
    0000  009CA                    .WORD   0                               ;
0E010013  009CC                    .LONG   234946579                       ;
0E010010  009D0                    .LONG   234946576                       ;
00000000  009D4                    .LONG   0                               ;
          009D8                    .BLKB   4                               ;
      22  009DC   ;_NFB
                  U.683:           .BYTE   34                              ;
      00  009DD                    .BYTE   0                               ;
      0E  009DE                    .BYTE   14                              ;
      00  009DF                    .BYTE   0                               ;
00000001  009E0                    .LONG   1                               ;
00000001  009E4                    .LONG   1                               ;
      00  009E8                    .BYTE   0                               ;
      00  009E9                    .BYTE   0                               ;
    0000  009EA                    .WORD   0                               ;
0E020041  009EC                    .LONG   235012161                       ;
00000000  009F0                    .LONG   0                               ;
          009F4                    .BLKB   4                               ;
      25  009F8   ;_NFB
                  U.685:           .BYTE   37                              ;
      00  009F9                    .BYTE   0                               ;
      0E  009FA                    .BYTE   14                              ;
      00  009FB                    .BYTE   0                               ;
00000001  009FC                    .LONG   1                               ;
00000001  00A00                    .LONG   1                               ;
      00  00A04                    .BYTE   0                               ;
      00  00A05                    .BYTE   0                               ;
    0000  00A06                    .WORD   0                               ;
0E020041  00A08                    .LONG   235012161                       ;
00000000  00A0C                    .LONG   0                               ;
          00A10                    .BLKB   4                               ;
      22  00A14   ;_NFB
                  U.687:           .BYTE   34                              ;
      00  00A15                    .BYTE   0                               ;
      0F  00A16                    .BYTE   15                              ;
      00  00A17            .BYTE   0                                  ;
0F020041  00A18            .LONG   251789377                          ;
00000001  00A1C            .LONG   1                                  ;
      00  00A20            .BYTE   0                                  ;
      00  00A21            .BYTE   0                                  ;
    0000  00A22            .WORD   0                                  ;
0F020041  00A24            .LONG   251789377                          ;
0F010012  00A28            .LONG   251723794                          ;
0F020048  00A2C            .LONG   251789384                          ;
0F020049  00A30            .LONG   251789385                          ;
0F02004A  00A34            .LONG   251789386                          ;
0F020046  00A38            .LONG   251789382                          ;
0F010010  00A3C            .LONG   251723792                          ;
0F020042  00A40            .LONG   251789378                          ;
0F020043  00A44            .LONG   251789379                          ;
0F020044  00A48            .LONG   251789380                          ;
0F020045  00A4C            .LONG   251789381                          ;
0F010011  00A50            .LONG   251723793                          ;
0F020047  00A54            .LONG   251789383                          ;
00000000  00A58            .LONG   0                                  ;
          00A5C            .BLKB   4
      22  00A60 ;_NFB
                U.689:     .BYTE   34                                 ;
      00  00A61            .BYTE   0                                  ;
      03  00A62            .BYTE   3                                  ;
      00  00A63            .BYTE   0                                  ;
03020044  00A64            .LONG   50462788                           ;
00000001  00A68            .LONG   1                                  ;
      00  00A6C            .BYTE   0                                  ;
      00  00A6D            .BYTE   0                                  ;
    0000  00A6E            .WORD   0                                  ;
03020044  00A70            .LONG   50462788                           ;
03010014  00A74            .LONG   50397204                           ;
03020045  00A78            .LONG   50462789                           ;
03010015  00A7C            .LONG   50397205                           ;
03020046  00A80            .LONG   50462790                           ;
03020048  00A84            .LONG   50462792                           ;
00000000  00A88            .LONG   0                                  ;
          00A8C            .BLKB   4
      22  00A90 ;_NFB
                U.691:     .BYTE   34                                 ;
      00  00A91            .BYTE   0                                  ;
      03  00A92            .BYTE   3                                  ;
      00  00A93            .BYTE   0                                  ;
03020044  00A94            .LONG   50462788                           ;
00000001  00A98            .LONG   1                                  ;
      00  00A9C            .BYTE   0                                  ;
      00  00A9D            .BYTE   0                                  ;
    0000  00A9E            .WORD   0                                  ;
03020044  00AA0            .LONG   50462788                           ;
03010014  00AA4            .LONG   50397204                           ;
03020045  00AA8            .LONG   50462789                           ;
03010015  00AAC            .LONG   50397205                           ;
03020046  00AB0            .LONG   50462790                           ;
03020048  00AB4            .LONG   50462792                           ;
00000000  00AB8            .LONG   0                                  ;
          00ABC            .BLKB   4
      22  00AC0  ;_NFB
                 U.693:     .BYTE   34                                   ;
      00  00AC1             .BYTE   0                                    ;
      03  00AC2             .BYTE   3                                    ;
      00  00AC3             .BYTE   0                                    ;
03020044  00AC4             .LONG   50462788                             ;
00000001  00AC8             .LONG   1                                    ;
      00  00ACC             .BYTE   0                                    ;
      00  00ACD             .BYTE   0                                    ;
    0000  00ACE             .WORD   0                                    ;
03020044  00AD0             .LONG   50462788                             ;
03010014  00AD4             .LONG   50397204                             ;
03020045  00AD8             .LONG   50462789                             ;
03010015  00ADC             .LONG   50397205                             ;
03010010  00AE0             .LONG   50397200                             ;
03020046  00AE4             .LONG   50462790                             ;
03020047  00AE8             .LONG   50462791                             ;
03020048  00AEC             .LONG   50462792                             ;
03010016  00AF0             .LONG   50397206                             ;
00000000  00AF4             .LONG   0                                    ;
          00AF8             .BLKB   4
      22  00AFC  ;_NFB
                 U.695:     .BYTE   34                                   ;
      00  00AFD             .BYTE   0                                    ;
      08  00AFE             .BYTE   8                                    ;
      00  00AFF             .BYTE   0                                    ;
08010012  00B00             .LONG   134283282                            ;
00000001  00B04             .LONG   1                                    ;
      00  00B08             .BYTE   0                                    ;
      00  00B09             .BYTE   0                                    ;
    0000  00B0A             .WORD   0                                    ;
08010012  00B0C             .LONG   134283282                            ;
08010015  00B10             .LONG   134283285                            ;
08010014  00B14             .LONG   134283284                            ;
08020043  00B18             .LONG   134348867                            ;
08010013  00B1C             .LONG   134283283                            ;
08020044  00B20             .LONG   134348868                            ;
08020042  00B24             .LONG   134348866                            ;
00000000  00B28             .LONG   0                                    ;
          00B2C             .BLKB   4
      22  00B30  ;_NFB
                 U.697:     .BYTE   34                                   ;
      00  00B31             .BYTE   0                                    ;
      08  00B32             .BYTE   8                                    ;
      00  00B33             .BYTE   0                                    ;
08010012  00B34             .LONG   134283282                            ;
00000001  00B38             .LONG   1                                    ;
      00  00B3C             .BYTE   0                                    ;
      00  00B3D             .BYTE   0                                    ;
    0000  00B3E             .WORD   0                                    ;
08010012  00B40             .LONG   134283282                            ;
08010011  00B44             .LONG   134283281                            ;
08010015  00B48             .LONG   134283285                            ;
08010014  00B4C             .LONG   134283284                            ;
08020043  00B50             .LONG   134348867                            ;
08010013  00B54             .LONG   134283283                            ;
08020042  00B58             .LONG   134348866                            ;
```

```
                00000000  00B5C             .LONG   0                                   ;
                          00B60             .BLKB   4
                      22  00B64 ;_NFB
                                U.699:      .BYTE   34                                  ;
                      00  00B65             .BYTE   0                                   ;
                      08  00B66             .BYTE   8                                   ;
                      00  00B67             .BYTE   0                                   ;
                08010012  00B68             .LONG   134283282                           ;
                00000001  00B6C             .LONG   1                                   ;
                      00  00B70             .BYTE   0                                   ;
                      00  00B71             .BYTE   0                                   ;
                    0000  00B72             .WORD   0                                   ;
                08010012  00B74             .LONG   134283282                           ;
                08010011  00B78             .LONG   134283281                           ;
                08010015  00B7C             .LONG   134283285                           ;
                08010014  00B80             .LONG   134283284                           ;
                08020043  00B84             .LONG   134348867                           ;
                08010010  00B88             .LONG   134283280                           ;
                08010013  00B8C             .LONG   134283283                           ;
                08020044  00B90             .LONG   134348868                           ;
                08020041  00B94             .LONG   134348865                           ;
                08020042  00B98             .LONG   134348866                           ;
                00000000  00B9C             .LONG   0                                   ;
                          00BA0             .BLKB   4

                                            .PSECT  $GLOBAL$,NOEXE,2

                          00000 NML$GQ_PROPRVMSK::
                                            .BLKB   8
                          00008 NML$GW_ACP_CHAN::
                                            .BLKB   4
                00000000  0000C NML$GL_LOGMASK::
                                            .LONG   0                                   ;
                          00010 NML$GW_WATCHER_CHAN::
                                            .BLKB   2
                          00012 NML$GB_CMD_VER::
                                            .BLKB   1
                          00013             .BLKB   1
                          00014 NML$GB_NCP_VERSION::
                                            .BLKB   3
                          00017             .BLKB   1
                          00018 NML$GL_RCVDATLEN::
                                            .BLKB   4
                          0001C NML$AB_RCVBUFFER::
                                            .BLKB   512
                          0021C NML$AB_SNDBUFFER::
                                            .BLKB   512
                          0041C NML$GB_FUNCTION::
                                            .BLKB   1
                          0041D NML$GB_INFO::
                                            .BLKB   1
                          0041E NML$GB_OPTIONS::
                                            .BLKB   1
                          0041F             .BLKB   1
                          00420 NML$GB_ENTITY_CODE::
                                            .BLKB   4
                          00424 NML$AB_ENTITY_ID::
                                .BLKB   31
                 00443 NML$GB_ENTITY_FORMAT::
                                .BLKB   1
                 00444 NML$GL_QUALIFIER_PST::
                                .BLKB   4
                 00448 NML$AB_QUALIFIER_ID::
                                .BLKB   16
                 00458 NML$GB_QUALIFIER_FORMAT::
                                .BLKB   1
                 00459          .BLKB   3
                 0045C NML$GL_PRMCODE::
                                .BLKB   4
                 00460 NML$GL_PRS_FLGS::
                                .BLKB   4
                 00464 NML$GQ_ENTSTRDSC::
                                .BLKB   8
      00000008   0046C NML$AB_NPA_BLK::
                                .LONG   8                                         ;
                 00470          .BLKB   32
                 00490 NML$GL_NML_ENTITY::
                                .BLKB   4
                 00494 NML$GB_EVTSRCTYP::
                                .BLKB   1
                 00495          .BLKB   3
                 00498 NML$GQ_EVTSRCDSC::
                                .BLKB   8
                 004A0 NML$GW_EVTCLASS::
                                .BLKB   2
                 004A2 NML$GB_EVTMSKTYP::
                                .BLKB   1
                 004A3          .BLKB   1
                 004A4 NML$GQ_EVTMSKDSC::
                                .BLKB   8
                 004AC NML$GW_EVTSNKADR::
                                .BLKB   2
                 004AE          .BLKB   2
                 004B0 NML$AB_RECBUF::
                                .BLKB   1024
                 008B0 NML$AB_QIOBUFFER::
                                .BLKB   1200
                 00D60 NML$AB_EXEBUFFER::
                                .BLKB   1200
                 01210 NML$GL_EXEDATPTR::
                                .BLKB   4
      00000000   01214 NML$GQ_EXEDATDSC::
                                .LONG   0                                         :
      00000000'  01218          .ADDRESS NML$AB_EXEBUFFER                         :
                 0121C NML$GW_PRMDESCNT::
                                .BLKB   2
                 0121E          .BLKB   2
                 01220 NML$AW_PRM_DES::
                                .BLKB   256
                 01320 NML$AB_MSGBLOCK::
                                .BLKB   28

                       NML$GQ_WATCHER_DSC==P.AAA
                       NML$AB_NML_NMV==     P.AAC
```

```
NML$GQ_NETNAMDSC==   P.AAD
NML$GQ_RCVBFDSC==    P.AAF
NML$GQ_SNDBFDSC==    P.AAG
NML$GQ_RECBFDSC==    P.AAH
NML$GQ_QIOBFDSC==    P.AAI
NML$GQ_EXEBFDSC==    P.AAJ
NML$GK_EVENTS==      7
PST$K_PCCI_STA==     0
PST$K_PCCI_SUB==     1
PST$K_PCCI_SER==     2
PST$K_PCCI_LCT==     3
PST$K_PCCI_SPY==     4
PST$K_PCCI_SSB==     5
PST$K_PCCI_LOO==     6
PST$K_PCCI_ADJ==     7
PST$K_PCCI_AJ$==     8
PST$K_PCCI_DRT==     9
PST$K_PCCI_BLO==     10
PST$K_PCCI_COS==     11
PST$K_PCCI_MRT==     12
PST$K_PCCI_RPR==     13
PST$K_PCCI_HET==     14
PST$K_PCCI_LIT==     15
PST$K_PCCI_BLK==     16
PST$K_PCCI_MRC==     17
PST$K_PCCI_RCT==     18
PST$K_PCCI_NUM==     19
PST$K_PCCI_POL==     20
PST$K_PCCI_PLS==     21
PST$K_PCCI_OWN==     22
PST$K_PCCI_USE==     23
PST$K_PCCI_TYP==     24
PST$K_PCCI_DTE==     25
PST$K_PCCI_CHN==     26
PST$K_PCCI_MBL==     27
PST$K_PCCI_MWI==     28
PST$K_PCCI_TRI==     29
PST$K_PCCI_BBT==     30
PST$K_PCCI_TRT==     31
PST$K_PCCI_MRB==     32
PST$K_PCCI_MTR==     33
PST$K_PCCI_ACB==     34
PST$K_PCCI_ACI==     35
PST$K_PCCI_IAB==     36
PST$K_PCCI_IAI==     37
PST$K_PCCI_IAT==     38
PST$K_PCCI_DYB==     39
PST$K_PCCI_DYI==     40
PST$K_PCCI_DYT==     41
PST$K_PCCI_DTH==     42
PST$K_PCCI_VER==     43
PST$K_PCCI_XPT==     44
PST$K_PCCI_CC$==     45
PST$K_PCLI_STA==     46
PST$K_PCLI_SUB==     47
PST$K_PCLI_SER==     48
PST$K_PCLI_LCT==     49
```

```
PST$K_PCLI_BFN==    50
PST$K_PCLI_CON==    51
PST$K_PCLI_DUP==    52
PST$K_PCLI_PRO==    53
PST$K_PCLI_CLO==    54
PST$K_PCLI_STI==    55
PST$K_PCLI_RTT==    56
PST$K_PCLI_HTI==    57
PST$K_PCLI_MBL==    58
PST$K_PCLI_MRT==    59
PST$K_PCLI_MWI==    60
PST$K_PCLI_SLT==    61
PST$K_PCLI_DDT==    62
PST$K_PCLI_DLT==    63
PST$K_PCLI_SRT==    64
PST$K_PCLI_HWA==    65
PST$K_PCLI_MCD==    66
PST$K_PCLI_XMD==    67
PST$K_PCLI_EPT==    68
PST$K_PCLI_BSZ==    69
PST$K_PCLI_BF$==    70
PST$K_PCLI_LC$==    71
PST$K_PCLI_L$C==    72
PST$K_PCLI_L$L==    73
PST$K_PCLI_L$D==    74
PST$K_PCLO_STA==    75
PST$K_PCLO_LNA==    76
PST$K_PCLO_SIN==    77
PST$K_PCLO_EVE==    78
PST$K_PCNO_STA==    79
PST$K_PCNO_PHA==    80
PST$K_PCNO_IDE==    81
PST$K_PCNO_MVE==    82
PST$K_PCNO_SLI==    83
PST$K_PCNO_SPA==    84
PST$K_PCNO_SDV==    85
PST$K_PCNO_CPU==    86
PST$K_PCNO_HWA==    87
PST$K_PCNO_SNV==    88
PST$K_PCNO_LOA==    89
PST$K_PCNO_SLO==    90
PST$K_PCNO_TLO==    91
PST$K_PCNO_DFL==    92
PST$K_PCNO_STY==    93
PST$K_PCNO_SID==    94
PST$K_PCNO_DUM==    95
PST$K_PCNO_SDU==    96
PST$K_PCNO_DAD==    97
PST$K_PCNO_DCT==    98
PST$K_PCNO_OHO==    99
PST$K_PCNO_IHO==    100
PST$K_PCNO_LPC==    101
PST$K_PCNO_LPL==    102
PST$K_PCNO_LPD==    103
PST$K_PCNO_LPA==    104
PST$K_PCNO_LPH==    105
PST$K_PCNO_CTI==    106
```

```
PST$K_PCNO_NNA==     107
PST$K_PCNO_NN$==     108
PST$K_PCNO_NLI==     109
PST$K_PCNO_ADD==     110
PST$K_PCNO_AD$==     111
PST$K_PCNO_A$$==     112
PST$K_PCNO_ITI==     113
PST$K_PCNO_OTI==     114
PST$K_PCNO_ACL==     115
PST$K_PCNO_DEL==     116
PST$K_PCNO_NVE==     117
PST$K_PCNO_MLK==     118
PST$K_PCNO_DFA==     119
PST$K_PCNO_DWE==     120
PST$K_PCNO_IAT==     121
PST$K_PCNO_RFA==     122
PST$K_PCNO_DTY==     123
PST$K_PCNO_DCO==     124
PST$K_PCNO_DHO==     125
PST$K_PCNO_DLI==     126
PST$K_PCNO_NND==     127
PST$K_PCNO_RVE==     128
PST$K_PCNO_ETY==     129
PST$K_PCNO_RTI==     130
PST$K_PCNO_SAD==     131
PST$K_PCNO_BRT==     132
PST$K_PCNO_MAD==     133
PST$K_PCNO_MLN==     134
PST$K_PCNO_MCO==     135
PST$K_PCNO_MHO==     136
PST$K_PCNO_MVI==     137
PST$K_PCNO_MAR==     138
PST$K_PCNO_MBE==     139
PST$K_PCNO_MBR==     140
PST$K_PCNO_AMC==     141
PST$K_PCNO_AMH==     142
PST$K_PCNO_MBU==     143
PST$K_PCNO_BUS==     144
PST$K_PCNO_SBS==     145
PST$K_PCNO_PUS==     146
PST$K_PCNO_PAC==     147
PST$K_PCNO_PPW==     148
PST$K_PCNO_NUS==     149
PST$K_PCNO_NAC==     150
PST$K_PCNO_NPW==     151
PST$K_PCNO_RPA==     152
PST$K_PCNO_TPA==     153
PST$K_PCNO_ACC==     154
PST$K_PCNO_DAC==     155
PST$K_PCNO_PIQ==     156
PST$K_PCNO_ALI==     157
PST$K_PCNO_PRX==     158
PST$K_PCNO_DPX==     159
PST$K_PCNO_NC$==     160
PST$K_PCAR_STA==     161
PST$K_PCAR_COS==     162
PST$K_PCAR_HOP==     163
```

```
PST$K_PCAR_CIR==     164
PST$K_PCAR_NND==     165
PST$K_PCXA_NET==     166
PST$K_PCXA_NOD==     167
PST$K_PCXA_USR==     168
PST$K_PCXA_PSW==     169
PST$K_PCXA_ACC==     170
PST$K_PCXP_STA==     171
PST$K_PCXP_CTM==     172
PST$K_PCXP_ACH==     173
PST$K_PCXP_ASW==     174
PST$K_PCXP_DTE==     175
PST$K_PCXP_GRP==     176
PST$K_PCXP_NET==     177
PST$K_PCXP_LIN==     178
PST$K_PCXP_CHN==     179
PST$K_PCXP_MCH==     180
PST$K_PCXP_DBL==     181
PST$K_PCXP_DWI==     182
PST$K_PCXP_MBL==     183
PST$K_PCXP_MWI==     184
PST$K_PCXP_MCL==     185
PST$K_PCXP_MRS==     186
PST$K_PCXP_MST==     187
PST$K_PCXP_CAT==     188
PST$K_PCXP_CLT==     189
PST$K_PCXP_RST==     190
PST$K_PCXP_STT==     191
PST$K_PCXP_GDT==     192
PST$K_PCXP_GNM==     193
PST$K_PCXP_GTY==     194
PST$K_PCXP_MNS==     195
PST$K_PCXP_MCI==     196
PST$K_PCXP_SBS==     197
PST$K_PCXP_PC$==     198
PST$K_PCXS_CTM==     199
PST$K_PCXS_ACI==     200
PST$K_PCXS_DST==     201
PST$K_PCXS_MCI==     202
PST$K_PCXS_NOD==     203
PST$K_PCXS_USR==     204
PST$K_PCXS_SPW==     205
PST$K_PCXS_RPW==     206
PST$K_PCXS_ACC==     207
PST$K_PCXS_OBJ==     208
PST$K_PCXS_PRI==     209
PST$K_PCXS_CMK==     210
PST$K_PCXS_CVL==     211
PST$K_PCXS_GRP==     212
PST$K_PCXS_NUM==     213
PST$K_PCXS_SAD==     214
PST$K_PCXS_STA==     215
PST$K_PCXS_FIL==     216
PST$K_PCXS_SC$==     217
PST$K_PCXT_STA==     218
PST$K_PCXT_BSZ==     219
PST$K_PCXT_MBK==     220
```

```
PST$K_PCXT_FNM==     221
PST$K_PCXT_MBF==     222
PST$K_PCXT_CPL==     223
PST$K_PCXT_MVR==     224
PST$K_PCXT_TPT==     225
PST$K_PCXT_CPS==     226
PST$K_PCXT_TST==     227
PST$K_PCXS9_CTM==    228
PST$K_PCXS9_ACI==    229
PST$K_PCXS9_DST==    230
PST$K_PCXS9_MCI==    231
PST$K_PCXS9_NOD==    232
PST$K_PCXS9_USR==    233
PST$K_PCXS9_SPW==    234
PST$K_PCXS9_RPW==    235
PST$K_PCXS9_ACC==    236
PST$K_PCXS9_OBJ==    237
PST$K_PCXS9_PRI==    238
PST$K_PCXS9_CMK==    239
PST$K_PCXS9_CVL==    240
PST$K_PCXS9_GRP==    241
PST$K_PCXS9_NUM==    242
PST$K_PCXS9_SAD==    243
PST$K_PCXS9_STA==    244
PST$K_PCXS9_FIL==    245
PST$K_PCXS9_SC$==    246
PST$K_PCCN_CIR==     247
PST$K_PCCN_SUR==     248
PST$K_PCOB_NUM==     249
PST$K_PCOB_FID==     250
PST$K_PCOB_PID==     251
PST$K_PCOB_PRV==     252
PST$K_PCOB_USR==     253
PST$K_PCOB_ACC==     254
PST$K_PCOB_PSW==     255
PST$K_PCOB_PRX==     256
NMA$C_PCLK_PN$==     102
PST$K_PCLK_STA==     257
PST$K_PCLK_PID==     258
PST$K_PCLK_NID==     259
PST$K_PCLK_LAD==     260
PST$K_PCLK_DLY==     261
PST$K_PCLK_RLN==     262
PST$K_PCLK_RID==     263
PST$K_PCLK_USR==     264
PST$K_PCLK_PRC==     265
PST$K_PCLK_PN$==     266
CPT$GK_PCCI_STA==    0
CPT$GK_PCCI_SER==    1
CPT$GK_PCCI_LCT==    2
CPT$GK_PCCI_SPY==    3
CPT$GK_PCCI_SSB==    4
CPT$GK_PCCI_ADJ==    5
CPT$GK_PCCI_AJ$==    6
CPT$GK_PCCI_DRT==    7
CPT$GK_PCCI_BLO==    8
CPT$GK_PCCI_COS==    9
```

```
CPT$GK_PCCI_MRT==    10
CPT$GK_PCCI_RPR==    11
CPT$GK_PCCI_HET==    12
CPT$GK_PCCI_LIT==    13
CPT$GK_PCCI_BLK==    14
CPT$GK_PCCI_MRC==    15
CPT$GK_PCCI_RCT==    16
CPT$GK_PCCI_NUM==    17
CPT$GK_PCCI_POL==    18
CPT$GK_PCCI_OWN==    19
CPT$GK_PCCI_USE==    20
CPT$GK_PCCI_TYP==    21
CPT$GK_PCCI_DTE==    22
CPT$GK_PCCI_CHN==    23
CPT$GK_PCCI_MBL==    24
CPT$GK_PCCI_MWI==    25
CPT$GK_PCCI_TRI==    26
CPT$GK_PCCI_BBT==    27
CPT$GK_PCCI_TRT==    28
CPT$GK_PCCI_MRB==    29
CPT$GK_PCCI_MTR==    30
CPT$GK_PCCI_ACB==    31
CPT$GK_PCCI_ACI==    32
CPT$GK_PCCI_IAB==    33
CPT$GK_PCCI_IAI==    34
CPT$GK_PCCI_IAT==    35
CPT$GK_PCCI_DYB==    36
CPT$GK_PCCI_DYI==    37
CPT$GK_PCCI_DYT==    38
CPT$GK_PCCI_DTH==    39
CPT$GK_PCCI_VER==    40
CPT$GK_PCCI_XPT==    41
CPT$GK_PCLI_STA==    42
CPT$GK_PCLI_SER==    43
CPT$GK_PCLI_LCT==    44
CPT$GK_PCLI_BFN==    45
CPT$GK_PCLI_CON==    46
CPT$GK_PCLI_DUP==    47
CPT$GK_PCLI_PRO==    48
CPT$GK_PCLI_CLO==    49
CPT$GK_PCLI_STI==    50
CPT$GK_PCLI_RTT==    51
CPT$GK_PCLI_HTI==    52
CPT$GK_PCLI_MBL==    53
CPT$GK_PCLI_MRT==    54
CPT$GK_PCLI_MWI==    55
CPT$GK_PCLI_SLT==    56
CPT$GK_PCLI_DDT==    57
CPT$GK_PCLI_DLT==    58
CPT$GK_PCLI_SRT==    59
CPT$GK_PCLI_HWA==    60
CPT$GK_PCLI_MCD==    61
CPT$GK_PCLI_XMD==    62
CPT$GK_PCLI_EPT==    63
CPT$GK_PCLI_BSZ==    64
CPT$GK_PCLI_BF$==    65
CPT$GK_PCLI_L$C==    66
```

```
CPT$GK_PCLI_L$L==     67
CPT$GK_PCLI_L$D==     68
CPT$GK_PCLO_STA==     69
CPT$GK_PCLO_LNA==     70
CPT$GK_PCLO_SIN==     71
CPT$GK_PCLO_EVE==     72
CPT$GK_PCNO_STA==     73
CPT$GK_PCNO_PHA==     74
CPT$GK_PCNO_IDE==     75
CPT$GK_PCNO_SLI==     76
CPT$GK_PCNO_SPA==     77
CPT$GK_PCNO_SDV==     78
CPT$GK_PCNO_CPU==     79
CPT$GK_PCNO_HWA==     80
CPT$GK_PCNO_SNV==     81
CPT$GK_PCNO_LOA==     82
CPT$GK_PCNO_SLO==     83
CPT$GK_PCNO_TLO==     84
CPT$GK_PCNO_DFL==     85
CPT$GK_PCNO_STY==     86
CPT$GK_PCNO_SID==     87
CPT$GK_PCNO_DUM==     88
CPT$GK_PCNO_SDU==     89
CPT$GK_PCNO_DAD==     90
CPT$GK_PCNO_DCT==     91
CPT$GK_PCNO_IHO==     92
CPT$GK_PCNO_LPC==     93
CPT$GK_PCNO_LPL==     94
CPT$GK_PCNO_LPD==     95
CPT$GK_PCNO_LPA==     96
CPT$GK_PCNO_LPH==     97
CPT$GK_PCNO_CTI==     98
CPT$GK_PCNO_NNA==     99
CPT$GK_PCNO_NN$==     100
CPT$GK_PCNO_NLI==     101
CPT$GK_PCNO_ADD==     102
CPT$GK_PCNO_AD$==     103
CPT$GK_PCNO_A$$==     104
CPT$GK_PCNO_ITI==     105
CPT$GK_PCNO_OTI==     106
CPT$GK_PCNO_MLK==     107
CPT$GK_PCNO_DFA==     108
CPT$GK_PCNO_DWE==     109
CPT$GK_PCNO_IAT==     110
CPT$GK_PCNO_RFA==     111
CPT$GK_PCNO_DLI==     112
CPT$GK_PCNO_NND==     113
CPT$GK_PCNO_ETY==     114
CPT$GK_PCNO_RTI==     115
CPT$GK_PCNO_SAD==     116
CPT$GK_PCNO_BRT==     117
CPT$GK_PCNO_MAD==     118
CPT$GK_PCNO_MLN==     119
CPT$GK_PCNO_MCO==     120
CPT$GK_PCNO_MHO==     121
CPT$GK_PCNO_MVI==     122
CPT$GK_PCNO_MAR==     123
```

```
CPT$GK_PCNO_MBE==    124
CPT$GK_PCNO_MBR==    125
CPT$GK_PCNO_AMC==    126
CPT$GK_PCNO_AMH==    127
CPT$GK_PCNO_MBU==    128
CPT$GK_PCNO_BUS==    129
CPT$GK_PCNO_SBS==    130
CPT$GK_PCNO_PUS==    131
CPT$GK_PCNO_PAC==    132
CPT$GK_PCNO_PPW==    133
CPT$GK_PCNO_NUS==    134
CPT$GK_PCNO_NAC==    135
CPT$GK_PCNO_NPW==    136
CPT$GK_PCNO_RPA==    137
CPT$GK_PCNO_TPA==    138
CPT$GK_PCNO_ACC==    139
CPT$GK_PCNO_DAC==    140
CPT$GK_PCNO_PIQ==    141
CPT$GK_PCNO_ALI==    142
CPT$GK_PCNO_PRX==    143
CPT$GK_PCNO_DPX==    144
CPT$GK_PCAR_STA==    145
CPT$GK_PCAR_COS==    146
CPT$GK_PCAR_HOP==    147
CPT$GK_PCAR_CIR==    148
CPT$GK_PCAR_NND==    149
CPT$GK_PCXA_NET==    150
CPT$GK_PCXA_NOD==    151
CPT$GK_PCXA_USR==    152
CPT$GK_PCXA_PSW==    153
CPT$GK_PCXA_ACC==    154
CPT$GK_PCXP_STA==    155
CPT$GK_PCXP_CTM==    156
CPT$GK_PCXP_ACH==    157
CPT$GK_PCXP_ASW==    158
CPT$GK_PCXP_DTE==    159
CPT$GK_PCXP_GRP==    160
CPT$GK_PCXP_NET==    161
CPT$GK_PCXP_LIN==    162
CPT$GK_PCXP_CHN==    163
CPT$GK_PCXP_MCH==    164
CPT$GK_PCXP_DBL==    165
CPT$GK_PCXP_DWI==    166
CPT$GK_PCXP_MBL==    167
CPT$GK_PCXP_MWI==    168
CPT$GK_PCXP_MCL==    169
CPT$GK_PCXP_MRS==    170
CPT$GK_PCXP_MST==    171
CPT$GK_PCXP_CAT==    172
CPT$GK_PCXP_CLT==    173
CPT$GK_PCXP_RST==    174
CPT$GK_PCXP_STT==    175
CPT$GK_PCXP_GDT==    176
CPT$GK_PCXP_GNM==    177
CPT$GK_PCXP_GTY==    178
CPT$GK_PCXP_MNS==    179
CPT$GK_PCXP_MCI==    180
```

```
CPT$GK_PCXP_SBS==     181
CPT$GK_PCXS_CTM==     182
CPT$GK_PCXS_ACI==     183
CPT$GK_PCXS_DST==     184
CPT$GK_PCXS_MCI==     185
CPT$GK_PCXS_NOD==     186
CPT$GK_PCXS_USR==     187
CPT$GK_PCXS_SPW==     188
CPT$GK_PCXS_RPW==     189
CPT$GK_PCXS_ACC==     190
CPT$GK_PCXS_OBJ==     191
CPT$GK_PCXS_PRI==     192
CPT$GK_PCXS_CMK==     193
CPT$GK_PCXS_CVL==     194
CPT$GK_PCXS_GRP==     195
CPT$GK_PCXS_NUM==     196
CPT$GK_PCXS_SAD==     197
CPT$GK_PCXS_STA==     198
CPT$GK_PCXS_FIL==     199
CPT$GK_PCXT_STA==     200
CPT$GK_PCXT_BSZ==     201
CPT$GK_PCXT_MBK==     202
CPT$GK_PCXT_FNM==     203
CPT$GK_PCXT_MBF==     204
CPT$GK_PCXT_CPL==     205
CPT$GK_PCXT_MVR==     206
CPT$GK_PCXT_TPT==     207
CPT$GK_PCXT_CPS==     208
CPT$GK_PCXT_TST==     209
CPT$GK_PCXS9_CTM==    210
CPT$GK_PCXS9_ACI==    211
CPT$GK_PCXS9_DST==    212
CPT$GK_PCXS9_MCI==    213
CPT$GK_PCXS9_NOD==    214
CPT$GK_PCXS9_USR==    215
CPT$GK_PCXS9_SPW==    216
CPT$GK_PCXS9_RPW==    217
CPT$GK_PCXS9_ACC==    218
CPT$GK_PCXS9_OBJ==    219
CPT$GK_PCXS9_PRI==    220
CPT$GK_PCXS9_CMK==    221
CPT$GK_PCXS9_CVL==    222
CPT$GK_PCXS9_GRP==    223
CPT$GK_PCXS9_NUM==    224
CPT$GK_PCXS9_SAD==    225
CPT$GK_PCXS9_STA==    226
CPT$GK_PCXS9_FIL==    227
CPT$GK_PCCN_CIR==     228
CPT$GK_PCCN_SUR==     229
CPT$GK_PCOB_NUM==     230
CPT$GK_PCOB_FID==     231
CPT$GK_PCOB_PRV==     232
CPT$GK_PCOB_USR==     233
CPT$GK_PCOB_ACC==     234
CPT$GK_PCOB_PSW==     235
CPT$GK_PCOB_PRX==     236
CPT$GK_PCLK_STA==     237
```

```
CPT$GK_PCLK_PID==     238
CPT$GK_PCLK_NID==     239
CPT$GK_PCLK_DLY==     240
CPT$GK_PCLK_RLN==     241
CPT$GK_PCLK_RID==     242
CPT$GK_PCLK_USR==     243
CPT$GK_PCLK_PRC==     244
CPT$GK_PCLK_PN$==     245
CPT$GK_NUMBER==       246
U.514=               P.ABT
U.515=               P.ABV
U.516=               P.ABX
U.517=               P.ABZ
U.518=               P.ACB
U.519=               P.ACD
U.520=               P.ACF
U.521=               P.ACH
U.522=               P.ACJ
U.523=               P.ACL
U.524=               P.ACN
NML$Q_P_NDNSTA_TABDES=
                     P.ACJ
NML$Q_P_NDNSUM_TABDES=
                     P.ACL
NML$Q_P_NDNCHA_TABDES=
                     P.ACN
U.525=               P.ACP
U.526=               P.ACR
NML$Q_P_ACCSTA_TABDES=
                     P.ACR
NML$Q_P_ACCSUM_TABDES=
                     P.ACR
U.527=               P.ACT
U.528=               P.ACV
U.529=               P.ACX
U.530=               P.ACZ
U.531=               P.ADB
U.532=               P.ADD
U.533=               P.ADF
U.534=               P.ADH
U.535=               P.ADJ
U.536=               P.ADL
U.537=               P.ADN
U.538=               P.ADP
U.539=               P.ADR
U.540=               P.ADT
U.541=               P.ADV
NML$Q_CIRSUM_TABDES==
                     P.ADX
NML$Q_CIRCHA_TABDES==
                     P.ADZ
NML$Q_CIRCOU_TABDES==
                     P.AEB
NML$Q_CAJSUM_TABDES==
                     P.AED
NML$Q_CAJSTA_TABDES==
                     P.AEF
```

```
NML$Q_CAJCHA_TABDES==
                    P.AEH
NML$Q_CSASUM_TABDES==
                    P.AEJ
NML$Q_CIRZER_TABDES=0
NML$Q_LINSTA_TABDES==
                    P.AEL
NML$Q_LINSUM_TABDES==
                    P.AEN
NML$Q_LINCHA_TABDES==
                    P.AEP
NML$Q_LINCOU_TABDES==
                    P.AER
NML$Q_LINZER_TABDES=0
NML$Q_LOGSUM_TABDES=0
NML$Q_LOGSTA_TABDES=0
NML$Q_LOGCHA_TABDES=0
NML$Q_LOGEVE_TABDES=0
NML$Q_SNKSUM_TABDES=0
NML$Q_SNKSTA_TABDES=0
NML$Q_SNKCHA_TABDES=0
NML$Q_SNKEVE_TABDES=0
NML$Q_EXESTA_TABDES==
                    P.AET
NML$Q_EXESUM_TABDES==
                    P.AEV
NML$Q_EXECHA_TABDES==
                    P.AEX
NML$Q_EXEZER_TABDES=0
NML$Q_NODSTA_TABDES==
                    P.AEZ
NML$Q_NODSUM_TABDES==
                    P.AFB
NML$Q_NODCHA_TABDES==
                    P.AFD
NML$Q_NODCOU_TABDES==
                    P.AFF
NML$Q_EXECOU_TABDES=P.AFF
NML$Q_NODZER_TABDES=0
NML$Q_NDNSUM_TABDES=P.AFB
NML$Q_NDNSTA_TABDES=P.AEZ
NML$Q_NDNCHA_TABDES=P.AFD
NML$Q_NDNCOU_TABDES=P.AFF
NML$Q_NDNZER_TABDES=0
NML$Q_LOOSUM_TABDES==
                    P.AFH
NML$Q_ARESUM_TABDES==
                    P.AFJ
NML$Q_ARESTA_TABDES==
                    P.AFL
NML$Q_ACCCHA_TABDES==
                    P.AFN
NML$Q_ACCSUM_TABDES=P.AFN
NML$Q_ACCSTA_TABDES=P.AFN
NML$Q_NETCHA_TABDES==
                    P.AFP
NML$Q_DTESTA_TABDES==
                    P.AFR
NML$Q_DTECHA_TABDES==
                    P.AFT
NML$Q_DTECOU_TABDES==
                    P.AFV
NML$Q_DTEZER_TABDES=0
NML$Q_GRPCHA_TABDES==
                    P.AFX
NML$Q_SV5SUM_TABDES==
                    P.AFZ
NML$Q_SV5CHA_TABDES==
                    P.AGB
NML$Q_SV5COU_TABDES==
                    P.AGD
NML$Q_SV5ZER_TABDES=0
NML$Q_DST5CHA_TABDES==
                    P.AGF
NML$Q_TRASUM_TABDES==
                    P.AGH
NML$Q_TRACHA_TABDES==
                    P.AGJ
NML$Q_TPTSUM_TABDES==
                    P.AGL
NML$Q_TPTCHA_TABDES==
                    P.AGN
NML$Q_SV9SUM_TABDES=P.AFZ
NML$Q_SV9CHA_TABDES=P.AGB
NML$Q_SV9COU_TABDES=P.AGD
NML$Q_SV9ZER_TABDES=0
NML$Q_DST9CHA_TABDES=
                    P.AGF
NML$Q_OBJSTA_TABDES==
                    P.AGP
NML$Q_OBJSUM_TABDES==
                    P.AGR
NML$Q_OBJCHA_TABDES==
                    P.AGT
NML$Q_LNKSTA_TABDES==
                    P.AGV
NML$Q_LNKSUM_TABDES==
                    P.AGX
NML$Q_LNKCHA_TABDES==
                    P.AGZ
U.584=              P.AHB
U.586=              P.AHC
U.588=              P.AHD
U.590=              P.AHE
U.592=              P.AHF
U.594=              P.AHG
U.596=              P.AHH
U.598=              P.AHI
U.600=              P.AHJ
U.602=              P.AHK
U.604=              P.AHL
U.606=              P.AHM
U.608=              P.AHN
U.610=              P.AHO
```

```
U.612=              P.AHP
U.614=              P.AHQ
U.616=              P.AHR
U.618=              P.AHS
U.620=              P.AHT
U.622=              P.AHU
U.624=              P.AHV
U.626=              P.AHW
U.628=              P.AHX
U.630=              P.AHY
U.632=              P.AHZ
U.634=              P.AIA
U.636=              P.AIB
NML$Q_LOGSTA_NFBDSC=P.AIA
NML$Q_SNKSTA_NFBDSC=P.AIB
NML$Q_LOGCHA_NFBDSC=P.AIA
NML$Q_SNKCHA_NFBDSC=P.AIB
NML$Q_LOGEVE_NFBDSC=P.AIA
NML$Q_SNKEVE_NFBDSC=P.AIA
U.638=              P.AIC
U.640=              P.AID
U.642=              P.AIE
U.644=              P.AIF
NML$Q_EXECOU_NFBDSC=P.AHR
U.646=              P.AIG
U.648=              P.AIH
NML$Q_ACCSUM_NFBDSC=P.AIH
NML$Q_ACCSTA_NFBDSC=P.AIH
U.650=              P.AII
NML$Q_NETSUM_NFBDSC=P.AII
NML$Q_NETSTA_NFBDSC=P.AII
U.652=              P.AIJ
NML$Q_DTESUM_NFBDSC=P.AIJ
U.654=              P.AIK
U.656=              P.AIL
U.658=              P.AIM
U.660=              P.AIN
U.662=              P.AIO
U.664=              P.AIP
U.666=              P.AIQ
U.668=              P.AIR
U.670=              P.AIS
U.672=              P.AIT
U.674=              P.AIU
U.676=              P.AIV
U.678=              P.AIW
U.680=              P.AIX
U.682=              P.AIY
U.684=              P.AIZ
U.686=              P.AJA
U.688=              P.AJB
U.690=              P.AJC
U.692=              P.AJD
U.694=              P.AJE
U.696=              P.AJF
U.698=              P.AJG
U.700=              P.AJH
```

```
NML$AL_PERMINFTAB== P.AJI
NML$AL_ENTINFTAB==  P.AKH
U.701=              P.ALH
U.702=              P.ALJ
U.703=              P.ALL
U.704=              P.ALN
U.705=              P.ALP
U.706=              P.ALR
U.707=              P.ALT
U.708=              P.ALV
U.709=              P.ALX
U.710=              P.ALZ
U.711=              P.AMB
U.712=              P.AMD
U.713=              P.AMF
U.714=              P.AMH
U.715=              P.AMJ
U.716=              P.AML
U.717=              P.AMN
U.718=              P.AMP
NML$AB_ENTITYDATA== P.AMR
NML$GQ_CRIMAPDES==  P.AMS
NML$GQ_PLIMAPDES==  P.AMU
NML$GQ_EFIMAPDES==  P.AMW
NML$GQ_ESIMAPDES==  P.AMY
NML$GQ_LNIMAPDES==  P.ANA
NML$GQ_NDIMAPDES==  P.ANC
NML$GQ_ARIMAPDES==  P.ANE
NML$GQ_XAIMAPDES==  P.ANG
NML$GQ_XNIMAPDES==  P.ANI
NML$GQ_XDIMAPDES==  P.ANK
NML$GQ_XGIMAPDES==  P.ANM
NML$GQ_XS5MAPDES==  P.ANO
NML$GQ_XD5MAPDES==  P.ANQ
NML$GQ_XTIMAPDES==  P.ANS
NML$GQ_XTTMAPDES==  P.ANU
NML$GQ_XS9MAPDES==  P.ANW
NML$GQ_XD9MAPDES==  P.ANY
NML$GQ_OBIMAPDES==  P.AOA
NML$GQ_LLIMAPDES==  P.AOC
NML$GQ_AJIMAPDES==  P.AOE
        .EXTRN  NMA$C_PCLI_BF$, NML$DEFLINLTY
        .EXTRN  NML$DEFLINTRI, NML$DEF_NODE_ADDR
        .EXTRN  NML$DEF_EXEC_ID
        .EXTRN  NML$DEFNODNLI, NML$DEFOBJNUM
        .EXTRN  NML$DEFPARAM, NML$PURNODNNA
        .EXTRN  NML$PURPARAM, NML$LISNODEID
        .EXTRN  NML$LISLOONAM, NML$LISPARAM
        .EXTRN  NML$LISPASSWORD
        .EXTRN  NML$LISNMLVER, NML$LISPWSET
        .EXTRN  NML$LISRANGE, NML$LISOWNER
        .EXTRN  NML$SHOPARAM, NML$SHOEXEPARAM
        .EXTRN  NML$SHOCOUNTERS
        .EXTRN  NML$SHONODEID, NML$SHOOBJPRV
        .EXTRN  NML$SHOSERVPASS
        .EXTRN  NML$SHONMLVER, NML$SHOREMSTA
        .EXTRN  NML$SHOVERSION, NML$SHOPWSET
```

```
                                                          .EXTRN  NML$SHORANGE, NML$SHOCHANNELS
                                                          .EXTRN  NML$SHOOWNER, NML$SKIPLONG
                                                          .EXTRN  NML$SKIPSTRING

;                                PSECT SUMMARY
;
;       Name                      Bytes                       Attributes
;
;    PATCH_AREA                     300  NOVEC,  WRT,  RD ,NOEXE,NOSHR,  LCL,  REL,  CON,NOPIC,ALIGN(2)
;    $GLOBAL$                      4924  NOVEC,  WRT,  RD ,NOEXE,NOSHR,  LCL,  REL,  CON,NOPIC,ALIGN(2)
;    $PLIT$                        3804  NOVEC,NOWRT,  RD ,NOEXE,NOSHR,  LCL,  REL,  CON,NOPIC,ALIGN(2)
;    NML$EVENTS                     154  NOVEC,NOWRT,  RD ,NOEXE,NOSHR,  LCL,  REL,  CON,NOPIC,ALIGN(0)
;    NML$SEMANTICS                 4272  NOVEC,NOWRT,  RD ,NOEXE,NOSHR,  LCL,  REL,  CON,NOPIC,ALIGN(0)
;    NML$CPTDATA                   2460  NOVEC,NOWRT,  RD ,NOEXE,NOSHR,  LCL,  REL,  CON,NOPIC,ALIGN(0)
;    NML$PARAMLISTS                3668  NOVEC,NOWRT,  RD ,NOEXE,NOSHR,  LCL,  REL,  CON,NOPIC,ALIGN(0)
;    $OWN$                         2980  NOVEC,  WRT,  RD ,NOEXE,NOSHR,  LCL,  REL,  CON,NOPIC,ALIGN(2)
;    NML$ALLPARAMS                  916  NOVEC,NOWRT,  RD ,NOEXE,NOSHR,  LCL,  REL,  CON,NOPIC,ALIGN(0)
;    NML$QIOPRMMAP                 1568  NOVEC,NOWRT,  RD ,NOEXE,NOSHR,  LCL,  REL,  CON,NOPIC,ALIGN(0)
;    .  ABS  .                        0  NOVEC,NOWRT,NORD ,NOEXE,NOSHR,  LCL,  ABS,  CON,NOPIC,ALIGN(0)



;                           Library Statistics
;
;                                             -------- Symbols --------       Pages       Processing
;       File                                  Total    Loaded   Percent       Mapped      Time
;
;    _$255$DUA28:[NML.OBJ]NMLLIB.L32;1          341        43        12           27       00:00.1
;    _$255$DUA28:[SHRLIB]NMALIBRY.L32;1         887       259        29           47       00:00.2
;    _$255$DUA28:[SHRLIB]NET.L32;1             1279       298        23           63       00:00.3
;    _$255$DUA28:[SHRLIB]EVCDEF.L32;1           213        72        33           15       00:00.1
;    _$255$DUA28:[SYSLIB]STARLET.L32;1         9776         0         0          531       00:03.6



;                                 COMMAND QUALIFIERS

;       BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/LIS=LIS$:NMLDAT/OBJ=OBJ$:NMLDAT MSRC$:NMLDAT/UPDATE=(ENH$:NMLDAT)

; Size:          0 code + 25046 data bytes
; Run Time:         04:25.7
; Elapsed Time:     09:07.3
; Lines/CPU Min:      1248
; Lexemes/CPU-Min: 63324
; Memory Used:  941 pages
; Compilation Complete
```

0281 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY



NMLCLEAR
LIS

NMLBLDMSG
LIS

NMLCHANGE
LIS

NMLDAT
LIS

NMLCLPUST
LIS

0282 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY



0283 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY